

PROCEEDINGS OF THE 24TH SYMPOSIUM OF THE EUROPEAN ASSOCIATION OF
REMOTE SENSING LABORATORIES, DUBROVNIK, CROATIA, 25 - 27 MAY 2004

New Strategies for European Remote Sensing

Edited by

Marinko Oluić

University of Zagreb, Croatia



Millpress

MILLPRESS ROTTERDAM NETHERLANDS 2005

Table of contents

Preface	XI
 <i>World Heritage Sites</i>	
Localization of Scytho-Siberian burial mounds by means of CORONA satellite imagery, Kosh-Agatsh region, Altai Republic, Russia <i>W. Gheyle, J. Bourgeois, R. Goossens, A. De Wulf & T. Willems</i>	3
Classification of the vegetation in the Virunga National Park (D.R. Congo) by integrating past mission reports into Landsat-TM and Terra Aster sensors <i>J. Verbeken, L. De Temmerman, R. Goossens, Ph. De Maeyer & J. Lavreau</i>	11
Managing world heritage sites from space: The BEGO project <i>D. Fernández Prieto, O. Arino, L. Fusco & M. Hernández</i>	17
Use of Ikonos high resolution imagery in archaeology: The example of the ancient city of Bakchias in Egypt <i>G. Bitelli & M. Zanni</i>	23
 <i>Forest Fires</i>	
Remote sensing inputs to fire danger rating <i>E. Chuvieco</i>	33
Monitoring vegetation regeneration after forest fires using satellite imagery <i>A. Twele & P. Barbosa</i>	41
An interpretation framework for fire events and post-fire dynamics in Ayora/Spain using time-series of Landsat-TM and -MSS data <i>A. Röder, S. Bärtsch, J. Hill, B. Duguay, J.A. Alloza & R. Vallejo</i>	51
Scale effect on burned area assessment using earth observation data <i>R. Armas & M. Caetano</i>	61

Wildfire simulation modeling using remote sensing and GIS integration for Marmaris-Çetibeli wildfire, Turkey <i>Z. Akyürek & E. Taşel</i>	69
Is it possible to timely and accurately estimate wildfire burnt areas using remote sensing techniques? <i>S. Merino de Miguel, F. González Alonso, S. García Gígorro, A. Roldán Zamarrón & J.M. Cuevas</i>	81
Fire disasters in a wetlands area monitored by remote sensing data <i>A. Hoscilo</i>	89
Previous drought conditions and losses produced at the Valencia de Alcántara forest fire in August 2003 <i>F. González Alonso, S. Merino de Miguel, J.M. Cuevas, A. Roldán Zamarrón & S. García Gígorro, A. Calle, J.L. Casanova & A. Romo</i>	95
Cartography of a large fire in Extremadura (Spain) in the summer 2003 using AVHRR, MODIS, BIRD & TM sensors <i>A. Calle, A. Romo, J. Sanz & J.L. Casanova</i>	101
Analysis of forest fire parameters using BIRD, MODIS & MSG-SEVIRI sensors <i>A. Calle, A. Romo, C. Moclán & J.L. Casanova</i>	109
 <i>Alpine Remote Sensing</i>	
Using ASTER and SRTM DEMs for studying geomorphology and glaciation in high mountain areas <i>T. Bolch, U. Kamp & J. Olsenholler</i>	119
True-3D visualisation of remote sensing data of high-alpine terrain <i>M.F. Buchroithner</i>	129
Assessment of parameters for avalanche modelling by means of laser scanning and aerial photos <i>M. Schardt & R. Wack</i>	137
Remote sensing of upper timberline elevation in the Alps on different scales <i>J. Danzeglocke</i>	145
Geomorphologic analysis and cartography based on spatial images: Applications to two massifs from the Romanian Carpathians <i>V. Loghin</i>	153
 <i>Temporal Series Analysis</i>	
Use of Corona, Landsat TM, Spot 5 images to assess 40 years of land use/cover changes in Cavusbasi <i>N. Musaoglu, F. Bektas, E. Saroglu, S. Kaya & C. Goksel</i>	161
The use of temporal datasets of remotely sensed images in verifying environmental models <i>K.R. McCloy & W. Lucht</i>	167
Environmental change detection using satellite data: Mapping northwest side of Istanbul <i>C. Goksel, S. Kaya & N. Musaoglu</i>	175
Use of multitemporal satellite data for vegetation change detection in Namibia <i>H. Wagenseil & C. Samimi</i>	183
Change detection of man-made objects using high resolution imagery and GIS Data <i>S. Phalke & I. Couloigner</i>	191
The temporal analysis of image data in vegetation studies:- Where from and where to? <i>K.R. McCloy</i>	199

Land Degradation

- Remotely-sensed optical and thermal indicators of land degradation 211
B. Lacaze
- Using ancillary data to improve classification of degraded Mediterranean vegetation with HyMap spectroscopic images 219
R. Sluiter & S.M. de Jong
- Using IKONOS XS imagery to assess flood damage and hydraulic roughness of river beds 227
S.M. de Jong, R. Sluiter, C.J. van der Sande & A.P.J. de Roo

Forestry

- Radiometric-topographic normalization in mountainous terrain for Landsat-TM-based forest parameter assessment by the kNN method 239
T. Koukal, W. Schneider & F. Suppan
- Automatic classification of B&W aerial orthophotos 247
L. Halounová
- Derivation of forest leaf area index from multi- and hyperspectral remote sensing data 253
M. Schlerf, C. Atzberger, M. Vohland, H. Buddenbaum, S. Seeling & J. Hill
- Operational use of remote sensing for regional level assessment of forest estate values 263
M. Nilsson, J. Bohlin, H. Olsson, S.A. Svensson & M. Haapaniemi
- Earth observation of the forests of Ukraine and Siberia for an estimation of their state, fire risk and carbon cycle 269
V.I. Lyalko, A.I. Sakhatsky, A.Ja. Hodorovsky, O.G. Harechko, S. Nilsson, A. Shvidenko & J. McCallum
- Normalisation of within-scene optical depth levels in multispectral satellite imagery using National Forest Inventory plot data 279
O. Hagner & H. Olsson
- Procedure for classification of forests for CORINE land cover in Sweden 285
O. Hagner, M. Nilsson, H. Reese, M. Egberth & H. Olsson

Oceanography

- Regional validation of AVHRR-derived surface temperature of the Northern Adriatic Sea 295
I. Tomazic, M. Kuzmic & R. Precali
- Monitoring the sea breaking zone in northwest Portugal using Earth observation satellites 301
A.R.S. Marçal, A.C. Teodoro, L. Castro, F. Veloso Gomes & A.L. Nunes
- Organic matter distribution in the upper layer of the Baltic water based on the lidar and *in situ* data 309
V. Drozdowska & M. Darecki

Data Fusion

- Assessment of the quality of fused products 317
C. Thomas & L. Wald
- The comparison of interpretation possibility of RGB composite (4,5,3) of LISS III and ETM+ scanner 327
St. Lewinski & Z.F. Polawski
- Image fusion of Ikonos pan and multispectral images for classification of the urban environment 335
V. Meenakshisundaram & I. Couloigner
- Evaluation of the quality of Quickbird fused products 343
R. Alonso Reyes, M.J. Gutierrez, S. Fernández, C. Thomas, T. Ranchin & L. Wald

Quality of products in fusion of SAR and optical spatial images <i>M. Spigai & H. Sassier</i>	353
Are we using the right quality measures in multi-resolution data fusion? <i>F.W. Acerbi-Junior, M. Wachowicz, J.G.P.W. Clevers & L.M.T. de Carvalho</i>	361
Fusion of SPOT5 multispectral and Ikonos panchromatic images <i>R. Alonso Reyes, M. Melgar, S. Fernández, C. Thomas, T. Ranchin & L. Wald</i>	369
A new method for quality assessment of MS+ Pan fusion of Quickbird and Ikonos data <i>L. Alparone, S. Baronti, A. Garzelli & F. Nencini</i>	377
Which metrics to assess and compare the quality of image fusion products? <i>Y. Cornet & M. Binard</i>	385
 <i>High Resolution Data</i>	
PEGASUS - Bridging the gap between airborne and spaceborne remote sensing <i>J. Everaerts</i>	395
Derivation of DEM and Orthoimages using HRS stereo data and HRG data from SPOT 5 satellite <i>P. Reinartz, M. Lehner, R. Müller & M. Schroeder</i>	403
Surface model extraction from high resolution stereo data over Alpine terrain <i>H. Raggam, M. Franke & K. Gutjahr</i>	411
Improving spatial information extraction for local and regional authorities using Very-High-Resolution data - geometrical aspects <i>D. Devriendt, R. Goossens, K. Taillieu, A. Dewulf & M. Binard</i>	421
Surface and terrain reconstruction from very high resolution imagery: Where are we now? <i>F. Jung, N. Paparoditis, F. Bretar & G. Maillet</i>	429
 <i>3-D Remote Sensing</i>	
Analysis of Digital Elevation Models based on space information <i>K. Jacobsen</i>	439
Generation of DEMs and orthoimages based on non-stereoscopic IKONOS images <i>K. Taillieu, R. Goossens, D. Devriendt, A. De Wulf, S. Van Coillie & T. Willems</i>	453
A new rigorous model for the orthorectification of synchronous and asynchronous high resolution imagery <i>V. Baiocchi, M. Crespi, L. De Vendictis & F. Giannone</i>	461
Creation of relative DEMs based on ASTER images without using ground control points <i>S. Van Coillie & R. Goossens</i>	469
 <i>Remote Sensing of the Coastal Zone</i>	
Realization of a local coral reef monitoring system in the Red Sea using Landsat7 ETM+ data <i>T. Vanderstraete, R. Goossens & T.K. Ghabour</i>	479
Detection and monitoring of the Prestige oil spill using Envisat ASAR images <i>L. González Vilas & J.M. Torres Palenzuela</i>	489
Correlation between MERIS and in-situ data for study of Pseudo-nitzschia spp toxic blooms in Galician coastal areas <i>J.M. Torres Palenzuela, L. González Vilas & Á. Mosquera Jiménez</i>	497

Environment/Ecology

- Crop monitoring basis to the area based subsidy control and Land Parcel Identification System (LPIS-Hu) in Hungary 507
G. Csornai, B. Csonka, G. Zelei, G. Nádor, L. Tikász, I. László, L. Martinovich, A. Kocsis, E. Bognár, Z. Suba, C. Wirnhardt & P. Winkler
- Comparison of the SEBAL and the traditional FAO procedure for water volume estimation in an irrigation district 515
J. Ramos, M.A. Casterad, A. Martínez Cob, C.R. Cratchley, J. Herrero Isern & J.A. Kay
- Procedure for classification of forests for CORINE land cover in Sweden 523
O. Hagner, M. Nilsson, H. Reese, M. Egberth & H. Olsson
- FarMap: A proposed method of field level land use mapping of agricultural areas across Europe 531
K.R. McCloy, B.F. Pedersen & R. Larsen
- Assessment of environmental impacts of a barrage system using multi-temporal multi-sensor data 539
D. Kristof & D. Ducrot

Geological Hazards

- The ground segment of the German Remote Sensing Data Center and services for the eastern Mediterranean area 549
G. Schreier
- Model of the seismotectonic activity in wider area of Dubrovnik based on satellite data and geophysical survey 557
M. Oluic, S. Romandić & D. Cvijanović
- Ground-based radar interferometry: Results of experimental campaigns for landslides monitoring in Italy 567
G. Luzi, G. Macaluso, D. Mecatti, L. Noferini, M. Pieraccini & C. Atzeni
- Land subsidence monitoring with ERS and Envisat SAR interferometric data 575
M. Crosetto, E. Biescas, M. Agudo & B. Crippa
- Relationship between space-time earthquakes and scaling in lineament densities deduced from multiresolution images 583
L.N. Vasiliev & M. Rukieh
- Flood risk management with photogrammetry and space-borne remote sensing in Hungary 593
Zs. Kugler & A. Barsi
- Investigation of the landfill location in Karst area using RS and geophysical survey - Case study Lečevica, Split (Croatia) 601
M. Oluic, S. Romandić, S. Kasapović & S. Burela
- Evolution of floods and stranding hazard by Kohonen Self-Organizing Map classification (Case of Nouakchott, West Africa) 609
N. Aboudagga, M.F. Courel, J. LeRhun & F. Badran
- The relevance, strength and likelihood of occurrence of the mine-field indicators and signatures used in the airborne and space-borne remote sensing of mine contaminated areas 619
R. Pernar, R. Šapina, A. Marinov, D. Vuletić, Č. Matic & M. Bajić
- GIS - Remote sensing application of landslide hazard mapping - Case study Thua-Thien-Hue Province, Vietnam 627
L.Q. Hung, O. Batelaan, D.N. San & T.T. Van
- Influence of the radiometric features of VNIR and TIR images on the automated detection and interpretation of objects 635
A. Krtalić & M. Bajić

<i>Urban Remote Sensing</i>	
Spectral unmixing based on image and reference endmembers for urban change analysis <i>P. Hostert, E. Diermayer, A. Damm & S. Schiefer</i>	645
Long-term investigation of urban sprawl on the basis of remote sensing data - Results of an international city comparison <i>G. Meinel & M. Winkler</i>	653
The aptness of landcover classifications for regional environmental planning: New orientation through objects? <i>G. Rossner & M. Bock</i>	663
Application of various change detection methods for analysis of urban environment <i>Z. Bochenek</i>	671
Multitemporal analysis of the urban surface temperature - Heat island of the city of Basel <i>G. Rigo & E. Parlow</i>	679
 <i>Instruments and Methods</i>	
Land cover classification with the Medium Resolution Imaging Spectrometer (MERIS) <i>J.G.P.W. Clevers, H.M. Bartholomeus, C.A. Múcher & A.J.W. de Wit</i>	687
Theoretical interpretation of morphological filters for the reconstruction of digital images <i>D. Kusan Una</i>	695
Airborne sampling of the reflectivity by the hyperspectral line scanner in a visible and near infrared wavelengths <i>M. Bajić, H. Gold, Ž. Pračić & D. Vuletić</i>	703
Migration of Ground Penetrating Radar data in heterogeneous and dispersive media <i>A.R. Sena, P.L. Stoffa & M.K. Sen</i>	711
Frequency domain GPR signal forward and inverse modeling for identifying the subsurface dielectric properties <i>S. Lambot, I. van den Bosch & E.C. Slob</i>	721
Hyper-temporal remote sensing in the biometrics <i>S. Čosović-Bajić & M. Bajić</i>	729
The application of remote sensing in archaeology <i>M. Buzov</i>	737
Identification of an airborne remote sensing system in the visible and near infrared bands <i>M. Kalajžić & M. Bajić</i>	741
 <i>Indices</i>	
List of participants	751
Keyword index	763
Author index	767