

Volume 1

Keynote lectures

1. Mechanical *in-situ* testing methods
2. Geophysical methods applied to geotechnical engineering
3. Innovative technologies and equipment
4. New developments in interpretation of *in-situ* data

Volume 2

5. Case studies involving practical projects
6. Characterization of non-textbook geomaterials
7. Applications to geotechnical structures
8. Enhanced characterization by combined *in-situ* testing
9. Laboratory and field comparisons

Table of contents

Volume 1

Introduction	XXI
Reviewing Committee	XXIII
Reference documents on <i>in-situ</i> testing	XXV
Acknowledgements	XXVIII

KEYNOTE LECTURES

The James K. Mitchell Lecture: “ <i>In situ</i> soil testing: from mechanics to interpretation” <i>H-S. Yu</i>	3
Characterization of granite and the underground construction in Metro do Porto, Portugal <i>S. Babendererde, E. Hoek, P. Marinos & A. Silva Cardoso</i>	39
<i>In-situ</i> test characterization of unusual geomaterials <i>F. Schnaid, B.M. Lehane & M. Fahey</i>	49
Routine and advanced analysis of mechanical <i>in-situ</i> tests. Results on saprolitic soils from granites more or less mixed in Portugal <i>A. Gomes Correia, A. Viana da Fonseca & M. Gambin</i>	75
The contributions of <i>in situ</i> geophysical measurements to solving geotechnical engineering problems <i>K.H. Stokoe II, S-H. Joh & R.D. Woods</i>	97
Deformation properties of fine-grained soils from seismic tests <i>K.R. Massarsch</i>	133
Advanced calibration chambers for cone penetration testing in cohesionless soils <i>A-B. Huang & H-H. Hsu</i>	147
<i>In-situ</i> seismic survey in characterizing engineering properties of natural ground <i>S. Shibuya, S. Yamashita, Y. Watabe & D.C.F. Lo Presti</i>	167
Characterization of the Venice lagoon silts from <i>in-situ</i> tests and the performance of a test embankment <i>P. Simonini</i>	187
Characterization of soft sediments for offshore applications <i>M.F. Randolph</i>	209
Evaluating soil liquefaction and post-earthquake deformations using the CPT <i>P.K. Robertson</i>	233

1. MECHANICAL IN-SITU TESTING METHODS

General report: Mechanical <i>in-situ</i> testing methods <i>M. Devincenzi, J.J.M. Powell & N. Cruz</i>	253
Comparison between plate load test results and dilatometer test results - Case study, Seymareh dam and Sazbon dam projects <i>A. Agharazi & M. Moradi</i>	265
Influence of vane size and equipment on the results of field vane tests <i>H. Åhnberg, R. Larsson & C. Berglund</i>	271
Determination of <i>in-situ</i> deformation moduli with a penetrometer and static loading test <i>H. Arbaoui, R. Gourvès, Ph. Bressolette & L. Bodé</i>	279
Characterization of soft marine clay using the flat dilatometer <i>A. Arulrajah, M.W. Bo & H. Nikraz</i>	287
Estimating the SPT penetration resistance from rod penetration based on instrumentation <i>E.H. Cavalcante, F.A.B. Danziger & B.R. Danziger</i>	293
Characterization of SPT grain size effects in gravels <i>C.R. Daniel, J.A. Howie, R.G. Campanella & A. Sy</i>	299
International and European standards on geotechnical investigation and testing for site characterization <i>V. Eitner, R. Katzenbach & F. Stölben</i>	307
CPTU site characterization: offshore peninsular and East Malaysia experience <i>S.M. Fairuz, J. Rohani & T. Lunne</i>	315
The repeatability in results of Mackintosh Probe test <i>A. Fakher & M. Khodaparast</i>	325
Application of the CPT to the characterization of a residual clay site <i>S.G. Fityus & L. Bates</i>	331
Energy ratio measurement of SPT equipment <i>D-S. Kim, W-S. Seo, E-S. Bang</i>	339
CPT-DMT interrelationships in Piedmont residuum <i>P.W. Mayne & T. Liao</i>	345
Energy measurements for standard penetration tests and the effects of the length of rods. <i>E. Odebrecht, F. Schnaid, M.M. Rocha & G.P. Bernardes</i>	351
SPT-T: test procedure and applications <i>A.S.P. Peixoto, D. de Carvalho & H.L. Giacheti</i>	359
Dynamic cone penetrometer to estimate subgrade resilient modulus for low volume roads design <i>A.M. Rahim & K.P. George</i>	367
Soil profile interpretation based on similarity concept for CPTU data <i>F. Saboya Jr & D.J.G. Balbi</i>	373
Centrifuge penetration tests in saturated layered sands <i>M.F. Silva & M.D. Bolton</i>	377
Sampling by drilling and excavations and groundwater measurements according to EN ISO 22475 for geotechnical investigations and site characterization <i>F. Stölben, V. Eitner & H. Hoffmann</i>	385
Undrained shear strength and OCR of marine clays from piezocone test results <i>F.A. Trevor & P.W. Mayne</i>	391
Results of a comparative study on cone resistance measurements <i>V. Whenham, N. Huybrechts, M. De Vos, J. Maertens, G. Simon & G. Van Alboom</i>	399

2. GEOPHYSICAL METHODS APPLIED TO GEOTECHNICAL ENGINEERING

General report: Geophysical methods applied to geotechnical engineering <i>S. Foti & A.P. Butcher</i>	409
ISC'2 experimental site investigation and characterization - Part 2: from SH waves high resolution shallow reflection to shallower GPR tests <i>F. Almeida, H. Hermosilha, J.M. Carvalho, A. Viana da Fonseca & R. Moura</i>	419
Quantitative resistivity methods for marine and fluvial site investigations <i>P. Brabers</i>	427
ISC'2 experimental site investigation - Part 1: conventional and tomographic P and S waves refraction seismics vs. electrical resistivity <i>J.M. Carvalho, A. Viana da Fonseca, F. Almeida & H. Hermosilha</i>	433
The role of crosshole seismic tomography for site characterization and grout injection evaluation on Carmo convent foundations <i>M.J. Coelho, F.M. Salgado & L. Fialho Rodrigues</i>	443
Geophysical characterization for seepage potential assessment along the embankments of the Po River <i>C. Comina, S. Foti, L.V. Socco & C. Strobbia</i>	451
The use of multichannel analysis of surface waves in determining G_{max} for soft clay <i>S. Donohue, M. Long, K. Gavin & P. O'Connor</i>	459
The use of electrical resistivity for detection of leachate plumes in waste disposal sites <i>V.R. Elis, G. Mondelli, H.L. Giacheti, A.S.P. Peixoto & J. Hamada</i>	467
Wavelets in surface wave cavity detection - theoretical background and implementation <i>N. Gucunski, P. Shokouhi & A. Maher</i>	475
Investigation of bridge foundation sites in karst terrane via multi-electrode electrical resistivity <i>D.R. Hiltunen & M.J.S. Roth</i>	483
Monitoring water saturation gradient in a silty sand site using geophysical techniques <i>E. Kalantarian & D. Doser</i>	491
Characterizing ground hazards induced by historic salt mining using ground-penetrating radar <i>B. Kulessa, A. Ruffell & D. Glynn</i>	497
Hydrogeological characterization by electrical resistivity surveys in granitic terrains <i>A.S. Lima & A.C.V. Oliveira</i>	505
Development of a TDR dielectric penetrometer <i>C-P. Lin, C-C. Chung & S-H. Tang</i>	513
Joint acquisition of SWM and other seismic techniques in the ISC'2 experimental site <i>I. Lopes, I. Moitinho, C. Strobbia, P. Teves-Costa, G.P. Deidda, M. Mendes & J.A. Santos</i>	521
Decomposed rock mass characterization with crosshole seismic tomography at the Heroísmo station site (Porto) <i>M. Oliveira & M.J. Coelho</i>	531
Shear velocity model appraisal in shallow surface wave inversion <i>A. O'Neill</i>	539
Full waveform reflectivity for inversion of surface wave dispersion in shallow site investigations <i>A. O'Neill</i>	547
Offshore geosciences for coastal infrastructure <i>J. Peuchen & W.M. NeSmith</i>	555
A framework for inversion of wavefield spectra in seismic non-destructive testing of pavements <i>N. Ryden, P. Ulriksen & C.B. Park</i>	563

Geoelectrical resistivity imaging of domestic waste disposal sites: Malaysian case study <i>A.R. Samsudin, U. Hamzah & W.Z.W. Yaacob</i>	571
The small strain stiffness of gold tailings <i>M. Theron, G. Heymann & C.R.I. Clayton</i>	575
An assessment of heavy metal contamination using electromagnetic survey in the solid waste disposal site of Campos dos Goytacazes, Brazil <i>S. Tibana, L.A.C. Monteiro, E.L. dos Santos Júnior & F.T. de Almeida</i>	581
Geotechnical site characterization using surface waves, case studies from Belgium and the Netherlands <i>V. van Hoegaerden, R.S. Westerhoff, J.H. Brouwer & M.C. van der Rijst</i>	585
Geophysical methods and identification of embankment dam parameters <i>O.K. Voronkov, A.A. Kagan, N.F. Krivonogova, V.B. Glagovsky & V.S. Prokopovich</i>	593
Application of advanced geophysical technologies to landslides and unstable slopes <i>R.J. Whiteley</i>	601
Resistivity imaging as a tool in shallow site investigation – a case study <i>R. Wisén, T. Dahlin & E. Auken</i>	607
Evaluation of grouting effect with seismic tomography considering grouting mechanism <i>Y. Yamaguchi & H. Satoh</i>	615

3. INNOVATIVE TECHNOLOGIES AND EQUIPMENT

General report: Innovative technologies and equipment <i>M. Long & K.K. Phoon</i>	625
The use of microtremors for soil and site categorization in Thessaloniki city, Greece <i>P. Apostolidis, D. Raptakis, M. Manakou & K. Pitilakis</i>	635
New de-coupled shear wave source for the SCPT test <i>L. Areias, W. Haegeman & W.F. Van Impe</i>	643
Comparing 360° televising of drill hole walls with core logging <i>R. T. Baillot, N. Barton, R. Abrahão & A. Ribeiro Jr.</i>	647
Developments of a full displacement pressuremeter for municipal solid waste site investigations in Brazil <i>L.A.L. Bello, T.M.P. de Campos, J.T. Araruna & B.G. Clarke</i>	657
Rock characterization using drilling parameters <i>J. Benoît, S.S. Sadekzadeh & W.A. Bothner</i>	665
Penetration resistance in soft clay for different shaped penetrometers <i>S.F. Chung & M.F. Randolph</i>	671
Evaluation of the undrained shear strength profile in soft layered clay using full-flow probes <i>J.T. DeJong, N.J. Yafate, D.J. DeGroot & J. Jakubowski</i>	679
Rapid site assessment with the electrical conductivity probe flexible approach for rapid and deep site investigation <i>M.P. Harkes, E.E. van der Hoek & J.J. van Meerten</i>	687
A framework for using textured friction sleeves at sites traditionally problematic for CPT <i>G.L. Hebel, J.D. Frost & J.D. Shinn II</i>	693
Thin layer and interface characterization by VisCPT <i>R.D. Hryciw & S. Shin</i>	701
Evaluation of shear wave velocity profile using SPT based uphole test <i>D-S. Kim, E-S. Bang, W-S. Seo</i>	707

Suitability of using Iwasaki's P_L in characterization of liquefaction damages during the 1999 Chi-Chi Earthquake, Taiwan <i>C.P. Kuo, M. Chang, S.H. Shau & R.E. Hsu</i>	713
T-bar testing in Irish soils <i>M. Long & G.T. Gudjonsson</i>	719
Site characterization and QA/QC of deep dynamic compaction using an instrumented dilatometer <i>H.J. Miller, K.P. Stetson & J. Benoit</i>	727
Soil-rock sounding with MWD – a modern technique to investigate hard soils and rocks <i>B. Möller, U. Bergdahl & K. Elmgren</i>	733
A new <i>in-situ</i> apparatus: the geomechameter <i>J. Monnet & S.M. Senouci</i>	741
Permeability of sand sediment soil determined by the pressure infiltrometer test <i>T. Morii, Y. Takeshita & M. Inoue</i>	749
Adapted T-bar penetrometer versus CPT to determine undrained shear strengths of Dutch soft soils <i>O. Oung, J.W.G. Van der Vegt, L. Tiggelman & H.E. Brassinga</i>	757
Development of seismic site characterization method using harmonic wavelet analysis of wave (HWAW) method <i>H-C. Park & D-S. Kim</i>	767
Use of dilatometer and dual dilatometer test for soft soils and peats <i>P.P. Rahardjo, Y. Halim & L. Sentosa</i>	775
Field evaluation of the LCPC <i>in-situ</i> triaxial test <i>Ph. Reiffsteck</i>	783
CPTWD (Cone Penetration Test While Drilling) a new method for deep geotechnical surveys <i>M. Sacchetto, A. Trevisan, K. Elmgren & K. Melander</i>	787
Enhanced access penetration system: a direct push system for difficult site conditions <i>J.D. Shinn II & J.W. Haas III</i>	795
Use of a radioisotope cone to characterize a lumpy fill <i>T.S. Tan, M. Karthikeyan, K.K. Phoon, G.R. Dasari & M. Mimura</i>	801
Development of a carrier tool for a multi-method investigation of brownfield sites <i>P. Wotschke & S. Friedel</i>	809

4. NEW DEVELOPMENTS IN INTERPRETATION OF *IN-SITU* DATA

General report: New developments in the interpretation of <i>in-situ</i> test data <i>B. Lehane & M. Fahey</i>	819
Discussion report: Benefit of new developments in interpretation of <i>in-situ</i> data <i>J. Peuchen</i>	825
Calibration chamber size and boundary effects for CPT q_c measurements <i>M.M. Ahmadi & P.K. Robertson</i>	829
State-space seismic cone minimum variance deconvolution <i>E.J. Baziw</i>	835
The effects of vibration on the penetration resistance and pore water pressure in sands <i>J. Bonita, J.K. Mitchell & T.L. Brandon</i>	843
<i>In-situ</i> testing and foundation engineering: recent contributions <i>J-L. Briaud</i>	853

Disturbance effects of field vane tests in a varved clay <i>A.B. Cerato & A.J. Lutenegger</i>	861
Assessment of cyclic stability of cohesive deposits using cone penetration <i>R. Debasis</i>	869
High resolution stratigraphic and sedimentological analysis of Llobregat delta nearby Barcelona from CPT & CPTU tests <i>M.J. Devincenzi, S. Colàs, J.L. Casamor, M. Canals, O. Falivene & P. Busquets</i>	877
Fractal analysis of CPT data <i>J.A. Díaz-Rodríguez & P. Moreno-Carrizales</i>	885
Neural networks in soil characterization <i>W. Ding & J.Q. Shang</i>	889
Cylindrical cavity expansion modeling for interpretation of cone penetration tests <i>F. Elmi & J.L. Favre</i>	897
Stratigraphic profiling by cluster analysis and fuzzy soil classification from mechanical cone penetration tests <i>J. Facciorusso & M. Uzielli</i>	905
Site variability, risk, and beta <i>R.A. Failmezger, P.J. Bullock & R.L. Handy</i>	913
A case study using in-situ testing to develop soil parameters for finite-element analyses <i>E. Farouz, J-Y. Chen & R.A. Failmezger</i>	921
Using a non linear constitutive law to compare Menard PMT and PLT E-moduli <i>A. Gomes Correia, A. Antão & M. Gambin</i>	927
Computational and physical basis for dynamic characterization using Love waves <i>B.B. Guzina, A.I. Madyarov & R.H. Osburn</i>	935
Effect of ageing on shear wave velocity by seismic cone <i>J.A. Howie & A. Amini</i>	943
Dissipation test evaluation with a point-symmetrical consolidation model <i>E. Imre & P. Rózsa</i>	951
Feasibility of neural network application for determination of undrained shear strength of clay from piezocone measurements <i>Y-S. Kim</i>	957
Measurement of <i>in-situ</i> deformability in hard rock <i>D. Labrie, B. Conlon, T. Anderson & R.F. Boyle</i>	963
Estimation of shear strength increase beneath embankments by seismic cross-hole tomography <i>R. Larsson & H. Mattson</i>	971
Statistical evaluation of the dependence of the liquidity index and undrained shear strength of CPTU parameters in cohesive soils <i>J. Liszkowski, M. Tschuschke, Z. Młynarek & W. Tschuschke</i>	979
CPTU – replication test in post flotation sediments <i>Z. Młynarek, W. Tschuschke & T. Lunne</i>	987
Evaluation of the coefficient of subgrade reaction for design of multipropped diaphragm walls from DMT moduli <i>P. Monaco & S. Marchetti</i>	993
Evaluation of SCPTU intra-correlations at sand sites in the Lower Mississippi River Valley, USA <i>J.A. Schneider, A.V. McGillivray & P.W. Mayne</i>	1003

Risk assessment for contaminated tropical soil <i>A.C. Strava Corrêa & N. Moreira de Souza</i>	1011
An examination of the engineering properties and the cone factor of soils from East Asia <i>M. Tanaka & H. Tanaka</i>	1019
The regional information system 'Databank Ondergrond Vlaanderen - DOV' <i>I. Vergauwen, P. De Schrijver & G. Van Alboom</i>	1025

INDICES

Keyword index

Author index

Volume 2

5. CASE STUDIES INVOLVING PRACTICAL PROJECTS

General report: Case studies involving practical projects <i>P.W. Mayne & D. Hight</i>	1033
Site characterization and site planning for the reclamation of brown fields of former open-pit mining sites with help of cone penetration tests <i>W. Al Hamdan & R. Azzam</i>	1035
Pre-reclamation characterization of marine clay using <i>in-situ</i> testing methods <i>A. Arulrajah, M.W. Bo & H. Nikraz</i>	1041
Estimating the <i>in-situ</i> cohesion of Tehran cemented alluvium using plate load test along the edge of trench <i>E. Asghari & S.S. Yasrebi</i>	1047
<i>In-situ</i> tests for the geotechnical characterization of airship hangar soil in the city of Augusta <i>A. Cavallaro, M. Maugeri & A. Ragusa</i>	1053
Characterization of material strata and slide mechanism of slopes based on <i>in-situ</i> ground monitoring <i>M. Chang, G.C. Doo, Y.F. Chiou, S.Y. Lin, S.C. Chien, & J.W. Chen</i>	1061
Geology and geotechnics of Alqueva and Pedrogão dam sites and their importance on the foundation zoning <i>J.M. Coteló Neiva, J. Neves & C. Lima</i>	1067
Site characterization of five hazardous waste landfills <i>A. De, N. Matasovic & R.J. Dunn</i>	1075
Slope degradation and analysis of Mokattam plateau, Egypt <i>M. EL-Sohby, M. Aboushook & O. Mazen</i>	1081
Casa da Música do Porto: site characterization <i>A.R. Gaba, A.C. Pickles & R. Oliveira</i>	1089
Analysis of the geotechnical behaviour of tailings disposal systems using CPTU tests <i>R.C. Gomes, L.H. Albuquerque Filho, L.F.M. Ribeiro & F.M. Pereira</i>	1097
Integral geotechnical investigation – A case study <i>N.Sh. Guirguis</i>	1105
Ouqui dyke characterization and rehabilitation <i>Y. Hammamji, P. Vannobel, J.P. Tournier, R. Piché, G. Lefebvre & M. Karray</i>	1111
The soil investigation and interpretation for a complex metro project <i>J. Herbschleb</i>	1119
The application of shallow seismic refraction and penetration tests for site investigation for an airport runway extension in Calabar, South Eastern Nigeria <i>A.O. Ilori, C.S. Okereke & A.E. Edet</i>	1125
Site characterization of paleoliquefaction features in Missouri <i>H. Jardi, R. Luna, D. Hoffman & P.W. Mayne</i>	1131
Characterization of granular test sites for grillage load testing <i>F.H. Kulhawy & H.E. Stewart</i>	1139
Application of electrical resistivity tomography to leak detection in a geomembrane at A55 Conwy Tunnel, North Wales <i>D. Nichol, J.K. Ferris & J.M. Reynolds</i>	1147

A risk assessment method of rain-induced slope failure and a portable dynamic cone penetration test	1155
<i>O. Nunokawa, T. Sugiyama, T. Fujii & K. Okada</i>	
A historical case in the Bolivia-Brazil natural gas pipeline: slope on the Curriola River	1161
<i>H.R. Oliveira</i>	
Settlements of a building with shallow foundations in Recife, Brazil	1165
<i>J.T.R. Oliveira, R.Q. Coutinho & A.D. Gusmão</i>	
Control of subsidence with borehole extensometer and surveying measurements in Murcia, Spain	1171
<i>F. Peral, A. Rodríguez & J. Mulas</i>	
The use of geophysical surveying for the investigation of slope failures in southern Brazil	1177
<i>R.J.B. Pinheiro, A.V.D. Bica, L.A. Bressani & A. Strieder</i>	
<i>In situ</i> methods and their quality assessments in ground improvement projects	1185
<i>A.J. Puppala, A. Porbaha & V. Bhadriraju</i>	
Site characterization for settlement analyses of a large diameter cryogenic tank	1191
<i>P.M. Rao, K.M. Vennalaganti, S.N. Endley & K. Sreerama</i>	
Liquefaction potential mapping in Memphis, Tennessee using stochastically simulated CPT data	1199
<i>S. Romero-Hudock & G.J. Rix</i>	
Wali Al Ahed flyover – long distance assistance in site characterization	1207
<i>J.S. Steenfelt</i>	
Application of <i>in-situ</i> geotechnical tests in characterization of slope failures	1213
<i>J. Vakili</i>	
Drilling process monitoring for ground characterization during soil nailing in weathered soil slopes	1219
<i>Z.Q. Yue, J.Y. Guo, L.G. Tham & C.F. Lee</i>	
Site investigation for unstable slope instrumentation and assessment	1225
<i>J. Záleský, J. Schröfel, J. Pruška & J. Salák</i>	

6. CHARACTERIZATION OF NON-TEXTBOOK GEOMATERIALS

General report: Characterization of non-textbook geomaterials	1233
<i>R.Q. Coutinho, J.B. de Souza Neto & K.C. de Arruda Dourado</i>	
Discussion report: Characterization of non-textbook geomaterials	1259
<i>J.A. Howie</i>	
Determination of optimum sampling locations in a solid waste landfill using PCSV technique	1263
<i>S. Avsar, A. Bouazza & E. Kavazanjian</i>	
Evaluation of the collapsibility of a sand by Ménard pressuremeter	1267
<i>R.Q. Coutinho, K.C.A. Dourado & J.B. Souza Neto</i>	
Evaluation of effective cohesive intercept on residual soils by DMT and CPT	1275
<i>N. Cruz, A. Viana da Fonseca & E. Neves</i>	
Penetrometer testing in residual soils from granitic rocks in the South of Portugal	1279
<i>I.M.R. Duarte, A.B. Pinho & F.L. Ladeira</i>	
Physical, mechanical, and hydraulic properties of coal refuse for slurry impoundment design	1285
<i>Y.A. Hegazy, A.G. Cushing, & C.J. Lewis</i>	
Example of erratic distribution of weathering patterns of Porto granite masses and its implication on site investigation and ground modelling	1293
<i>E. Marques, A. Viana da Fonseca, P. Carvalho & A. Gaspar</i>	
<i>In-situ</i> geotechnical characterization of the Brasilia porous clay	1301
<i>F.E.R. Marques, J. Almeida e Sousa, C.B. Santos, A.P. Assis & R.P. Cunha</i>	

Bearing capacity evaluation of drilled piles into a non-saturated soil profile <i>M.M.A. Mascarenhas, R.C. Guimarães, J. Camapum de Carvalho & P.R.F. Falcão</i>	1311
Effects of partial saturation on CPTU readings in Burlleson clay <i>J.B. Nevels, Jr. & N. Houry</i>	1319
Geotechnical site investigation of municipal solid waste landfills <i>D.A.F. Oliveira & P. Murrieta</i>	1325
Density measurements in a tailings dam using penetrolgger tests <i>L.F.M. Ribeiro, L.H. Albuquerque Filho, E.L. Pereira, R.C. Gomes & A.L. Leite</i>	1331
The contamination level through an organic soil of Gramacho MSW landfill <i>E. Ritter, J.C. Campos & R.L. Gatto (deceased)</i>	1339
SPT, CPT and CH tests results on saprolitic granite soils from Guarda, Portugal <i>C.M.G. Rodrigues & L.J.L. Lemos</i>	1345
Interpretation of pressuremeter tests in a gneiss residual soil from São Paulo, Brazil <i>F. Schnaid & F.M. Mántaras</i>	1353
Geotechnical characterization of a residual soil profile: the ISC'2 experimental site, FEUP <i>A. Viana da Fonseca, J. Carvalho, C. Ferreira, E. Costa, C. Tuna & J.A. Santos</i>	1361
The quality control of post flotation reservoir dam by determination of relative compaction index in various methods <i>J. Wierzbicki, A. Niedzielski, M. Waliński & W. Wołyński</i>	1371
7. APPLICATIONS TO GEOTECHNICAL STRUCTURES	
General report: Applications to geotechnical structures <i>C.W.W. Ng</i>	1379
Discussion report: Applications to geotechnical structures <i>R.P. Cunha</i>	1391
The engineering geology assessment of Sabzkuh water conveyance tunnel route, Central Iran <i>R. Ajalloeian, M. Hashemi & Sh. Moghaddas</i>	1397
Simulation of transient water flow through Robert Bourassa Main Dam, Quebec, Canada <i>V. Alicescu, J.-P. LeBihan (deceased) & S. Leroueil</i>	1403
Geotechnical investigations on the Zagrad location in Rijeka, Croatia <i>Ž. Arbanas, M.S. Kovačević & B. Jardas</i>	1415
Bearing capacity assessment for an Omega pile in a Brazilian tropical soil through cone penetration test <i>E. Beira Fontaine & D. de Carvalho</i>	1421
Study of drilled piles behaviour, modelling by finite-element method <i>A. Bekkouche & A. Ras</i>	1425
Pressuremeter test for evaluating load transfer characteristics along bored piles in residual soil <i>M-F. Chang & H. Zhu</i>	1431
Individual foundation design for column loads <i>R.A. Failmezger & P.J. Bullock</i>	1439
Prediction of the ground conditions ahead the TBM face in the tunnels of Guadarrama (Spain), using Electrical Resistivity Tomography (ERT) <i>J.M. Galera, F. Peral & A. Rodríguez</i>	1443
Ground characterization for railroad embankments by seismic methods <i>W. Gardien, H.G. Stuit, F.H. Drossaert & G.G. Drijkoningen</i>	1449
Proceedings ISC'2 on Geotechnical and Geophysical Site Characterization, Viana da Fonseca & Mayne (eds.)	XVII

A case history: dock enlargement at Barcelona harbour <i>R. Gómez Escoubès, M. Arroyo, J.M. González Herrero, M. Devincenzi & R. Sáenz de Navarrete</i>	1457
Drilled shafts impedance evaluation on Doremus Avenue Bridge <i>N. Gucunski, M. Balic, A. Maher & H.H. Nassif</i>	1465
Site characterization for the investigation of tunnel 8 collapse <i>A-B. Huang, C.P. Lin, J.J. Liao, Y.W. Pan & J. Tinkler</i>	1473
Results of surface waves testing in the investigation of the Mont-Blanc tunnel after the 1999 fire <i>M. Karray, G. Lefebvre & R.M. Faure</i>	1481
Determination of unit skin friction in a sand deposit from <i>in situ</i> test results <i>S.P. Kelley & A.J. Lutenegger</i>	1489
CPT-based load capacity of closed- and open-ended pipe piles <i>J.-H. Lee, R. Salgado & K-H. Paik</i>	1499
Evaluation of pile behaviour using piezocone tests <i>A. Mahler, E. Imre & A. Kocsis</i>	1507
DMT-predicted vs measured settlements under a full-scale instrumented embankment at Treporti (Venice, Italy) <i>S. Marchetti, P. Monaco, M. Calabrese & G. Totani</i>	1511
Advantages and equations for pile design in Brazil via DPL tests <i>T. Nilsson & R. Cunha</i>	1519
Pile settlement predictions using theoretical load transfer curves and seismic CPT data <i>1525M.A. Pando, A.L. Fernández & G.M. Filz</i>	
Site characterization and project-specific rock mass classification, Rio Tinto Tunnel, Metro do Porto <i>I. Pöschl & R. Pais</i>	1533
Clay seams below a pile tip – how much do they affect pile performance? <i>H.G. Poulos</i>	1543
Behavior of Omega piles, subjected to compression instrumented load tests <i>P.J. Rocha de Albuquerque, D. de Carvalho & F. Massad</i>	1551
Geotechnical site investigation for tunneling design. A step-by-step approach: Case study <i>J.M.C. Roxo</i>	1557
The monitoring of pile construction to assess integrity and load carrying capacity of CFA piles <i>M. Rust, C.R.I. Clayton, N. Mure, J. Scott, D. Seward & S. Quale</i>	1565
Site investigation by trial embankments <i>J. Škopek & J. Boháč</i>	1571
Reliability of shallow foundation design using the standard penetration test <i>D.P. Zekkos, J.D. Bray & A. Der Kiureghian</i>	1575

8. ENHANCED CHARACTERIZATION BY COMBINED *IN-SITU* TESTING

General report: Enhanced characterization by combined <i>in-situ</i> testing <i>V. Fioravante</i>	1585
A brief study of the repeatability of <i>in-situ</i> tests at the Florida Department of Transportation deep foundations research site in Orlando, Florida, USA <i>J.B. Anderson, F.C. Townsend & E. Horta</i>	1597
CPTu-DMT performance-based correlation for settlement design <i>M. Arroyo, M. Devincenzi, M.T. Mateos, R. Gómez-Escoubès & J.M. Martínez</i>	1605

Two and three dimensional imaging utilizing the seismic cone penetrometer <i>E. Baziw</i>	1611
The importance of geological investigation in geotechnical characterization of Pusan clays <i>S.G. Chung, C.K. Ryu, S.H. Baek & S.W. Kim</i>	1619
Integration of testing data in a site investigation program: examples from tropical soils sites <i>G. De Mio & H.L. Giacheti</i>	1627
Site characterization for tunnel-building interaction problem in Brazil <i>S.B. Foá, P.G.O. Passos, A.P. Assis & M.M. Farias</i>	1635
Use of piezocone tests to characterize the silty soils of the Venetian lagoon (Treporti test site) <i>G. Gottardi & L. Tonni</i>	1643
Critical train speed and the benefit of seismic profiling <i>V. Hopman & P. Hölscher</i>	1651
<i>In-situ</i> measurement of material damping with seismic cone penetration test <i>L. Karl, W. Haegeman & G. Degrande</i>	1655
Comparison of <i>in-situ</i> tests to determine engineering properties of a deltaic sand <i>S.P. Kelley & A.J. Lutenegger</i>	1663
Using SCPT and DMT data for settlement prediction in sand <i>B. Lehane & M. Fahey</i>	1673
Geotechnical correlations in Madrid soil from SPT and Pressuremeter tests <i>A. López Carrasco, A.Rodríguez Soto & M. Torres</i>	1681
Shear wave velocity-penetration resistance correlation for Holocene and Pleistocene soils of an area in central Italy <i>C. Madiai & G. Simoni</i>	1687
Seismic piezocone and seismic flat dilatometer tests at Treporti <i>A. McGillivray & P.W. Mayne</i>	1695
Stiffness of cemented gravel of Tehran from pressuremeter and other <i>in-situ</i> tests <i>B. Pahlavan, A. Fakher & M. Khamnehchian</i>	1701
Use of DMT and DPL tests to evaluate ground improvement in sand deposits <i>P.G.O. Passos, M.M. Farias, & R.P. Cunha</i>	1709
Small strain stiffness assessments from <i>in-situ</i> tests <i>J.J.M. Powell & A.P. Butcher</i>	1717
Comparison of cross-hole, seismic cone penetrometer, spectral wave (SASW) to characterize bridge sites in the New Madrid Seismic Zone <i>R.W. Stephenson, R. Luna, N. Anderson & W. Liu</i>	1723
Experimental <i>in-situ</i> test sites <i>G. Togliani & G. Beatrizotti</i>	1731
Characterization of marine clay soil for a mass rail transit system in Singapore <i>S.Y. Tong, S.K. Tang & S. Sugawara</i>	1739
The subsoil – Crisis or risk management? <i>M.Th. van Staveren</i>	1747
Tentative evaluation of K_0 from shear waves velocities determined in Down-Hole (V_s^{vh}) and Cross-Hole (V_s^{hv}) tests on a residual soil <i>A. Viana da Fonseca, C. Ferreira & J.M. Carvalho</i>	1755
Evaluation of <i>in-situ</i> K_0 for Ariake, Bangkok and Hai-Phong clays <i>Y. Watabe, M. Tanaka & J. Takemura</i>	1765

9. LABORATORY AND FIELD COMPARISONS

General report: Laboratory and field comparisons <i>D.J. DeGroot & R. Sandven</i>	1775
Comparison of CPTU and laboratory tests interpretation for Polish and Norwegian clays <i>Z. Bednarczyk & R. Sandven</i>	1791
Deriving geotechnical parameters of residual soils from granite by interpreting DMT+CPTU tests <i>N. Cruz, S. Figueiredo & A. Viana da Fonseca</i>	1799
Dynamic characterization of alluvial deposit in urban area <i>V. Fioravante</i>	1805
Evaluation of Bryozoan limestone properties based on <i>in-situ</i> and laboratory element tests <i>P.G. Jackson, J.S. Steenfelt, N. Foged & J. Hartlén</i>	1813
Geotechnical characterization for slope failure analysis <i>A. Menkveld & U.F.A. Karim</i>	1821
Geotechnical characterization of an overconsolidated Pliocene clay by field and laboratory tests <i>F. Pelli, D. Minuto, E. Isetta & G. Lombardi</i>	1827
Variability of OCR- Q_c correlation in Singapore upper marine clay <i>K.K. Phoon, H.E. Low & T.S. Tan</i>	1835
Comparison between <i>in-situ</i> and laboratory tests results on undisturbed frozen samples for a natural coarse sand <i>D. Porcino & V.N. Ghionna</i>	1843
Undrained shear strength obtained from <i>in situ</i> and laboratory tests <i>R. Sandven & J. Black</i>	1851
Sample disturbance in highly sensitive clay <i>R. Sandven, T. Ørbech & T. Lunne</i>	1861
Characterizing artificial and natural bonding of clays <i>S. Shibuya, D.J. Li & H. Tanaka</i>	1869
A study on disturbance effect of clay by block sampling <i>Y-S. Shin, Y-J. Kim & H-H. Chang</i>	1875
Laboratory and <i>in-situ</i> measurement of attenuation in soils <i>Y.H. Wang, W.M. Yan & K.F. Lo</i>	1883
Numerical modeling considering nonlinear deformability of soft rock foundations <i>Y. Yamaguchi & M. Nakamura</i>	1891

INDICES

Keyword index	1901
Author index	1907