

Table of contents

Volume 1

Preface	XXI
Organization	XXIII
Acknowledgements	XXV

KEYNOTE LECTURES

Imaging and visualization of fractures in rock engineering <i>R.P. Young, D.S. Collins, W.S. Pettitt & J.F. Hazzard</i>	3
An integration approach to seismic data: A case study from the Cuu Long Basin <i>P.T. Vien & B.T.T. Huyen</i>	13
Risk and hazard management in rock engineering <i>A.V. Sundaram</i>	19
Risk and risk reduction in TBM rock tunnelling <i>N. Barton</i>	29
Energy development and associated geo-environment damage in China <i>C.A. Tang</i>	39
Deep biosolids injection: Environmental protection with energy recycling and carbon sequestration <i>M.B. Dusseault</i>	49
Geological storage of carbon dioxide <i>T. Ohsumi</i>	61

SPECIAL LECTURES

Composite stochastic continuum models of flow in fractured rocks <i>S.P. Neuman</i>	67
Application of some numerical methods to the stability analysis of large underground mine openings in Korea <i>S.-K. Chung</i>	77

ROCHA MEDAL LECTURE

Shear strength of rock joints based on quantified surface description <i>G. Grasselli</i>	87
--	----

VISUALIZATION IN ROCK ENGINEERING

Evaluation system of rock property for tunnels by the seismic reflective survey and the TBM excavation <i>S. Shirasagi, T. Yamamoto, I. Kuronuma, E. Ogura, Y. Mito & K. Aoki</i>	103
Seismic velocity prediction ahead of the tunnel face using seismic refraction with a source in the tunnel <i>T. Takahashi & K. Hayashi</i>	109
A study of effective receiver array and adequate wave for 3-dimensional tunnel seismic reflective survey <i>K. Murakami, S. Shirasagi, T. Yamamoto, J.M. Descour & K. Aoki</i>	115
Geological survey by electrical resistivity prospecting in landslide area <i>S.-G. Park, J.-H. Kim, S. Matsuura, S. Asano & T. Okamoto</i>	121
Stability analysis of a rock slope on the Bristen road using AutoBlock <i>St. Bergamin, J. Kolberg & P. Fritz</i>	127
Acoustic emission monitoring during thermal cracking of a granite block heated in a center hole <i>T. Ishida, N. Kinoshita & N. Wakabayashi</i>	133
Microscopic visualization in rocks under confining pressure by means of micro focus X-ray CT <i>M. Takahashi, T. Takemura & M. Kato</i>	139
NMRI research of storage and transport of coal bed methane <i>Y. Pan & J. Tang</i>	143
Synthesis subsidence prediction method due to underground mining integrated with GIS <i>T. Esaki, I. Djamaluddin, Y. Mitani & G. Zhou</i>	147
Visualization simulation of coupled gas leak flow and coal-rock elastic-deformation in parallel coal seams <i>P.-D. Sun</i>	153
Microscopic behavior of the solid particles in fluid flow through porous rock using LBM and DEM coupling <i>T. Miyoshi, T. Matsuoka & Y. Yamada</i>	159
An investigation of joint aperture distribution using precise surface asperities measurement and GIS data processing <i>M. Sharifzadeh, Y. Mitani, T. Esaki & F. Urakawa</i>	165
Utilization of ice as a rock-like material with transparency for physical experiment in laboratory <i>T. Ito, T. Abe & K. Hayashi</i>	173
Visualization of roof rock geostructure around tunnel by analysis of mechanical data from MWD <i>K. Itakura, J. Doki, K. Sato, Y. Ichihara & H. Matsumoto</i>	179
Electrical resistivity survey for upper layer of shield TBM tunnel ceiling <i>H.K. Jung & C. Park</i>	185
Application of high-resolution geoelectric imaging techniques to geotechnical engineering in Korea <i>J.-H. Kim, M.-J. Yi & S.-J. Cho</i>	191
Reconstruction of 3D fragment size distribution from 2D measurement <i>L.G. Wang, M.T. Jia & F. Sugimoto</i>	197
Joint set identification using genetic algorithm <i>Y.-B. Jung & C. Sunwoo</i>	203
A new approach for underground space design with the fusion of human sensibility and a knowledge of rock mechanics <i>A. Imaizumi, N. Shimizu & S. Sakurai</i>	209
Physical modelling of surface wave propagation for rock mass investigations in tunnels <i>A. O'Neill, K. Tsukada & T. Matsuoka</i>	213

Developing integrated software of adaptive finite element analysis by object-oriented approach <i>W.X. Qin & S.H. Chen</i>	217
Stereo vision-based mixed reality system and its application to construction sites <i>M. Tsutsui, H. Chikahisa, K. Kobayashi & T. Abo</i>	223
New imaging method for hydro-geological structure in rock masses by cross-hole hydraulic test <i>K. Aoki, Y. Mito & T. Mori</i>	229
Slope stability analysis by combining surface topography and Helicopter-Borne Electro-Magnetic (HEM) data <i>T. Matsuoka, M. Kadonoki & Y. Yamada</i>	235
Development and application of a VR-MIS in Xiangjiaba Hydropower Station <i>D. Liu, H. Guo, W. Pan, Q. Zeng, H. Zhong & X. Liu</i>	241
Landslide analysis with the resistivity image at Yanadani in Shikoku <i>K. Katsuyama, Y. Takeuchi, N. Kobayashi, T. Sakai, Y. Yoshitake, M. Ebato & T. Takahashi</i>	247
Improved seismic imaging ahead of the tunnel face <i>J. Takekawa, Y. Ashida & H. Kusumi</i>	251
Geotechnical applicability of electric sounding in accretionary complex in Hokkaido <i>K. Okazaki, Y. Ito, S. Hashimoto & K. Yamaguchi</i>	255
P-S converted seismic waves by a fracture and imaging <i>Y. Sanada, A. Ashida, T. Watanabe & A. Kiriyama</i>	261

RISK AND HAZARD MANAGEMENT IN ROCK ENGINEERING

A study on estimation of construction cost variation of underground construction projects caused by geo-technical risk factors <i>H. Ohtsu & Y. Ohnishi</i>	267
Assessment of rock slope stability based on three-dimensional continuous displacement monitoring by GPS <i>H. Matsuda & N. Shimizu</i>	273
Risk estimation of earthquake induced rock sliding in Chiufengershan, Taiwan <i>K.J. Shou, C.F. Wang & Y.L. Chen</i>	279
GIS hazard management in rock mass failure debris: Development of hazard area estimation system using multivariate statistical analysis <i>T. Kuwano, Y. Sasaki & S. Anan</i>	285
A three-dimensional simulation with some considerations on the uncertainty in rockfall <i>T. Nishimura, T. Seiyama, H. Kiyama & Y. Taniguchi</i>	289
Cavability assessment model for longwall workings in India <i>G.S.P. Singh, U.K. Singh & G. Banerjee</i>	295
Mechanical and math models of water inrush from karstic collapse columns in North China <i>S. Yin, Q. Wu & S. Wang</i>	301
A GIS-based approach to predict early toppling and rock falling risk zones with outcrop patterns in cliffs <i>J. Pupo, T. Esaki, Y. Mitani & G. Zhou</i>	305
GIS as tool for slope stability evaluation and landslide hazard assessment <i>M. Xie, T. Esaki, Y. Mitani & M. Cai</i>	311
Risk analysis in trenchless construction across Huangpu River, China <i>X. Xie, J. Shao & G. Zhang</i>	317
New advances on identification for omen catastrophe of rock mass <i>Y. Tan & T. Li</i>	323

Evaluation of behavior of EDZ around rock cavern by AE measurements and DEM simulation using bonded particle model <i>K. Aoki, Y. Mito, T. Mori, H. Morioka & T. Maejima</i>	327
Stress-dependent rock properties in oil-water environment around a petroleum wellbore <i>G. Han, M.B. Dusseault, B. Xu & M. Bruno</i>	335
The measurement of the crack propagation in rock slabs <i>C.-T. Hsieh & C.-L. Wang</i>	341
Application of fracture mechanics to stability analysis of rock slopes subjected to dynamic excitations <i>C.-H. Chen & C.-L. Wang</i>	347
A study on the slope risk evaluation due to rainfall using the simplified storage tank model <i>H. Ohtsu, Y. Ohnishi & K. Takahashi</i>	353
Risk assessment approach for underground research laboratory <i>M. Shimono, S. Suzuki, Y. Taguchi, K. Kamemura, S. Mikake & T. Sato</i>	359
Safety control to rock burst in tunneling <i>T. Hirano, A. Hirata & Y. Kameoka</i>	367
Safety factor of multi-tunnel <i>K. Shin & S. Okubo</i>	373
Application of micro seismic monitoring technique in the rock cavern <i>T. Mori, K. Iwano, H. Morioka, M. Minami & K. Aoki</i>	379
Basic study on the monitoring method for the rock slope failure using the micro geo-electric signals <i>Y. Kusakabe, Y. Ito, S. Hashimoto, H. Murayama, T. Kato & T. Nagao</i>	385
Discussion on derived hazards in the resource-exhausted mining city <i>L. Wang & C. Wu</i>	391
Debris flows hazard: Identification, prediction and protection using remote sensing techniques <i>B.H. Sadagah & M.H. Qari</i>	395

ENERGY DEVELOPMENT AND ENVIRONMENT PRESERVATION

Managing uncertainty on site characteristics for the design of a high-level radioactive waste repository <i>H. Umeki, Y. Sakabe, H. Ueda, Y. Takahashi, I.G. McKinley, H. Takase, H. Shimbo & Y. Ijiri</i>	403
Modeling of plastic deformation and damage in unsaturated argillite and application to nuclear waste storage <i>Y. Jia, G. Duveau, J.F. Shao & K. Su</i>	409
Thermo-mechanical studies on the rock mass behaviour around nuclear waste disposal repository <i>S.O. Choi & H.-S. Shin</i>	415
Utilization of tunnels as sources of ground heat and cooling - Practical applications in Austria <i>W. Unterberger, H. Hofinger, T. Grünstäudl, D. Adam & R. Markiewicz</i>	421
The experimental study on shear mechanical characteristics of heated rock salt <i>W.G. Liang, Y.S. Zhao & S.G. Xu</i>	427
3-D FEM modeling of geostress in oil field and its application <i>H.C. Wang, L.J. Wang, W. Wang, B.S. Sun, Z.J. Qiao, B.R. Xia & X.W. Huang</i>	431
Development of dynamic grouting technique for the low-permeable rock mass <i>S. Wakita, K. Date, T. Yamamoto, Y. Nakamura, Y. Mito & K. Aoki</i>	437
Modeling ground water flow through channel networks in rock using a stochastic approach <i>P.A. Bruines & P. Egger</i>	445

Size effect on permeability of a fracture estimated by a large-scale synthetic fractal fracture <i>K. Matsuki, Y. Chida & K. Sakaguchi</i>	451
Numerical analysis of hydraulic fracturing test by fracture mechanics and continuum mechanics <i>A. Kobayashi, Y. Tsukada, S. Aoyama, S. Kawakami, O. Stephansson & H.-S. Lee</i>	457
A rock physics study on seismic monitoring of injected CO ₂ in a porous sandstone reservoir <i>Z. Xue & T. Ohsumi</i>	463
Importance of geomechanics for the safety of CO ₂ geologic sequestration <i>K. Yamamoto & K. Takahashi</i>	467

DEVELOPMENT IN ROCK MECHANICS AND ROCK ENGINEERING

Mining Engineering, Earthquake and Rock Dynamics

Numerical simulation of bed separation of overburden strata induced by mining excavation <i>D.S. Zhao, T. Xu, C.A. Tang & X.L. Fan</i>	475
Application of rock mass classification system for the stability of underground limestone mines <i>C. Sunwoo, Y.-S. Jeon & K.U.M. Rao</i>	479
Influence of a stope on drift displacements in a fractured rock mass at Pongkor underground gold mine, Indonesia <i>B. Sulistianto, R.K. Wattimena, S. Kramadibrata, M.A. Rai, B. Dwinagara, K. Matsui, I.D. Setiawan, H. Sudarman & E.J. Herlambang</i>	485
Research on viscoelastic buckling theory of rock formation <i>Y. Li, Z. Wang, C. Ai & T. Zhang</i>	489
Mine-induced seismicity in the central part Kola Peninsula in Russia <i>I.U.V. Fedotova, A.A. Koz'yrev, S.L. Yunga & V.S. Svinin</i>	495
Geotechnical investigation of old mined cavities and their effect on the ground subsidence <i>W.K. Song & K.C. Han</i>	501
Research of the characters of the surface's deformation and subsidence induced by the underground mining under the thick covering terrane by model testing <i>W. Ren, C. Yang, H. Chen & F. Chen</i>	505
Methodical approach to value of an optimal open pit slope angle in hard rocks <i>N.N. Melnikov, A.A. Koz'yrev, S.P. Reshetnyak, E.V. Kasparian & V.V. Rybin</i>	509
Critical peak particle velocity of mudstone: Findings from field investigation of blast-induced damage of the sedimentary strata rock mass at PT. Kaltim Prima Coal, Indonesia <i>G.M. Simangunsong, H. Shimada, K. Matsui, S. Kramadibrata & E. Yulianto</i>	515
Numerical simulation of patterns of seismic activities in rock failure process <i>Z.Z. Liang, L. Song, C.A. Tang, T. Xu, Y.B. Zhang & Y.F. Zhang</i>	521
The damage to abandoned lignite mines caused by the 2003 Miyagi-Hokubu earthquake and some considerations on its causes <i>Ö. Aydan & T. Kawamoto</i>	525
The assessment of rock bursting in rock engineering structures with a particular emphasis on underground openings <i>Ö. Aydan, M. Daido, Y. Owada, N. Tokashiki & K. Ohkubo</i>	531
Computer modeling of coupled gas flow in rock failure process <i>T. Xu, W.H. Li, C.A. Tang, T.H. Yang, Z.Z. Liang & L.C. Li</i>	537
Numerical study on fracture in rock surrounding a circular tunnel under different confining pressure <i>H.Q. Zhang, D.S. Zhao, C.A. Tang, T. Xu, S.Q. Kou & H.Y. Liu</i>	541

Behaviour of strata in underground coal mine workings due to dynamic loading <i>P.K. Singh, A. Sinha & D.P. Singh</i>	547
Sedimentation and generation of abnormal fluid pressure in the focal area of 1999 Taiwan Chi-Chi earthquake <i>W. Tanikawa, T. Shimamoto, W.-K. Wey, W.-Y. Wu, C.-W. Lin & W.-C. Lai</i>	553

DEVELOPMENT IN ROCK MECHANICS AND ROCK ENGINEERING

Large Underground Caverns and Tunnels

Stability analysis of underground houses in Xiaowan hydropower station by finite element method, a case study <i>S. Wang, C. Li, G. Shi & X. Ge</i>	561
Analysis of deep tunnel excavation in consideration of joint opening phenomena <i>T. Mori, K. Iwano, S. Morikawa, K. Tabei, S. Nakama, T. Aoki & T. Sato</i>	567
Evaluation of excavation-induced microcracks during construction of an underground power plant using acoustic emission <i>T. Shiotani, K. Kumagai, K. Matsumoto, K. Kobayashi & H. Chikahisa</i>	573
Numerical modeling of a large underground powerhouse using geomechanical parameters obtained by artificial intelligence techniques <i>T. Miranda, A.G. Correia, L.R. e Sousa & C. Lima</i>	579
Unloading curve of rock mass and stress analysis of underground excavation <i>X. Guo, G. Yang & G. Li</i>	585
Evaluation of crack growth due to stress relief in rock mass by means of the ratio of crack opening dependency <i>Y. Hirakawa, K. Sugawara & A. Sato</i>	589
Long-term behavior of a large underground cavern <i>T. Koyama, Y. Suzuki, K. Ishibashi, M. Minami, S. Okubo & K. Fukui</i>	593
Estimation of damage propagation process by AE measurement around underground rock cavern <i>H. Morioka, M. Minami, T. Maejima, M. Cai & Y. Tasaka</i>	599
Study of tunnel support reduction for large scale tunnels <i>H. Shiroma, T. Ito & S. Seki</i>	605
Tunneling method for shallow tunnel with ground stabilizing <i>T. Kitagawa, H. Iida, Y. Tadenuma, S. Konishi, Y. Kawashima & K. Okutsu</i>	611
Measurement of ground displacement during tunnel excavation by the optical measurement system for ground displacement <i>H. Chikahisa, K. Matsumoto, K. Kumagai & K. Kobayashi</i>	617
Deformation prediction of tunnel bolt-shotcrete support structure based on the couple methods of BEM and FEM <i>Q. Chen, Y. Zhang, G. Wang & T. Bao</i>	623
Forecasting of adverse strata behavior during longwall operations in real time <i>S. Tadisetty, R.N. Gupta & K. Matsui</i>	627
Over-cutting area control by using RADAR application in large diameter slurry pipe jacking method <i>S. Khazaei, H. Shimada, K. Matsui, T. Kawai & J. Yotsumoto</i>	633
Applications of configuration and deformation measurement by vision metrology <i>S. Miura, S. Hattori, K. Akimoto & Y. Ohnishi</i>	639

Research on excavation method of large span and ultra-shallow-buried light railway station tunnel <i>X.R. Liu, Y.X. Zhang, Z.B. Zhu & C. Guo</i>	647
Performance analysis of friction stabilizer bolts using numerical modeling <i>N. Isago, W. Dolsak, D. Mosch & U. Ozbay</i>	653
The influence of pore water pressure on the mechanical behavior of squeezing rock <i>M. Vogelhuber, G. Anagnostou & K. Kovári</i>	659
Development and application of a long face reinforcing method with GFRP tubes in mountain tunneling <i>Y. Mitarashi, T. Matsuo, H. Tezuka, T. Tsuji, T. Haba & T. Okabe</i>	665
Evaluation method of tunnel stability affected by ground water <i>S. Konishi, T. Ono, T. Tamura, T. Kitagawa, H. Iida & T. Nishiyama</i>	673
Dynamic design of rock tunnels against explosion loading <i>Y. Zhou & J. Zhao</i>	679
Analysis of one TBM jamming accident in tunneling for water diversion and supply project in China <i>Y. Shang, Q. Zeng, J. Xue & J. Yin</i>	685
Intelligent decision-making aided system for rock tunnel construction <i>S.H. Wang, F.S. Zhu, C.A. Tang, B. Liu, W.C. Zhu & H. Li</i>	689
Simple criteria proposals for the tunnel engineer to decide how much to advance - Nd approach <i>M.D. Köksal</i>	695
Modeling of inclined ground surface movements and deformations due to tunneling <i>J.S. Yang, B.C. Liu, T. Ma & L. Yan</i>	699
Three-dimensional excavation analyses on the effects of rock reinforcement by means of long facebolting <i>I. Otsuka, T. Aoki, S. Ogawa, Y. Adachi & T. Tanaka</i>	705
Numerical simulation for tunnel excavation in soft rock mass and its long-term behavior <i>M. Sawada & T. Okada</i>	711
Research on design of long steel pipe forepiling by field measurement and FEM analysis <i>H. Sasao, T. Saito & T. Asakura</i>	717
On the systematic identification of deformational mechanism of shallow NATM tunnels during excavation <i>J.H. Lee, N. Doba, Y. Yokota, S. Akutagawa, T. Kitagawa & N. Nakayama</i>	723
Numerical modeling of the excavated damaged zone around underground openings <i>F. Pellet, F.Z. Zerfa, A. Hajdu, F. Deleruyelle & F. Besnus</i>	727
A numerical study on the rock fracturing by disc cutters and the evaluation of TBM performance in Korea using various assessment systems <i>S.-H. Baek, C.-Y. Kim & H.-K. Moon</i>	733
Unexpected stress problems in shallow basalts at the ITA Hydroelectric Power Project in S.E. Brazil <i>N. Barton & N. Infantì Jr.</i>	737

INDICES

Keyword index

Author index

Volume 2

DEVELOPMENT IN ROCK MECHANICS AND ROCK ENGINEERING

Rock Slopes and Foundations

Stability analysis and reinforcement design of highly weathered road cut slopes <i>H.-S. Shin, W.-K. Song, C. Sunwoo & S.-H. Lee</i>	745
The distribution of pore water pressure in a stratified soft rock slope with hydraulic conductivity anisotropy <i>J.-J. Dong, J.-H. Tzeng, P.-K. Wu & M.-L. Lin</i>	751
A numerical study on failure behavior of jointed rock slope <i>W.-B. Kim & H.S. Yang</i>	757
Slope stability evaluation based on CBR integrated with neural network <i>M. Liu, X. Feng & P. Särkkä</i>	763
GIS-based 3D deterministic approaches for slope angle design-making of a high open pit <i>M. Cai & M. Xie</i>	767
Measurement of rock slope using microwaves <i>N. Ito, Y. Ito & S. Tamoto</i>	771
Deformation of weathered slate zone during rock slope cutting works in Tamba Group <i>Y. Uchita, Y. Ito & Y. Fujiwara</i>	775
Rock slope analysis based on digital terrain models <i>P. Fritz & St. Bergamin</i>	781
Application of photogrammetry method on a slope monitoring in Taiwan <i>M. Ryu, T. Nakai, K. Fuzimura, Y. Ohnishi, S. Nishiyama, T. Yano & D.-H. Lee</i>	787
Influence of scattering of deformability on behavior of soft rock foundation with a geological boundary for embankment dams <i>Y. Yamaguchi & M. Nakamura</i>	791
Optimum interval of design holes of curtain grouting for dam foundations <i>H. Satoh & Y. Yamaguchi</i>	797
Excavation management of soft rock foundations for embankment dams by needle penetration test <i>Y. Yamaguchi, Y. Nakamura, M. Nakamura, N. Hakoishi, M. Yamaya & Y. Kato</i>	803
Loading behavior of shallow foundation on poorly cemented sandstone <i>J.J. Liao, J.C. Chang, Y.W. Pan, A.B. Huang & C.P. Lin</i>	807
The reinforcement of a coalmine bridge and its numerical simulation <i>W. Lu & Z. Wang</i>	813
Grouting performance of volcanic rock foundation of 93-m-high RCC dam in Thailand <i>T. Harnpattananpanich, C. Srisutam, P. Mangjit, N. Phienwej & S. Anwar</i>	817

DEVELOPMENT IN ROCK MECHANICS AND ROCK ENGINEERING

Laboratory Testings

A new mathematical modeling for coupled rock-coal visco-elastic-deformation and gas leak flow <i>P.-D. Sun</i>	825
Relationship between surface fractal characteristic and hydro-mechanical behaviour of rock joints <i>Y.J. Jiang, Y. Tanabashi, K. Nagaie, B. Li & J. Xiao</i>	831
Evaluation of permeability of asphalt mixture for hydraulic structures as low permeable material <i>T. Sasada, T. Esaki, Y. Mitani, M. Shin & H. Fujiyoshi</i>	837
Theoretical consideration on the relation between Lugeon value and permeability of open jointed rock <i>T. Kakue & H. Kishi</i>	843
The development of electrical resistivity technique for real-time monitoring and measuring water-migration and its characteristics of soft rocks <i>K. Kano, T. Doi, M. Daido & Ö. Aydan</i>	851
A plane two dimensional model of flows in a rock joint and its verification <i>K. Kishida, T. Hosoda, P.L. Mğaya & A. Yamamoto</i>	855
Investigation on creep behavior of salt rock and creep pressure on oil casing in deep stratum <i>F. Chen, C. Yang, S. Bai & C. Zhang</i>	861
Experimental study on soft sedimentary rock under plane-strain compression and creep tests <i>G. Ye, K. Naito, K. Sawada, F. Zhang & A. Yashima</i>	865
Experimental and numerical analysis of creep deformation behavior of Daejeon Granite <i>J.S. Hong, J.W. Cho & S. Jeon</i>	871
Critical state concept and a strength criterion for rocks <i>M. Singh & B. Singh</i>	877
An experimental study on the electrical potential response of rocks during creep and cyclic loading <i>T. Ito, Ö. Aydan & T. Akagi</i>	881
An experimental study on the short and long-term behavior of pillars of Ryukyu limestone <i>N. Tokashiki, T. Akagi, T. Ito & Ö. Aydan</i>	885
Experimental study of dynamic response and failure behavior of rock under coupled static-dynamic loading <i>X. Li, C. Ma, F. Chen & J. Xu</i>	891
Characterizing dynamic properties of granite using the SHPB <i>T.S. Lok, P.J. Zhao, X.B. Li & C.H. Lim</i>	895
Effect of water content on optical and mechanical properties of rocks <i>F. Shiraki, S. Kawasaki & K. Kaneko</i>	899
Experimental measurement on wave velocity and strength for frozen grit <i>Q. Ma & C. Wang</i>	903
Experimental study on mechanical characteristics of rock at low temperatures <i>C. Park, D.S. Cheon, J.H. Synn, H.D. Lim & H. Cho</i>	907
Boundary element analysis of the ring test for determining fracture toughness of anisotropic rocks <i>C.-H. Chen, C.-S. Chen & H.-M. Lin</i>	911
Quantifying pre-peak damage in rock under triaxial compression and its application to analysis of nonlinear behaviors of rock <i>S.-H. Chang & C.-I. Lee</i>	917
The ground vibrations caused by fracturing, faulting and blasting <i>Y. Ota, S. Nakamura, M. Daido, Ö. Aydan, N. Tokashiki & A. Bilgin</i>	923

Determination of elasticity and strengths of intact rocks using modified point load test <i>P. Tepnarong & K. Fuenkajorn</i>	927
Ground surface loading and unloading model test above a tunnel on deformation behavior of tunnel lining <i>Y. Kojima, K. Yoshikawa, K. Yashiro, T. Nishiyama & T. Asakura</i>	933
Experimental study on behavior of masonry lining tunnel in various ground conditions <i>N. Okano, Y. Kojima, K. Tsuno & T. Asakura</i>	937
Slaking behavior of siltstones in underground excavations at Lam Ta Khong Pumped Storage Project, Thailand <i>N. Phienwej</i>	941
Characterization of moisture transfer properties of an argillaceous rock <i>L. Malinsky, Q.T. Pham, F. Vales, H. Gharbi & M.D. Nguyen</i>	947
Determination of rock properties using the punching test <i>F. Descamps & J.-P. Tshibangu</i>	953
Trajectories for crack propagation in limestone rocks under mixed mode I-II fracture <i>N.A. Al-Shayea</i>	959
Engineering response of single joint block model in true triaxial stress conditions <i>K.S. Rao & R.P. Tiwari</i>	965
Comparison of shear behavior between siltstone/concrete and sandstone/concrete joints <i>X.F. Gu, J.P. Seidel, C. Haberfeld & A. Bouazza</i>	971
Shear strength of composite rock masses of hard rocks and soft rocks <i>Y. Yamaguchi, T. Sasaki, N. Ichihara, Y. Nakamura & K. Kito</i>	977
Development of a new shear model for rock joints, application to scale effect <i>F. Vallier, Y. Mitani, T. Esaki & M. Boulon</i>	983
Evaluation of mechanical properties of natural rock joints for discontinuous numerical analysis <i>M. Nakagawa, Y. Jiang, M. Kawakita, Y. Yamada & Y. Akiyama</i>	989
Measurement of basic friction angle of rock surface using boring core <i>M. Yamaguchi, A. Yashima, K. Sawada & T. Sumi</i>	995
Anisotropic shear strength of rock joint caused by irregular shape asperity <i>T. Ozawa, S. Ohtsuka & M. Doi</i>	999
A slip based constitutive model for rough rock joints <i>B.K. Agrawal, M. Singh & N.K. Samadhiya</i>	1007
Effect of interlocking on the shear behavior of rock fracture <i>S. Murata, K. Hamaguchi, T. Saito & M. Endo</i>	1013
Laboratory and numerical modelling of shear behaviour of natural rock joints under CNS <i>A. Haque & P.G. Ranjith</i>	1017
Fault-zone permeability structures and their implications for earthquake mechanisms and geo-engineering problems <i>T. Shimamoto, H. Noda, W. Tanikawa, C.A.J. Wibberley & S. Uehara</i>	1021
A method for evaluating the complex anisotropy of strength and deformation modulus of rock masses <i>J.V. Smith</i>	1027
An experiment of coupled seepage in a single fracture of rock <i>E.Z. Wang, T. Long, A. Li, X.H. Chen, B. Yu & X.D. Deng</i>	1033

DEVELOPMENT IN ROCK MECHANICS AND ROCK ENGINEERING

Numerical Simulations

- Consideration of temperature distribution around rock caverns used for heated water storage 1041
N. Kinoshita & Y. Inada
- Numerical analysis with damage mechanics for degraded rocks 1047
K. Yamamoto, A. Kobayashi & S. Aoyama
- Multi-scale analysis of mechanical properties of discontinuous rock mass 1053
T. Kyoya & H. Nishioka
- Heat transfer analysis for cold food storage caverns in fractured rock mass 1059
G.-S. Lee, S. Jeon & C.-I. Lee
- Research on accelerating law of grains and its application in sandstorm prevention 1065
Y. Li, C. Ai, C. Guo & Z. Wang
- Study on the fracture properties of rock subjected to dynamic loading 1069
S.H. Cho, S. Nohara, K. Kaneko & Y. Ogata
- An analyzing model for non-linear seepage through fracture network in rock mass 1075
J. Chai & K. Li
- Study on bionics algorithm for parameter identification in underground engineering 1079
G. Wei
- Incorporation of elastic strain distribution for improvement of back analysis in nonlinear problems 1085
S. Akutagawa, A. Hasegawa & J.H. Lee
- Stability analysis of shaft pillars using three dimensional finite element modeling: A case study 1089
D. Deb, J. Bhattacharya, A.K. Verma & R.S. Reddy
- Elasto-plastic behaviour of rock mass using generalized Hoek and Brown yield criterion and strain softening model: Finite element analysis approach 1095
D. Deb
- Displacement back analysis of jointed rock masses 1101
F. Zhu, G. Zhao, X. Du & H. Li
- A study on the groundwater flow and grouting around underground openings based on stress-dependent discrete joint network analysis 1107
S.D. Lee & H.K. Moon
- A study on the probabilistic stability of an underground opening based on stochastic FEM 1111
S.M. Na & H.K. Moon
- Rock mechanics for study and design of Khiritharn Pumped Storage Project, Thailand 1115
W. Pongtepupathum, W. Hemruchatanun, N. Phienwej & S. Anwar

DEVELOPMENT IN ROCK MECHANICS AND ROCK ENGINEERING

Field Measurements

- An experimental and numerical study of an innovative probe for rock stress measurement 1123
G. Li, Y. Mizuta, T. Ishida & O. Sano
- Downward compact conical-ended borehole overcoring technique for rock stress measurement at great depth and its application 1129
K. Sakaguchi, H. Yoshida, M. Minami, Y. Suzuki, M. Hara & K. Matsuki
- Estimation of regional stress for heterogeneous rock mass by FEM 1135
K. Matsuki, T. Kato, N. Kimura, S. Nakama & T. Sato

Cross-sectional Borehole Deformation Method (CBDM) for rock stress measurement <i>Y. Obara, T. Matsuyama, D. Taniguchi & S.S. Kang</i>	1141
Determination of three dimensional <i>in situ</i> stress regime using hydraulic fracturing and acoustic emission methods <i>S. Kramadibrata, M.A. Rai, B. Sulistianto, R.K. Wattimena, P.N. Hartami & K. Matsui</i>	1147
Parameter studies of a plate-loading test of jointed rock mass by multiple yield model <i>T. Sasaki, J. Yoshida, K. Sasaki, R. Yoshinaka & N. Iwata</i>	1153
Performance of the drilled shaft load test in soft rock <i>C.-S. Ku, D.-H. Lee & K.-J. Tasi</i>	1159
Identification of rheological model for field bearing test curves in rock mass and its application <i>Z. Wang, Y. Li, X. Ding & C. Ai</i>	1165
One-dimensional P-wave attenuation in fractured rock masses <i>X.B. Zhao, J. Zhao & J.G. Cai</i>	1171
Target model for protecting the “Wieliczka” salt mine after a disastrous water influx in 1992 <i>A. Garlicki, A. Gonet & S. Stryczek</i>	1177
Development of instrumented drilling technology for geotechnical investigation of rock mass <i>K. Tani, S. Kaneko, Y. Yoshida & M. Ikemi</i>	1181
Simple and objective method for bedrock evaluation focusing on rock crack frequency of drilling core samples <i>Y. Ito, S. Nakagawa, S. Hashimoto, T. Kobayashi & K. Kikuchi</i>	1187
Comparison of bedrock evaluation in boreholes and tunnel walls using shock response value <i>Y. Ito, S. Hashimoto, T. Kobayashi & K. Kikuchi</i>	1193
Estimation of areal frequency and mean trace length of a joint set by using joint traces on a curved tunnel wall <i>J.-J. Song</i>	1199
Application of the analytic hierarchy process on rock mass classification <i>Y.C. Liu, C.S. Chen & D.H. Lee</i>	1205
Study on the mechanism and behavior of bolts by numerical tests simulated with RFPA <i>Z.K. Li, X. Su, H. Liu & R. Dai</i>	1211

NUMERICAL ANALYSIS OF DISCONTINUOUS ROCK MASSES

Study on stability of retaining wall of masonry type by using Discontinuous Deformation Analysis <i>S. Nishiyama, Y. Ohnishi, T. Yanagawa, F. Seki & S. Ikeya</i>	1221
Numerical simulation of shear tests with DDA considering change of pore pressure in granular materials <i>T. Ishikawa, K. Tamaki, Y. Ohnishi & S. Miki</i>	1227
Study on the applicability of rock fall simulation by using DDA <i>G. Ma, A. Nakanishi, S. Ueno, S. Mishima, S. Nishiyama & Y. Ohnishi</i>	1233
Safety assessment of rock slope by discontinuous analyses considering impact angle <i>T. Shimauchi, N. Sakai, Y. Ohnishi & S. Nishiyama</i>	1239
The application of 3-dimensional DDA with spherical rigid block to rockfall simulation <i>T. Fukawa, Y. Ohnishi, S. Nishiyama, M. Yang, H. Fukuroi, K. Yonezu & S. Miki</i>	1243
Estimation and simulation of vegetation effect on rockfall using discontinuous deformation analysis <i>I. Hagiwara, T. Sasaki, S. Nishiyama & Y. Ohnishi</i>	1249
Study on landslide due to earthquake by using Discontinuous Deformation Analysis <i>E. Hamasaki & A. Sasaki</i>	1253

Application of rock mass integration method (RMIM) with DDA modeling in rock slope stability <i>M. Osada, S.K. Shrestha, T. Kajiyama & K. Yamaguchi</i>	1257
Factor of safety against wedge failure calculated by three-dimensional discontinuous deformation analysis <i>M.R. Yeung, N. Sun, Y.S. Lee & Q.H. Jiang</i>	1263
Earthquake response analysis of rock-fall models by discontinuous deformation analysis <i>T. Sasaki, I. Hagiwara, K. Sasaki, R. Yoshinaka, Y. Ohnishi & S. Nishiyama</i>	1267
Stability analysis of a large cavern in jointed rock mass using explicit joint models <i>B.-K. Son, S.-H. Ahn, C.-I. Lee & J.-J. Park</i>	1273
Influence of non-linear fracture behavior on the prediction of inflow into excavations - A coupled hydro-mechanical analysis using 3DEC <i>D. Mas Ivars</i>	1277
Spatial distribution of <i>in-situ</i> stresses at Äspö, Sweden - 3DEC analysis with emphasis on the role of fracture zones <i>H. Hakami & R. Christiansson</i>	1283
Simulation analysis of shear behavior of rock joint by distinct element method <i>H. Kusumi, S. Tatsumi, T. Matsuoka & Y. Ashida</i>	1287
Understanding of parameters used in distinct element modeling and suggestions for preparation of input data <i>C.-H. Ryu</i>	1293
Application and evaluation of stability analysis of large underground opening in discontinuous rock mass <i>Y. Yamashita, I. Andou & Y. Jiang</i>	1297
Study on the effect of tunnel face stabilization using the distinct element method <i>T. Okabe, T. Haba, Y. Mitarashi, H. Tezuka & Y. Jiang</i>	1301
Study on hydraulic and transport characteristics of rock fracture using Lattice Gas Automaton <i>R. Saito, Y. Ohnishi, S. Nishiyama, T. Yano, A. Sawada & A. Takebe</i>	1305
Multidisciplinary approach for borehole instability problems in a shale formation <i>K. Yamamoto & T. Koyama</i>	1311
Crack propagation analysis for rock with orthotropic anisotropy by using HPM <i>H. Ohki, N. Takeuchi & M. Kusabuka</i>	1317
Numerical modeling of block mass model under triaxial compression <i>R.P. Tiwari & K.S. Rao</i>	1321
A numerical model of solid deformation and fluid flow with Manifold Method / groundwater flow F.E.M. <i>Y. Sun</i>	1327
New developments in the analysis of large scale 3-D rock mechanics problems using coupled Finite Element / Boundary Element methods <i>G. Beer, C. Duenser & J. Voraauer</i>	1333
Coal roadway's roof structure characteristics and its failure pattern in China <i>Y.D. Xue & H.W. Huang</i>	1337

INDICES

Keyword index	1343
Author index	1351