

Table of contents

Preface	XIII
<i>Image Processing and Data Fusion</i>	
Road identification and refinement on multispectral imagery based on angular texture signature <i>Q. Zhang & I. Couloigner</i>	3
Analysis of geostatistical parameters for texture classification of satellite images <i>M. Durrieu, L.A. Ruiz & A. Balaguer</i>	11
Study of methods based on wavelets for texture classification of high resolution images <i>A. Fdez-Sarría, L.A. Ruiz & J.A. Recio</i>	19
Fuzzy segmentation for wetland mapping: Incorporation of semivariogram texture <i>W.-Y. Chiu & I. Couloigner</i>	29
Edge preserving phase unwrapping using graph cuts <i>G. Valadão & J.M. Bioucas-Dias</i>	39
Filtering of InSAR interferograms <i>M. Ouarzeddine, A. Belhadj-Aïssa, M. Rebihi & F. Tabarout</i>	47
Implementation of new methods of speckle noise reduction in SAR images <i>L. Bouchemakh, Y. Smara, M. Benali & Z. Ben Cheikh</i>	53
SAR change detection techniques and applications <i>R.J. Dekker</i>	63
MODIS and Landsat TM image fusion using the SIFuLAP method for mapping the Brazilian savannas (Cerrado) <i>F.W. Acerbi-Junior, R. Zurita Milla, M. Wachowicz, J.G.P.W. Clevers & M.E. Schaepman</i>	71
Comparison of fusion methods for Quickbird images <i>V. Meenakshisundaram & I. Couloigner</i>	81
MTF-tailored multi-resolution analysis for fusion multi-spectral and panchromatic images <i>B. Aiazzi, L. Alparone, S. Baronti, A. Garzelli, F. Nencini & M. Selva</i>	87
The curvelet transform for fusion of very-high resolution multi-spectral and panchromatic images <i>L. Alparone, S. Baronti, A. Garzelli & F. Nencini</i>	95
Objective determination of the degradation level of the multispectral and panchromatic images for fusion by means of the <i>à trous</i> algorithm <i>M. Lillo Saavedra & C. Gonzalo Martin</i>	103

Physical Processes and Atmosphere

- Retrieving aerosol optical thickness from a MODIS dataset for the Lisbon Metropolitan Area using a contrast reduction method 113
N.C. dos Santos Grosso
- Validation of satellite longwave emission and net radiation with in-situ measurements during BUBBLE 123
G. Rigo, E. Parlow & D. Oesch
- Influence of atmospheric correction on determination of lake water quality parameters based on CHRIS/PROBA images 129
K. Osińska-Skotak
- Satellite estimation of surface/atmosphere parameters: A sensitivity study 137
A. Prieto-Blanco, P.R.J. North, N. Fox & M.J. Barnsley
- Mapping the aerodynamic roughness length using SAR images 145
S. Bidaut, T. Ranchin & L. Wald
- Aggregation of the thermo-optical properties for a rugged heterogeneous surface in the infrared domain: A multiscale model 151
S. Pallotta, X. Briottet, C. Miesch & Y. Kerr
- Polarimetric response for target characterization 161
B. Souissi, M. Ouarzeddine & A. Belhadj-Aïssa
- The cooling effect of cities in a hot and dry environment 169
C.M. Frey, G. Rigo & E. Parlow
- Perturbation in global precipitation from multi-temporal remote sensing 175
L.N. Vasiliev

Geological Hazards

- SAR interferometry: Detecting small landslides in the area of Northern Bohemia 185
I. Čapková & J. Kianička
- Detection of hazardous gas leakage from pipelines using anomalous spectral reflectance features of vegetation 191
F. van der Meer, M. van der Meijde, J. Kooistra, H. van der Werff & M. Noomen
- Remote sensing and geophysical survey in site investigations for special waste disposal: Case study Trgovska Gora (Croatia) 199
M. Oluić, S. Romandić & A. Schaller
- Analyses of earthquake induced damage in urban area by means of remotely sensed data 207
S. Kaya, E. Saroglu & N. Musaoglu
- Quantitative assessment and calibration of ASTER and SRTM DEMs for morphometric and geo-hazard analyses: Test case of Mauna Kea volcanic cones 215
M. Kervyn, R. Goossens & G.G.J. Ernst
- Urban subsidence seen by DInSAR: Temporal deformation series derived from a least-squared technique 225
E. Simonetto, D. Raucoules, C. Carnec, P. Thierry, C. Lembezat & C. King

Environmental Applications

- A proposal for a landscape integrated classification 233
A. Patrono & A. Saldaña
- Modelling of settlements-dynamics by object-oriented image and change detection analysis on Tenerife 241
S. Naumann & A. Siegmund

Modelling patterns of mosquito density based on remote sensing images <i>P. Lopes, P. Lourenço, C. Sousa, T. Novo, J. Rodrigues, A.P.G. Almeida & J. Seixas</i>	251
Possibilities of lake water quality monitoring based on CHRIS/PROBA superspectral data <i>K. Osińska-Skotak, M. Kruk & M. Mróz</i>	259
Minimum dataset for risk management of water pollution caused by olive oil factories in Crete <i>C.G. Karydas, I. Manakos, I. Sarakiotis & T. Sekuloska</i>	267
Monitoring and modeling of the snow cover dynamic in Southern Germany - Capabilities of optical and microwave remote sensing <i>F. Appel, H. Bach, A. Loew, R. Ludwig & W. Mauser</i>	277
Spaceborne observation and modeling of erosion and non-point source pollution in agricultural catchments draining into lakes <i>A. Lavoie, J. Deslandes, I. Beaudin, A. Michaud, F. Bonn & R. Fournier</i>	287
Combining agricultural economic and hydrological models with the aid of remote sensing data <i>C. Montzka, H. Bogen, M. Canty, R. Kunkel & F. Wendland</i>	299
Microwave radiometric remote sensing for emergency mapping of areas with water seepage through levees and of zones with dangerously high groundwater level <i>A. Shutko, Yu. Gulyaev, I. Chusov, I. Sidorov, E. Novichikhin, S. Golovachev, V. Krapivin, A. Haldin, L. Nazarov, Yu. Tishchenko, A. Chukhlantsev, S. Marechek, R. Haarbrink, Ts. Dachev, R. Kancheva, D. Petkov, J. Semkova, T. Yanev, N. Kolionsky, T. Coleman, F. Archer III, P. Pampaloni, S. Paloscia, A. Krissilov, B. Kosteniuk, I. Baryshnikov & A. Carmona</i>	305
Remote sensing and GIS for water district management: The Caia network case study <i>P.A. Oliveira, A.M.M. Perdigão, J. Rocha & P. Morgado</i>	315
EO-HYDRO: An Earth Observation Service for Hydropower Plant Management <i>L. Tampellini, L. Eikvil, E. Malnes, G. Ober, D. Power, T. Strozzi, F.D. Vescovi & P. Vincent</i>	321
Assessing large scale erosion susceptibility by combining remote sensing data and fuzzy logic modelling. Application to the Syros Island, Cycladic Archipelagos, Greece <i>C. Weber, A. Puissant, N. Evelpidou & J. Lobry</i>	329
Vegetation indices - tools for the development evaluation in reclaimed areas <i>L. Halounová, P. Junek & J. Petruchová</i>	339
Data acquisition field network for land state monitoring <i>G. Georgiev, D. Petkov & H. Nikolov</i>	347
 <i>Agriculture, Forests and Vegetation</i>	
A remote sensing survey of vegetation communities adjacent to Myall Lakes, NSW, Australia <i>J. Yagüe & P. García</i>	355
Burned area mapping in Africa with SPOT-VEGETATION imagery: Accuracy assessment with Landsat ETM+ data, influence of spatial pattern and vegetation type <i>J.M.N. Silva & J.M.C. Pereira</i>	367
The use of multi-temporal MODIS data for burnt area detection in the Italian peninsula through a classification tree approach <i>M. Trombetti, G. Amatulli & R. Lasaponara</i>	377
Retrieval of crop biomass and soil moisture from ASAR/ENVISAT data <i>S. Paloscia, G. Macelloni, P. Pampaloni, S. Pettinato & E. Santi</i>	385
Synthetic Aperture Radar for tropical savanna inventory and vegetation height retrieval <i>I.D. Cameron, K.M. Viergever, E.D. Wallington, I.H. Woodhouse, D. Moss & N. Stuart</i>	391

Agricultural ground-level spectral modeling in support of remotely sensed data interpretation <i>R. Kancheva & D. Borisova</i>	401
Implementation and control of the Good Agricultural and Environmental Conditions within the CwRS programme in Hungary <i>I. László, B. Csonka, E. Bognár, G. Csornai, M. Lelkes, L. Martinovich, P. Winkler, L. Tikász, A. Kocsis & G. Mikus</i>	407
Assessment of forest degradation by means of remotely sensed data <i>N. Musaoglu, E. Saroglu, F. Bektas, C. Goksel & S. Kaya</i>	413
Hyperspectral-based characterization of different vegetation species in Sundiken Mountain, Turkey <i>M. Çetin, N. Musaoglu, N. Çelik & M.D. Kantarci</i>	419
 <i>Land Use and Land Cover</i>	
The evaluation of usability of VHR satellite images for land cover /land use identification in agricultural landscape <i>J. Chmiel, K. Lady-Druzycza, J. Pluto-Kossakowska, K. Osińska-Skotak, W. Wolniewicz, A. Fijalkowska & P. Kupidura</i>	427
High resolution mapping land cover classification of the Elmali water basin <i>F. Bektas Balcik, E. Saroglu, C. Goksel & N. Musaoglu</i>	437
Land use classification of ASTER image - Legionowo test site <i>S. Lewiński</i>	441
Validation of the European CORINE Land Cover 2000 database <i>G. Maucha & G. Büttner</i>	449
Accuracy assessment of the Portuguese CORINE Land Cover map <i>M. Caetano, F. Mata & S. Freire</i>	459
Comparing land cover products CLC2000 and MOD12Q1 for Portugal <i>M. Caetano & A. Araújo</i>	469
Land use classification in Spain using MERIS images <i>S. García Gigorro, F. González Alonso, S. Merino de Miguel, A. Roldán Zamarrón & J.M. Cuevas</i>	479
Land use/cover maps by RS and ancillary data integration in a GIS environment <i>J. Rocha, J. A. Tenedório, S. Encarnação & P.M. Sousa</i>	487
Great Lisbon Metropolitan Area land use/cover characterization through multi temporal and multi resolution VIS components analysis <i>J.A. Tenedório, J. Rocha, S. Encarnação & R. Estanqueiro</i>	495
Analysing and mapping of Bozcaada Island land cover by means of remote sensing and GIS integration <i>F. Bektas Balcik & C. Goksel</i>	503
Spectral mixture analysis of land covers <i>D. Borisova, R. Kancheva & H. Nikolov</i>	509
Land cover classification with Support Vector Machine applied to MODIS imagery <i>P. Gonçalves, H. Carrão, A. Pinheiro & M. Caetano</i>	517
Comparative evaluation of MIVIS and Hyperion hyperspectral data (0.4-2.4 µm) on the Pollino National Park (Italy) <i>R. M. Cavalli, L. Fusilli, S. Pascucci, S. Pignatti & M. Poscolieri</i>	527

Urban and High Resolution Data

Sub-pixel mapping: A comparison of techniques <i>K.C. Mertens, L.P.C. Verbeke & R.R. De Wulf</i>	539
Sub-pixel mapping of impervious surfaces from Landsat ETM+ data using reference proportions derived from VHR data <i>T. Van de Voorde, W. De Genst & F. Canters</i>	547
Change detection in urban areas using Very High spatial Resolution satellite images. Case study in Brussels: Locating main changes in order to update the Urban Information System <i>E. Frauman & E. Wolff</i>	557
The usefulness of VHR images for public administrations in an urban hilly region <i>M. Binard, Y. Cornet & J.-P. Donnay</i>	567
Evaluation of high and Very High Resolution images for remote sensing control of area-based subsidies and Land Parcel Identification System in Hungary <i>G. Csornai, I. László, B. Csonka, G. Nádor, E. Bognár, Z. Suba, G. Zelei, L. Tikász, L. Martinovich, A. Kocsis & M. Lelkes</i>	575
Analysis of geometric accuracy of Landsat 5 TM and IRS 1D data by means of DGPS and map data <i>E. Saroglu, S. Kaya & C. Ormeci</i>	581
Use of QuickBird satellite data for natural, semi-natural and urban environments <i>L. Rossi & F. Volpe</i>	585

World Heritage and Archaeology

Estimation of the permafrost area in the Altai Mountains (Russia) in the framework of the preservation of the Frozen Tombs of the Altai Mountains <i>R. Goossens, W. Gheyle, J. Bourgeois & A. De Wulf</i>	595
Hyperspectral monitoring of coral reefs. A case study: Fordate, Tanimbar, Indonesia <i>S. Sterckx, L. Bertels, P. Kempeneers, W. Debruyne, T. Vanderstraete & R. Goossens</i>	603
3D modeling and visualization of Cultural Heritage Sites from High-Resolution Satellite Imagery <i>A. Gruen, F. Remondino & L. Zhang</i>	611
Study of the relations of the ancient communities with landscape in the South and West sides of the Sevan Lake area (Armenia) <i>N. Parmegiani & M. Poscolieri</i>	621
QuickBird-based analyses for archaeological investigations <i>R. Lasaponara & N. Masini</i>	629

3D Remote Sensing

Comparative analysis of space image orientation <i>K. Jacobsen</i>	635
Potential of KOMPSAT-1 for mapping purposes <i>G. Büyüksalih, H. Akcin, A. Marangoz & K. Jacobsen</i>	647
Quality checking of DEM derived from satellite data (SPOT and SRTM) <i>S. Kay, P. Spruyt, R. Zielinski, P. Winkler, S. Mihály & G. Ivan</i>	655
DEM and orthoimage generation from ASTER L1B images for remote areas <i>R. Tapia & R. Goossens</i>	665
High resolution 3D-mapping of urban air pollution using EO data <i>N. Sifakis, C. Iossifidis & D. Sarigiannis</i>	673

Oceans and Coastal Zones

- Satellite observations of bio-optical indicators related to dinoflagellates blooms in selected Mediterranean coastal regions 685
V. Barale, M. Masó, M. Vila, A. Lugliè, N. Sechi & M.G. Giacobbe
- MOSES (Measuring system for the observation of sea surfaces): Lagrangian drift experiments in the East Frisian Wadden Sea 697
O. Puncken, T. Badewien & R. Reuter
- Analysis of the mean sea level and its trend in the Iberian Atlantic and the Mediterranean Sea from altimeter data and the PSMSL data base 707
M. Arias, P. Villares, N. Castro, J.J. Alonso & M. Catalán
- The retracking of ocean parameters in the Mediterranean Sea and the surrounding area of the Iberian Atlantic using RA-2 Envisat data 713
J. Gómez-Enri, C.P. Gommenginger, M.A. Srokosz, P.G. Challenor, P. Villares & J. Alonso
- Pollution signature of water quality using remote sensing data 721
B. Lounis & A. Belhadj-Aïssa
- Use of airborne LIDAR for research in fisheries oceanography 729
V. Zabavnikov & A. Lisovsky
- Algae diagnostics by matrix method of laser fluorimetry 737
V.V. Fadeev, E.E. Ostroumov & R. Reuter
- Research of dissolved organic matter fluorescence band variability in the South Atlantic using artificial neural networks 743
S.A. Burikov, T.A. Dolenko, V.V. Fadeev & I.I. Vlasov
- Mapping coastal aquaculture and fisheries structures by satellite imaging radar. Case study of the Lingayen Gulf, the Philippines 749
C. Travaglia, G. Profeti, J. Aguilar-Manjarrez & N. Lopez
- Satellite radar imagery of the coastal zone: Slicks and oil spills 763
O. Lavrova, T. Bocharova & A. Kostianoy
- Investigation of structural properties of marine surface film manifestations on SAR images 773
D.V. Darkin, L.M. Mitnik & V.A. Dubina
- Radar backscattering at sea surface covered with oil films 783
M. Mityagina & A. Churumov
- Envisat ASAR polarization experiment in Peter the Great Bay, Japan Sea: Preliminary results 791
L.M. Mitnik, V.A. Dubina & O.G. Konstantinov
- Quantification of the total suspended matter concentration in the sea breaking zone from *in situ* measurements and remotely sensed data - two empirical approaches 799
A.C. Teodoro, A.R.S. Marçal & F. Veloso Gomes
- Analysis of the Portuguese west coast morphology and morphodynamics, based on aerial images and GIS tools 809
J. Pais Barbosa, F. Veloso Gomes & F. Taveira Pinto
- Intertidal beach morphodynamics from Argus video images 819
S. Quartel & E.A. Addink
- A Landsat TM and ETM+ survey of quaternary coastal landforms in the central coast of NSW, Australia 829
J. Yagüe & P. García
- Mapping shallow, benthic communities using hyperspectral, remotely sensed data: A test of habitat classification using multiple sources of bathymetry 839
P. Gagnon, W. Jones & R. Scheibling

Assessment of land-cover changes related to shrimp farming in two districts of northern Vietnam using multitemporal Landsat data	845
<i>T.T.H. Pham, M. Béland, F. Bonn, K. Goïta, J.-M. Dubois & V.C. Pham</i>	
A multispectral remote sensing analysis of Danube delta and North-Western coastal zone of Black Sea	855
<i>M. Zoran & L.F. Zoran</i>	
Observing and mapping the coastline relief in the Romanian sector of the Black Sea using satellite images	863
<i>V. Loghin & G. Murătoareanu</i>	
Using of the aircraft laboratory “Arktika” for research in the Barents Sea coastal zone	869
<i>V. Zabavnikov & A. Lisovsky</i>	
<i>Indices</i>	
Keyword index	875
Author index	879