

Table of contents

Volume 1

Preface	XXVII
Meeting Committee	XXIX
Editors	XXX

Plenary session

The minerals industry as a driver for sustainable human development <i>J.P. Richards</i>	3
Needed: new sustainable resource technologies for our new world with 10 billion humans <i>W.S. Fyfe</i>	7

Sustainable development and geoenvironmental impact models

The Nui Phao W-F-Cu-Au-Bi deposit: an opportunity for sustainable development in Vietnam <i>J.P. Richards, T. Dang, S.F. Dudka, M.L. Wong</i>	11
Ecological - geochemical mapping of the mining area (the Crimea-Caucasus mountain zone) <i>T.A. Baraboshkina</i>	13
GIS Central Europe: an operational tool to improve metallogenic thinking, support exploration activities and contribute to the sustainability of the mining industry. <i>D. Cassard, A.L.W. Lips, Y. Itard & G. Stein</i>	17
Sustaining the economic benefits after mine closure <i>D. Damigos</i>	21
Environmental impact of historic mining and metallurgy to soils (Oberzeiring - Eastern Alps/Austria) <i>G. Gaisberger, F. Ebner, W. Prochaska & M. Sager</i>	25
Recent mineral formation and heavy metal remobilization in the clinker waste heaps of KCM smelter, Plovdiv, Bulgaria <i>T. Kerestedjian, R. Atanassova & N. Piperov</i>	29
Use of geochemical mapping for the evaluation of environmental impacts of mining in the Zambian Copper belt <i>B. Křibek, J. Pašava, Vl. Majer, I. Kněsl, P. Rambousek, I. Nyambe & M. Mwale</i>	33

MinUrals: Mineral resources of the Urals - Origin, development and environmental impacts <i>J.M. Leistel, T. Augé, B. Bourgeois, V. Bretteville, B. Coste, J.M. Leistel, C. Lerouge, J.J. Orgeval, V. Koroteev, K.S. Ivanov, V.N. Sazonov, V. Maslennikov, V. Zaykov, O. Telenkov, V. Udachin, S. Tesalina, A. Belenki, B. Williamson, R. Herrington, B. Spiro, O.W. Purvis, W. Dubbin, S. Brooks, B. Buschmann, B. Bourdon, P. Omenetto, P. Nimis, N. Tatarko, V. Puchkov, D. Salikhov, I. Seravkin, V. Kruglov, M. Ignatieva</i>	37
Can asbestos mine reclamation contribute to sustainable development? <i>M. Menegaki & D. Damigos</i>	41
Mineral potential of the Murmansk Region in the NW Russia: state-of-the-practice and investment opportunities <i>F.P. Mitrofanov, B.V. Gavrilenko, A.N. Vinogradov & D.V. Zhiron</i>	45
Adapting industrial mineral exploitation to fulfill local needs. The case of the perlite of the island of Kos <i>C.I. Panagopoulos, D.A. Labrakis & A.A. Mavrikos</i>	49
Preliminary results of the study of toxic elements in soils and crop plants in areas of Ni-Mo black shale-hosted deposits (Zunyi region, south China) <i>J. Pašava, B. Křibek, K. Žák, L. Chaoyang, H. Deng & Z. Mingguo</i>	53
Metallic resources status and sustainable development of the world and China <i>J. Ye, R. Wang, R. Pei, R. Cheng & Y. Mei</i>	57
 <i>Supergene metallogenic processes</i>	
Surface-related formation, upgrading, and improvement of ore deposits - A review of supergene metallogenic processes <i>G. Borg</i>	61
A preliminary appraisal of the non-sulphide zinc deposit of Angouran, North-West Iran <i>F. Daliran & G. Borg</i>	65
Genetic significance of chromite in Fe-Ni-laterite deposits. Implication from Western Macedonia, Greece <i>M. Economou-Eliopoulos, D.G. Eliopoulos, Ch. Vassilatos & M. Soulas</i>	69
Mineralogical and geochemical features of the Katjeli Fe-Ni-laterite deposit, Pogradec massif, Albania <i>M. Economou-Eliopoulos, A. Tashko, D.G. Eliopoulos & M. Laskou</i>	73
The 3-stage evolution of the Angouran Zn "oxide"-sulfide deposit, Iran <i>H.A. Gilg, C. Allen, G. Balassone, M. Boni & F. Moore</i>	77
Re-Os systematics in syn-sedimentary/diagenetic pyrite: precise ages and Os cycling <i>J.L. Hannah & H.J. Stein</i>	81
Mineralogical and geochemical observations on the non-sulphide zinc deposit Shaimerden, Northern Kazakhstan <i>K. Kärner</i>	85
Rare earth elements distribution and REE-minerals from the Parnassos-Ghiona bauxite deposits, Greece <i>M. Laskou & G. Andreou</i>	89
Geochemical and mineralogical characteristics of the bauxite deposits of western Greece <i>M.D. Laskou</i>	93
Mineralogy of calamine ore from the Mehdi Abad zinc-lead deposit, Central Iran <i>J. Reichert, G. Borg & B. Rashidi</i>	97

Seafloor hydrothermal systems

- Shallow drilling of seafloor hydrothermal systems: the missing link 103
P.M. Herzig, S. Petersen, T. Kuhn, M.D. Hannington, J.B. Gemmell & A.C. Skinner
- Chemostratigraphy, alteration and metamorphism of Paleoproterozoic volcanic rocks at the Kristineberg VHMS deposit, northern Sweden 107
T.J. Barrett, W.H. MacLean & H. Arebäck
- Chemostratigraphy and alteration of felsic volcanic rocks hosting massive sulphide deposits at Aljustrel, Portugal 111
T.J. Barrett, W.H. MacLean & G.L. Dawson
- Modern sulfide ores at mid-atlantic ridge and pacific back-arc basins: fluid inclusion, hydrocarbon and he, ar, and s isotope studies 115
N.S. Bortnikov, S.V. Ikorskii, I.L. Kamenskii, A.A. Avetisyan, V.A. Simonov, Yu.A. Bogdanov, A.Yu. Lein, A.M. Sagalevich, I.V. Vikentyev & O.O. Stavrova
- Cuban-type volcanogenic manganese deposits 119
X. Cazañas, J.C. Melgarejo, P. Alfonso, J.A. Proenza & S. Cuba
- The Balta Tau VMS deposit: an ancient gold-rich white smoker? 123
N.G. Holland, S. Roberts, R.J. Herrington & A.J. Boyce
- Lead isotope systematics of multistage Ba-Mn-Pb-As-Sb mineralisation in the Långban deposit, Bergslagen Ore Province, Sweden 127
E. Jonsson & K. Billström
- High As, Tl hydrothermal sulfides forming in the Pemba Site, Lake Tanganyika, East Africa 131
S. Katsouri, S.D. Scott, J.J. Tiercelin & J.J. Honnorez
- Ozernoe massive sulfide deposit of SEDEX-type in Early Cambrian intravolcanic island arc depression: Genetic features and isotopic evidence (Eastern Siberia, Russia) 135
K.R. Kovalev, E.A. Naumov & E.G. Distanov,
- The Grimsey field: a shallow-marine hydrothermal system north of Iceland 139
T. Kuhn, P.M. Herzig, S. Mau, M.D. Hannington & I.R. Jonasson
- Co: Ni ratio variation throughout the Rainbow hydrothermal system 143
A.F.A. Marques, F.J.A.S Barriga & Y. Fouquet
- Implication of halmyrolysis in migration of REE during formation of ferruginous sedimentary rocks in Uzelga massive sulphide deposits, Southern Urals (Russia) 147
V.V. Maslennikov, N.R. Ayupova, R.E. Herrington & L.V. Danyushevsky
- The trace element zonation in vent chimneys from the Silurian Yaman-Kasy VHMS deposit in the Southern Ural, Russia: insights from laser ablation inductively coupled plasma mass-spectrometry (LA-ICP-MS) 151
V.V. Maslennikov, S.P. Maslennikova, R. Large, L.V. Danyushevsky & R.J. Herrington
- Shallow submarine gold mineralization at Conical Seamount, Papua New Guinea: initial results of an alteration halo study 155
T. Monecke, S. Petersen, P.M. Herzig, R. Petzold & R. Kleeberg
- Volcanic facies architecture of the Waterloo VHMS deposit, Australia 159
T. Monecke, P.M. Herzig & J.B. Gemmell
- Rare earth element mobility during hydrothermal alteration in the footwall of the Waterloo VHMS deposit, Australia 163
T. Monecke, P.M. Herzig, U. Kempe & P. Dulski
- Volcanic facies controls on mass transfer at the active, dacite-hosted Pacmanus hydrothermal system, Manus basin, Papua New Guinea (Ocean Drilling Program Leg 193) 167
H. Paulick & P. Herzig

Gold-rich massive sulfides from the interior of the felsic-hosted PACMANUS massive sulfide deposit, Eastern Manus Basin (PNG) <i>S. Petersen, P.M. Herzig, M.D. Hannington & J.B. Gemmell</i>	171
PACMANUS: the subsurface sulfide/oxide/gold mineralization <i>Á.M.M. Pinto, F.J.A.S. Barriga, S.D. Scott & S. Roberts</i>	175
Auriferous pyrite mineralization in the Tonga island arc, SW-Pacific: first evidence for shallow submarine hydrothermal activity. <i>U. Schwarz-Schampera, P.M. Herzig, H. Gibson & P. Stoffers</i>	179
Banded ores at the Gamsberg Zn-Pb deposit, South Africa: insight into ore-forming processes in Broken Hill-type deposits <i>M. Stalder & A. Rozendaal</i>	183
Os isotopes distribution within Paleozoic seafloor hydrothermal system in Southern Urals <i>S.G. Tesalina, A. Gannoun, B. Bourdon, J.-L. Birck, J.C. Allègre & J.-J. Orgeval</i>	187
Effects of oxic/anoxic seafloor on the formation and preservation of shale-hosted massive sulphides, Iberian Pyrite Belt <i>F. Tornos, C. Conde, M. Solomon & B. Spiro</i>	191
Genesis of the sediment-hosted Fe-Cu-Zn(-Au) sulfide deposits in Escanaba Trough, Gorda Ridge, NE Pacific, with emphasis on the solubility and deposition of gold <i>T.O. Törmänen & R.A. Koski</i>	195
Geological setting, mineralogy, and geochemistry of the Early Tertiary Au-rich volcanic-hosted massive sulfide deposit of La Plata (Western Cordillera, Ecuador) <i>D. Tripodi, M. Chiaradia & L. Fontboté</i>	199
The volcanic setting and paleomorphology of 'giant' bimodal mafic-type VMS deposits - The case of Tambogrande, Peru <i>L.S. Winter, R.M. Tosdal & J.M. Franklin</i>	203
Magmatic fluids in seafloor hydrothermal systems: implications from melt inclusion data <i>K. Yang & S.D. Scott</i>	207
Fluid inclusions and chlorite geothermometry in Fe-Cu-Zn volcanic-hosted massive sulfide deposits of the Northern Apennine ophiolites (Italy): preliminary results <i>F. Zaccarini, F.J. Carrillo-Rosúa, S. Morales-Ruano, P. Fenoll-Hach-Àli, G. Garuti & A. Rossi</i>	213
Geology and sulfur isotope implications of Bawdwin deposit, Northern Shan State, Myanmar: An Ag-rich, volcanic-hosted, polymetallic massive sulphide deposit <i>K. Zaw</i>	217
 <i>Porphyries/granites and the magmatic-hydrothermal transition</i>	
The porphyry copper-molybdenum deposits of central Chile <i>D.R. Cooke, P.H. Frikken, J. Cannell, P. Hollings, J.L. Walshe, F. Camus & J. Skarmeta</i>	223
PIXE analysis of skarn ore fluids Bismark, Mexico <i>T. Baker, E. Van Achterberg, C.G. Ryan & J.R. Lang</i>	227
Re-Os ages for molybdenite from porphyry Cu-Mo and greisen Mo-W deposits of southern Siberia (Russia) preserve metallogenic record <i>A.N. Berzina, H.J. Stein, A. Zimmerman & V.I. Sotnikov</i>	231
Rhenium in molybdenites from porphyry Cu-Mo deposits of Russia (Siberia) and Mongolia <i>A.N. Berzina, V.I. Sotnikov, D.G. Eliopoulos & M. Economou-Eliopoulos</i>	235
Intrusive-related gold systems in the western Lachlan Orogen, SE Australia <i>F.P. Bierlein, R. Whitam, S. McKnight & R. Dodd</i>	239

Marble-hosted skarn Pb-Zn ore deposits in the Central Rhodopes, Bulgaria <i>I.K. Bonev</i>	243
Re-Os age for molybdenite from SW Sardinia (Italy): a comparison with ⁴⁰ Ar/ ³⁹ Ar dating of Variscan granitoids <i>M. Boni, H.J. Stein, A. Zimmerman & I.M. Villa</i>	247
Sn-Ag ore-forming systems <i>A.S. Borisenko, A.A. Borovikov, G.G. Pavlova & L.V. Gushchina</i>	251
New paragenetically constrained Re-Os molybdenite ages for El Teniente Cu-Mo porphyry deposit, central Chile <i>J. Cannell, D.R. Cooke, H.J. Stein & R. Markey</i>	255
Magmatic and tectonic controls on the formation of Tertiary porphyry and epithermal deposits of Ecuador <i>M. Chiaradia & L. Fontboté</i>	259
Fluid inclusion studies at the Donlin Creek Gold Deposit, Alaska, possible evidence for reduced porphyry-Au to sub-epithermal transition <i>S.W. Ebert, T. Baker & R.J. Spencer</i>	263
Porphyry and Epithermal systems near Siliqua, Sardinia, Italy <i>M. Fiori, F. Granitzo, S.M. Grillo & R. Simeone</i>	267
Relations between Au / Sn-W mineralizations and late hercynian granite: preliminary results from the Schistose Domain of Galicia-Trás-os-Montes Zone, Spain <i>E. Gloaguen, A. Chauvet, Y. Branquet, O. Gerbeaud, C. Ramboz, V. Bouchot, C. Lerouge, P. Monié, M. Cathelineau, M.C. Boiron, C. Marignac, N. Pourraz, S. Fourcade, G. Ruffet & M. Iglesias Ponce de León</i>	271
Immiscible magmatic volatiles in the Bajo de la Alumbrera Cu-Au porphyries: melt and fluid inclusion record in quartz eyes <i>A.C. Harris, V.S. Kamenetsky & N.C. White</i>	275
Magmatic vapour condensation and the relation between porphyries and epithermal Au-(Cu-As) mineralisation: Thermodynamic constraints <i>C.A. Heinrich</i>	279
The magmatic to hydrothermal transition: Miocene Deva porphyry copper-gold deposit, South Apuseni Mts, Romania <i>P.M. Ivascanu, T. Pettke, K. Kouzmanov, C.A. Heinrich, I. Pintea, E. Rosu & G. Udubasa</i>	283
Episyenitization and hydrothermal alteration in the Guarda granites from the uraniferous province of Portugal Preliminary data <i>L. Jaques, I. Bobos & F. Noronha</i>	287
Molybdenum-uranium-fluorite mineralization related to plutonism in the Gebel Gattar area, Eastern Desert, Egypt <i>R. Kaindl & H.M. Helmy</i>	291
Paleogeodynamic model of the Sikhote-Alin tin-bearing system (Russia) <i>A.I. Khanchuk, V.G. Gonevchuk, N.S. Bortnikov & N.V. Gorelikova</i>	295
Fluid inclusion study on the Yuzhna Petrovitsa Pb-Zn deposit, Madan ore field, Central Rhodopes, Bulgaria <i>B. Kostova & P. Petrov</i>	299
The porphyry to epithermal transition in a magmatic-hydrothermal system: Valea Morii copper-gold deposit, Apuseni Mts, Romania <i>K. Kouzmanov, T. Pettke, C.A. Heinrich, S. Riemer, P.M. Ivascanu & E. Rosu</i>	303

Post-collisional H-type granitoid magmatism in Central Anatolia and time-space relation with Fe-oxide mineralization <i>I. Kuşcu, G. Gençalioglu Kuşcu & M. Soylu</i>	307
Late Variscan Mo deposits of granitic origin - A metamorphosed example from the western Tauern Window, Austria <i>K.J. Langthaler, J.G. Raith, D.H. Cornell, H.J. Stein, R. Markey & F. Melcher</i>	311
The alkalic Au-Cu porphyry deposits of NSW, Australia: evidence for coexisting melt and hydrothermal fluids in comb quartz layers <i>V. Lickfold, A.J. Wilson, A.C. Harris & D.R. Cooke</i>	315
Gold and copper dissemination in the igneous-volcanic Saldaña Formation of Natagaima, Colombia, and extension of the mineral province in the Andean Cordillera <i>A. Lobo-Guerrero S.</i>	319
Re-Os dating of porphyry-skarn-stratabound Cu-Au-Mo deposits in the Middle-Lower Yangtze River metallogenic belt, China: Implications for their genesis <i>J.W. Mao, A.D. Du, H.J. Stein, G.G. Wu, Y.F. Li & W.S. Zang</i>	323
Are there rare metal granites in the Maghrebides? <i>C. Marignac, L. Bouabssa & M. Cuney</i>	327
The Sossego iron oxide Cu-Au deposit, Carajás, Brazil <i>R. Marschik, J.E. Spangenberg, R.A. Leveille & A.J. de Almeida</i>	331
The magmatic-hydrothermal transition - Evidence from endoskarn abundance and quartz phenocryst textures in CU-ZN skarns <i>L.D. Meinert & Z. Chang</i>	335
Multiple episodes of magmatic and hydrothermal activity at the Radzimowice gold deposit in the Sudetes Mountains (Bohemian Massif, Poland) <i>S.Z. Mikulski</i>	339
Fluid inclusion and reconnaissance oxygen isotopic studies of quartz from the Radzimowice Au-Cu-As deposit in Sudetes Mountains, Poland <i>S.Z. Mikulski, C. Lerouge & A. Kozłowski</i>	343
Characteristic features of alkaline rocks hosting the Ladolam gold deposit, Lihir Island, Papua New Guinea <i>D. Müller, T. Pettke & C.A. Heinrich</i>	347
Carbon dioxide bearing melt inclusions within a gold-mineralized felsic granite <i>R. Mustard, V.S. Kamenetsky & T.P. Mernagh</i>	351
The magmatic-hydrothermal transition at Timbarra: implications for the genesis of intrusion-related gold deposits <i>R. Mustard</i>	355
Geological features and origin of the Xiaoyingpan gold deposit, northwestern Hebei, China <i>F.-J. Nie, S.-H. Jiang & Y. Zhang</i>	359
Geologic setting and origin of gold deposits occurring within the Chifeng-Chaoyang Archean Massif, Northeastern China <i>F.-J. Nie, Y. Zhang & S.-H. Jiang</i>	363
Triggering of hydrothermal ore mineralization in the Central Rhodopean Core Complex (Bulgaria) - Insight from isotope and geochronological studies on tertiary magmatism and migmatization <i>M. Ovtcharova, A.V. Quadt, C.A. Heinrich, M. Frank, M. Kaiser-Rohrmeier, I. Peycheva & Z. Cherneva</i>	367

Elshitsa and Vlaykov Vruh epithermal and porphyry Cu (-Au) deposits of Central Srednogorie, Bulgaria: source and timing of magmatism and mineralisation <i>I. Peytcheva, A. von Quadt, K. Kouzmanov & K. Bogdanov</i>	371
The significance of late-stage gold mineralization at Big Gossan and Wanagon Gold in the Ertzberg District evolution, Irian Jaya, Indonesia <i>K. Prendergast</i>	375
The Yubileinoe porphyry Au (-Cu) deposit, the south Urals: geology and alteration controls of mineralization <i>V.V. Shatov, R. Seltnann & C.J. Moon</i>	379
Distribution of porphyry Au-Cu systems in the Ordovician Macquarie Arc of NSW, Australia <i>S.G. Smith, B.A. Mowat & M.J. Sharry</i>	383
Hamata Gold Deposit, Morobe Goldfield, PNG. An example of intrusion-related Au in PNG? <i>S.G. Smith & B.A. Mowat</i>	387
The Aksug porphyry Cu-Mo deposit, Tuva, Russia: ⁴⁰ Ar/ ³⁹ Ar dating and magma constraints <i>V.I. Sotnikov, V.A. Ponomarchuk, A.N. Berzina & V.O. Gimon</i>	391
Hydrothermal iron oxide (-Cu-Au) mineralization in SW Iberia: evidence for a multiple origin <i>F. Tornos, C. Casquet & C. Galindo</i>	395
Mineralogical and fluid inclusion constraints on the genesis of gold-skarn deposits in the Nambija district (Ecuador) <i>J. Vallance, A. Markowski, L. Fontboté & M. Chiaradia</i>	399
Retrograde alterations of manganoan skarns in the Madan Pb-Zn deposits, South Bulgaria <i>R.D. Vassileva & I.K. Bonev</i>	403
Geochronology, geochemistry and isotope tracing of the Cretaceous magmatism of East-Serbia and Panagyurishte district (Bulgaria) as part of the Apuseni-Timok-Srednogorie metallogenic belt in Eastern Europe <i>A. Von Quadt, I. Peytcheva & V. Cvetkovic</i>	407
The Pagoni Rachi and Kassiteres porphyry Cu-(±Mo) occurrences in Thrace: ore mineralogy of late-stage veins <i>P. Voudouris & K. Arikas</i>	411
Magma degassing in a Tertiary volcanic edifice: mineralogy, petrology and depositional environment of lithocaps related to a porphyry-Cu occurrence (Kassiteres/W. Thrace, Greece) <i>P. Voudouris & K. Kyriakopoulos</i>	415
Physicochemical gradients and architectural constraints on fluid-mixing models of porphyry Cu formation <i>J.L. Walshe, D.R. Cooke, J. Cannell, P. Frikken, P. Hollings, G. Masterman, J. Skarmeta, F. Camus, P.A. Gow & G. Midgley</i>	419
Pb-Zn-Ag-bearing manganoan skarns of China - A further discussion <i>Y. Zhao & D. Li</i>	423
 <i>Epithermal systems</i>	
Two stages of carbonate alteration associated with stibnite-gold deposition at the Emirli (Ödemis, Izmir) stibnite deposit <i>M. Akçay</i>	429
Rhythmical and banded veins at silver-lead-zinc deposits of the Kolyma-Verkhoyansk fold belt, Russia: Implications for fluid boiling <i>E.Yu. Anikina, G.N. Gamyarin & N.S. Bortnikov</i>	433

Woodhouseite in the advanced argillic alteration zones of some high-sulphidation epithermal deposits from the Carpatho-Pannonian region <i>B. Bajnóczy, É. Seres-Hartai & G. Nagy</i>	437
Low temperature, late Zn-Pb-(Bi-Ag-Cu) mineralization and related acid alteration replacing carbonate rocks at Cerro de Pasco, Central Peru <i>R. Baumgartner, L. Fontboté & R. Ronner Bendezi</i>	441
High and intermediate sulphidation environment in the same hydrothermal deposit: the example of Au-Cu Palai-Islica deposit, Carboneras (Almería) <i>F.J. Carrillo Rosúa, S. Morales Ruano, A.J. Boyce & A.E. Fallick</i>	445
Veladero North high-sulphidation epithermal deposit (Argentina): geologic setting and paleogeomorphic environment of gold deposition <i>D. Charchaflié, T. Bissig, R.M. Tosdal & J.K. Mortensen</i>	449
Boiling and mixing of hydrothermal fluids in the Wharekirauponga rhyolite-hosted epithermal gold-silver deposit, Hauraki goldfield, New Zealand <i>A.B. Christie, K. Faure, S.D.C. Rabone & R.G. Barker</i>	453
Descriptive names for epithermal deposits: their implications for inferring fluid chemistry and ore genesis <i>D.R. Cooke & C.L. Deyell</i>	457
Discovery of 1.2 kg/t gold and 1.9 kg/t silver in mud precipitates of a cold spring from the Takab geothermal field, NW Iran <i>F. Daliran</i>	461
The Kelian Breccia Complex: a giant epithermal gold-silver deposit in Kalimantan, Indonesia <i>A.G.S. Davies, D.R. Cooke & J.B. Gemmill</i>	465
Mineralogical and isotopic evidence for the genesis of the Kelly gold-silver deposit, Baguio District, Philippines: diverse mineral assemblages in an evolving epithermal system <i>C.L. Deyell & D.R. Cooke</i>	469
Economic-grade potassic alteration in the volcanic-hosted epithermal system of Monti Ferru, Western Sardinia, Italy <i>S. Fadda, M. Fiori & S.M. Grillo</i>	473
Mineralisation and alteration patterns in some drill-holes of the epithermal gold mineralisation of S. Miali area, Furtei, Sardinia, Italy <i>M. Fiori, S.M. Grillo & C. Matzuzzi</i>	477
Mesozoic fault tectonics, fluid migration and mineralization in the Harz Mountains and the Thuringian Forest, Germany <i>H.J. Franzke & H. Rauche</i>	481
Parental magmas and evolving magmatic-hydrothermal fluids in the Baia Mare epithermal district, Romania <i>L. Grancea, A. Fulop, M. Cuney & J.L. Leroy</i>	485
Genesis and exploration potential for low-sulphidation epithermal deposits in the Deseado Massif, Argentinean Patagonia <i>D.M. Guido & I.B. Schalamuk</i>	489
Epithermal-Carlin transition: evidence for magmatic input to Carlin-type deposits <i>S.E. Kesler, Z. Ye, J. Fortuna & L.C. Riciputi</i>	493
Preliminary results of a mineralogical and stable isotope study of alunite in Bulgaria - Constraints on its origin <i>C. Lerouge, L. Bailly, C. Fléhoc, R. Petrunov, A. Kunov, S. Georgieva, I. Velinov & A. Hikov</i>	495

Sediment-hosted gold in south-eastern Europe: the epithermal deposit of Perama, Thrace, Greece <i>J.L. Lescuyer, L. Bailly, D. Cassard, A.L.W. Lips, P. Piantone & M. McAlister</i>	499
Late quartz veining along the Cloncurry Fault, Eastern Fold Belt, NW Queensland, Australia: stable isotope evidence for the incursion of low-latitude meteoric fluids <i>G. Mark, P.J. Williams & A.J. Boyce</i>	503
Land-based geothermal systems with entrained seawater as an alternative to the Broadlands epithermal-Au paradigm: the case for Milos Island, Aegean Sea, Greece. <i>J. Naden, S.P. Kiliyas, A. Liakopoulos</i>	507
Global mercury belts and geodynamic position of ore-forming systems of mercury deposits <i>A.A. Obolenskiy & E.A. Naumov</i>	511
Active and fossil geothermal systems in the continental rift zones of the Menderes Massif, Western Anatolia, Turkey <i>N. Özgür</i>	515
Preliminary study of the low-sulphidation epithermal Ovacik gold-silver deposit, western Turkey <i>A.K. Şener</i>	519
The Plavica epithermal polymetallic system: mineralogical and geochemical data <i>T. Serafimovski & G. Tasev</i>	523
Re-study of nagyagite from Sacarimb, Romania <i>M. Shimizu & C.J. Stanley</i>	527
Pipe-like ore bodies of the Kochbulak deposit (Uzbekistan): relevance to understanding gold mineralization <i>N.G. Stenina, V.N. Korolyuk, A.K Gutakovskii & R.I. Koneev</i>	529
Setting of epithermal Au deposits in a modern volcanic island arc setting, Milos, Greece: Implications for mineral exploration <i>A.L. Stewart & J. McPhie</i>	533
Atypical gold mineralization within the Neoproterozoic of Morocco. Structural and mineralogical constraints from the Thaghassa prospect (Boumalne inlier, Jbel Saghro, Eastern Anti-Atlas) <i>J. Tuduri, A. Chauvet, L. Barbanson, M. Labriki & L. Badra</i>	537
Genetic relation between the Tertiary porphyry Cu-(±Mo) and the epithermal Au-(±Ag) deposits in the Rhodope metallogenic province, Thrace region, Northern Greece <i>P. Voudouris, V. Melfos, M. Vavelidis & K. Arikas</i>	541
Hydrothermal alteration in the Iwami-ginzan (silver mine) district, Shimane Prefecture, Japan <i>N. Zeng, K. Masaki, K. Watanabe, Y. Motomura & E. Izawa</i>	545
 <i>Ore forming processes associated with mafic and ultramafic rocks</i>	
Ni-Cu sulfide deposits in mafic-ultramafic orogenic intrusions - Examples from the Svecofennian areas, Finland <i>H. Papunen</i>	551
Platinum group elements mineralogy of late proterozoic podiform chromitites from the Eastern Desert of Egypt: A preliminary result <i>A.H. Ahmed & S. Arai</i>	555
Ore-forming sulfate salt melts of the alkaline carbonatite-bearing volcanoplutonic complex Mushugai-Khuduk, Southern Mongolia: Evidence from melt inclusions <i>I.A. Andreeva, V.I. Kovalenko & V.B. Naumov</i>	559
Unusual low- and high- sulphur Pt and Pd enrichments in ophiolites of the Balkan peninsula <i>K-P. Burgath, M. Mohr & B. Boshnjaku</i>	563
 Mineral Exploration and Sustainable Development, Eliopoulos et al. (eds)	 XV

Evolution and geochemical characteristics of listwaenites between Madenli and Belcegiz (Gelendost-Sarkikaraagac, Isparta - Turkey) <i>O. Cengiz & M. Kuşcu</i>	567
Textural relationships in the Tellnes ilmenite deposit: implications for its genesis <i>B. Charlier, J.-C. Duchesne & J. Vander Auwera</i>	571
Mineral chemistry of Co-Ni-Fe sulpharsenides, diarsenides and triarsenides from the San Juan de Plan deposits (Central Pyrenees, Spain): Implications to ore genesis <i>I. Fanlo, I. Subías, A. Paniagua, B. García & F. Gervilla</i>	575
Geology, mineralogy and geochemistry of serpentinites from Kenticha area, southern Ethiopia, and associated Ni-mineralization <i>S. Gebresilassie, S. Tadesse & K. Hailu</i>	579
Platinum-group element mineralogy, geochemistry and 3-D modeling of the Keivitsa Ni-Cu-PGE sulfide deposit, northern Finland <i>F. Gervilla, K. Kojonen, J. Parkkinen & J. Välimaa</i>	583
Genesis of the Cu-Ni-PGE mineralization at the Genina Gharbia area, Eastern Desert, Egypt <i>H.M. Helmy</i>	587
Ore-forming systems in the Layered Gabbroic Sequence of the Beja Igneous Complex (Ossa-Morena Zone, Portugal); state of the art and future perspectives <i>A.P. Jesus, A. Mateus, V. Oliveira & J. Munhá</i>	591
Ar and He isotope data on platinum metal mineralization of the Lukkulaivara layered intrusion <i>O.V. Kazanov, E.M. Prasolov & I.V. Tokarev</i>	595
Platinum-group elements and gold geochemistry and mineralogy in the Ray-Iz ophiolitic chromitites, Polar Urals <i>K. Kojonen, F. Zaccarini & G. Garuti</i>	599
Chalcophile element depletion in mafic sills of the Mekelle basin, Tigrai: a guide to Ni-Cu-PGE exploration in the Ethiopian flood basalt province. <i>D. Küster, S.B. Dwivedi, K. Kabeto & K. Mehari</i>	603
The role of Soret fractionation in the origin of compositional profiles in mafic-ultramafic sills: Implication to ore-bearing intrusions of the Noril'sk type, Siberia <i>R.M. Latypov & T.T. Alapieti</i>	607
Preliminary results of the "in situ" investigation of platinum-group minerals in chromitites from the Kondyor and Guli ultramafic massifs (Russia) <i>K.N. Malitch, F. Zaccarini & G. Garuti</i>	611
Geology and mineralogy of the Rio Malo area, a new nickel-cobalt-copper mineralization in Extremadura Dome, Central Iberia, Spain <i>A. Martín-Izard, D. Sigüenza-Vega, C. Maldonado & A. Terrón</i>	615
Space-time evolution of kimberlite magmatism in the Siberian platform <i>E.D. Milshtein, Yu.M. Erinchek & O.G. Saltykov</i>	619
The rutile and hemo-ilmenite mineralizations of Québec, Canada <i>C.-E. Morisset, B. Charlier, J. Vander Auwera, R. Cloots & B. Brassard</i>	623
Peculiarities of some mafic-ultramafic-hosted massive sulfide deposits from southern Urals - A likely forearc occurrence <i>P. Nimis, P. Omenetto, S.G. Tesalina, V.V. Zaykov, P. Tartarotti & J.-J. Orgéval</i>	627
Coexistence of Cr- and Al-rich ophiolitic chromitites in a small area: the Sagua de Tánamo district, Eastern Cuba <i>J.A. Proenza, J.C. Melgarejo, F. Gervilla, A. Rodríguez-Vega, R. Díaz Martínez, R. Ruiz-Sánchez & W. Lavaut</i>	631

Extraction of ore components from mafic magmas by immiscible carbonate and salt melts: evidence from melt and fluid inclusions in minerals <i>I.P. Solovova & A.V. Girnīs</i>	635
Geology, mineralogy and paragenesis of cobalt-nickel deposits from central Pyrenees, Spain <i>I. Subías, I. Fanlo, B. García, A. Paniagua & F. Gervilla</i>	639
Geology and high grade hydrothermal PGE mineralization of the Vermilion quartz diorite offset dike, Sudbury, Canada <i>K. Szentpeteri, F. Molnár, D.H. Watkinson & P.C. Jones</i>	643
PGE enriched magnetite of the Union Bay Alaskan-type intrusive complex and its hydrothermal origin <i>C.J. Van Treeck, R.J. Newberry & C.J. Freeman</i>	647
The Pd-Sn-Te system and its geological applications - First results <i>A. Vymazalová, M. Drábek & P. Ondruš</i>	651
Origin and geological history of massive sulphide deposits associated with ultramafic and mafic paleoceanic complexes from the Urals-Mongolian fold belt <i>V.V. Zaykov & I.Yu. Melekestseva</i>	655

Volume 2

Basin evolution and ore forming processes

The controls on Neoproterozoic basemetal sulphide mineralization <i>H.E. Frimmel & I. Jonasson</i>	661
Timing and geometry of normal faults and associated structures at the Lisheen Zn/Pb deposit, Ireland - Investigating their role in the transport and the trapping of metals <i>V. Carboni, J.J. Walsh, D.R.A. Stewart & J.F. Güven</i>	665
Authigenic Cu-carbonates in sandstones at the base of Miocene in the Logudoro Region (NW Sardinia, Italy) <i>S. Fadda, M. Fiori & C. Matzuzzi</i>	669
An investigation of the controls on MVT deposit formation during the Phanerozoic: Application of a plate-tectonic GIS <i>S. Gardoll, D. Leach & D. Bradley</i>	673
Geochemical and isotopic aspects of Rosh Pinah mineralisation and host rock, Namibia - Relevance for metallogeny and as vectors to ore <i>C.D.K. Gauert</i>	677
Palaeohydrogeology and geodynamic framework of carbonate-hosted Zn-Pb mineralisation in Europe and North America: Insights from fluid composition and Pb isotope systematics <i>W. Heijlen & Ph. Muchez</i>	681
Cretaceous-Palaeogene denudation, volcanism and faulting in the Carlin- Jerritt Canyon mining district, northeastern Nevada: implications for the palaeogeographic and tectonic environment of Carlin-type gold deposits <i>K.A. Hickey, S.R. Haynes, R.M. Tosdal & J.K. Mortensen</i>	685

The giant Red Dog Zn-Pb-Ag massive sulfide deposits, northwestern Alaska, USA: Basin setting and conditions of ore formation	689
<i>K.D. Kelley, D.L. Leach, C.A. Johnson, J.F. Slack, J.A. Dumoulin & A.R. King</i>	
Chemical characteristics of seawater in the Early Cambrian: Results of a fluid-inclusion study of halite from the Tyret' deposit (East Siberia)	693
<i>V.M. Kovalevych, T.M. Peryt & N.M. Dzhinoridze</i>	
Complex base-metal mineralization (Cu-Pb-Zn-Co-Ni) in Palaeoproterozoic black shales: the Browns deposit, N.T., Australia	697
<i>A.J. McCready, E.F. Stumpfl, M. Ahmad, J. Lally & R.D. Gee</i>	
Germanium in carbonate-hosted Cu-Pb-Zn mineralization in the Otavi Mountain Land, Namibia	701
<i>F. Melcher, T. Oberthür, U. Vetter, C. Gross, A. Vollbrecht, M. Brauns & U. Haack</i>	
Evolution of placer formation in shelf areas of the northeastern Eurasia	705
<i>N. Patyk-Kara</i>	
Sandstone-hosted Zn-Pb deposits around salt diapirs in the Basque-Cantabrian Basin, northern Spain	709
<i>J. Perona, E. Maestro, F. Grandia, À. Canals, M. Corbella & E. Cardellach</i>	
Ba, F, Pb, Zn mineralization in the neighborhood of Dj. Mesloula (northeastern Algeria)	713
<i>L. Sami & O. Kolli</i>	
Physical constraints of calcite precipitation in internal sediments from the Upper Silesia Zn-Pb ore district	717
<i>M. Słowakiewicz & M. Sass-Gustkiewicz</i>	
Gold deposits of the Yenissej Ridge (Russia), with special reference to mechanism of tectonogenesis	721
<i>N.G. Stenina & V.G. Petrov</i>	
 <i>Orogenic hydrothermal systems</i>	
A comparison between the Witwatersrand and orogenic gold systems: a test of the hydrothermal Witwatersrand model	727
<i>D.I. Groves, B. Rasmussen, B. Krapez & G.L. England</i>	
Stable isotope geochemistry of the Val-d'Or vein field, Québec, Canada	731
<i>G. Beaudoin & D. Pitre</i>	
Intrusion-related gold deposits within gneiss areas of the Ukrainian Shield	735
<i>A. Belevtsev</i>	
Timing of orogenic gold mineralisation in NE Tasmania - implications for the tectonic evolution of SE Australia	739
<i>F.P. Bierlein, D.A. Foster, D.R. Gray & G.J. Davidson</i>	
The Mayskoye disseminated gold deposit, Chukotka, Russia: mineral paragenesis, fluid inclusion, and oxygen and sulfur isotope studies	743
<i>N.S. Bortnikov, I.A. Bryzgalov, N.N. Krivitskaya, V.Yu. Prokof'ev & O.V. Vikentieva</i>	
Variscan orogenic gold districts related to a regional scale Visean detachment in the Central Bohemian metallogenic province (Czech Republic): a geodynamic reassessment	747
<i>V. Bouchot, M. Faure, J.L. Feybesse, P. Correia & J. Zacharias</i>	
The shift from "mesothermal" to "epithermal" conditions in orogenic gold: definition of a Variscan-type of quartz lode gold deposits	751
<i>M. Cathelineau, M.C. Boiron, S. Fourcade & C. Maignac</i>	
The Mosteiros orogenic lode gold prospect, east-central Portugal: A case study for the occurrence of invisible gold	755
<i>D.P.S. de Oliveira</i>	

Sulfur isotope evolution and changing redox conditions in a mesozoic orogenic mineral occurrence in the lower Paleozoic rocks of the Anglo-Brabant fold belt, Belgium <i>S. Dewaele, Ph. Muchez, A. Boyce & P.M. Huiženga</i>	759
Comparison of quartz-types from the polymetallic sulfide veins of the Freiberg district based on cathodoluminescence investigations <i>M. Drechsel, Th. Seifert & J. Götze</i>	763
Orogenic gold in the Paleozoic basement of SE Sardinia (Italy) <i>C. Garbarino, S. Naitza, S. Tocco, A. Farci & J. Rayner</i>	767
Vertical extensional strain as a guide to gold-bearing veins within reverse-oblique fault-fracture meshes and dilational step-overs at the Darlot and Centenary gold deposits, Yilgarn Craton, Western Australia <i>S. Kenworthy, S. Hagemann & P. Neumayr, F. Robert & C. Black</i>	771
Subduction refrigeration generated inverted geotherms within accretionary wedge complexes: implications for the metamorphic orogenic gold deposit model <i>D.R. Lentz</i>	775
Stable isotope constraints on the origin of hydrothermal fluids in the Cévennes Au-Sb district, French Massif Central <i>C. Lerouge, V. Bouchot, N. Volland, A. Chauvet & X. Charonnat</i>	779
Variscan lode gold deposits: The case for a crustal-scale hydrothermal system rooted in the middle crust (Saint-Yrieix district, Limousin, French Massif Central). <i>C. Marignac, M.C. Boiron, M. Cathelineau & S. Fourcade</i>	783
Orogenic quartz-sulfide-gold veins from the Klecza-Radomice Ore District in the Kaczawa Mts., (Western Sudetes) - NE part of Bohemian Massif <i>S.Z. Mikulski</i>	787
Structural controlled ore mineralisation in the Graz Paleozoic (Eastern Alps, Austria): A mineralogical, petrological and geological study <i>A. Mogessie, K. Krenn, H. Schafflechner, M. Feichter, H. Fritz, H.P. Bojar & O.A.R. Thalhammer</i>	791
Importance of late Famatinian deformation in the exploration for wolfram deposits in Sierras de Córdoba, Argentina <i>D.I. Mutti, S.M. Tourn, S. González Chiozza & C.J. Herrmann</i>	795
Camp- to deposit-scale zonation of hydrothermal alteration in the St Ives gold camp, Yilgarn Craton, Western Australia: Evidence for two fluid systems? <i>P. Neumayr, S.G. Hagemann, J. Walshe & R.S. Morrison</i>	799
Mobility of Hg, As, Sb, S, and C in a metamorphic belt: insights into the source of elements enriched in orogenic gold deposits, the Otago Schists, New Zealand <i>I.K. Pitcairn, M.R. Ashley, D.A.H. Teagle, D.R.H. Green, C.R. German, I.W. Croudace, T.S. Brewer & D. Craw</i>	803
Nature and dimension of orogenic gold-related hydrothermal alteration at Minas Azules, NW Argentina <i>G.A. Rodríguez & F.P. Bierlein</i>	807
Timing of gold mineralisation in the Pine Creek orogen, Northern Territory, Australia: its significance to the thermal-aureole gold model <i>A.K. Şener, D.I. Groves & I.R. Fletcher</i>	811
Genesis of the metamorphosed Um Zeriq Zn-Pb-As-Ag prospect, Sinai, Egypt <i>M. Shalaby, H.M. Helmy, R. Kaindl & H.B. Abdel Rahman</i>	815
Orogenic architecture and structurally controlled mineral systems - some insights from seismic surveys and numerical modeling <i>P. Sorjonen-Ward, Y. Zhang, B.J. Drummond, B.R. Goleby & R.J. Korsch</i>	819

Hydrothermal phosphate geochronology: A way forward for dating gold mineralisation events in the Yilgarn craton of Western Australia <i>N.M. Vielreicher, D.I. Groves, N.J. McNaughton & L.W. Snee</i>	823
Contrasting fluid systems, chemical gradients and controls on large-tonnage, high-grade Au deposits, Eastern Goldfields Province, Yilgarn Craton, Western Australia <i>J.L. Walshe, S.W. Halley, G.A. Hall & P. Kitto</i>	827
Economic platinum concentrations in sediment-hosted orogenic gold deposits? <i>A.R. Wilde & F.P. Bierlein</i>	831
Sediment-hosted disseminated gold mineralisation in the Palaeoproterozoic Ashburton Province, Western Australia: a new epizonal orogenic gold province related to Capricorn Orogeny? <i>C.J. Young, D.I. Groves & P. Morant</i>	835
Geology and geochemistry of Shuangwang breccia type orogenic gold deposit in the western Qinling belt, central China <i>Z. Zhang, J. Mao & Z. Kang</i>	839
 <i>Organic matter and mineral deposits</i>	
Precambrian and Phanerozoic oil in the formation of PGE-Au-U and U ores on Precambrian Shields in Eastern Europe <i>I.G. Mineeva & V.F. Pen'kov</i>	845
Can we use mantle normalization and metal ratios for identification of PGE sources in metal-rich black shales? <i>J. Pašava, A. Vymazalová & S.J. Barnes</i>	849
Organic matter alteration trends in the Polish Kupferschiefer: Ore genetic implications <i>S. Speczik, S. Oszczepalski, G.J. Nowak, I. Grotek & K. Niczyporuk</i>	853
REDOX as a link between organic and inorganic matter: its role in mineralization <i>N.G. Stenina</i>	857
Ni-Mo-PGE rich black shales of South China: Preliminary results from the isotope study of related barite and carbonates <i>K. Žák, J. Pašava, A. Vymazalová, B. Kříbek, Li Chaoyang, Hailin Deng & Zeng Mingguo</i>	861
 <i>Industrial minerals</i>	
Industrial minerals: Classification, markets, geology and exploration <i>P.W. Scott</i>	867
Carbon, oxygen and hydrogen isotope evidence for the origin of the sediment hosted Pöhrenk (Çiçekdagi-Kirsehir-Central Anatolia) fluorite deposit, Turkey <i>Y. Genc, T.W. Vennemann & M. Satir</i>	871
Wollastonite skarn mineralization in the Central Metasedimentary Belt, Grenville Province, SE Ontario, Canada <i>T.A. Grammatikopoulos & A.H. Clark</i>	875
Industrial minerals and rocks of Albania <i>L. Hoxha, P.W. Scott, T. Deda, J.M. Eyre & D. Gega</i>	879
Carbon and oxygen isotope composition of the Dinaridic ophiolite related magnesites <i>I. Jurković & J. Pamić</i>	883
Chemistry of paleofluids forming the magnesite and siderite deposits in the Southern Urals <i>C. Kaiser, W. Prochaska & M. Krupenin</i>	887

The palygorskite and Mg-Fe-smectite clay deposits of the Ventsia basin, western Macedonia, Greece	891
<i>I.D. Kastritis, E. Mposkos & G.H. Kacandes</i>	
Genetic considerations for the L. Cambrian(?) Rubian magnesite deposit, Galicia, Spain	895
<i>S.P. Kiliadis, M.G. Stamatakis, J.P. Calvo, M. Pozo & M. Bustillo</i>	
Fluid inclusion and mineralogical data from the Hnúšt' a-Mútnik talc-magnesite and Miková-Jedlovec magnesite deposits (Slovakia)	899
<i>P. Koděra & M. Radvanec</i>	
Applied mineralogical studies on Egyptian sand ilmenite concentrates	903
<i>M.A. Mandour, T. Chernet & M.I. Moustafa</i>	
Modification of some Egyptian glauconites for industrial applications	907
<i>S.H. Mervat & H.M. Baioumy</i>	
Modification of Egyptian kaolinite for new fields of applications	911
<i>S.H. Mervat, H. El-Shall</i>	
Distribution and genesis of zeolite mineralization in Cenozoic pyroclastic flows from Central Sardinia (Italy): guidelines for mineral exploration	915
<i>S. Naitza, G. Padalino, M. Palomba & R. Rizzo</i>	
Industrial mineral occurrences related to Cenozoic volcanic rocks of Sardinia (Italy)	919
<i>M. Palomba, G. Padalino & M. Marchi</i>	
Evaluation of Kimmeria and Kalamou wollastonite deposit, Thrace, Northern Greece	923
<i>E. Petavratzi, P.W. Scott & G.E. Christidis</i>	
Characterization of biogenic amorphous silica deposits in Greece and their industrial potential	927
<i>M.G. Stamatakis</i>	
Influence of porosity and grain size of carbonate rocks in the reactivity of lime	931
<i>G. Triantafyllou, G. Christidis & T. Markopoulos</i>	
 <i>Open session</i>	
Spectrum of gold-rich VMS deposits from the Archean to the Present	937
<i>M.D. Hannington</i>	
Gold deposits in Greece: genetic types and economic perspectives	941
<i>N.D. Arvanitidis</i>	
Lead isotope study of Zn-Pb-F-Ba deposits in the central section of the Pyrenean Axial Zone, Spain-France	945
<i>K. Billström, I. Subías & I. Fanlo</i>	
Geochemical characteristics of the Assif El Mal Zn-Pb (Cu, Ag) vein system: High Atlas Mountains, Morocco	949
<i>M. Bouabdellah, D. Leach & C. Johnson</i>	
Mineral features of Cu-Ag-Ba-Mn mineralisations of La Serena, Chile	953
<i>F.J. Carrillo Rosúa, S. Morales Ruano & D. Morata Céspedes</i>	
Structural control on ore concentration: neo-formed structures vs. re-used pre-existing ones	957
<i>A. Chauvet, L. Bailly, L. Barbanson & J. Onézime</i>	
Forms of gold	961
<i>S.L. Chryssoulis & T.A. Grammatikopoulos</i>	
Multiple Sources of Ore-fluid Components at the Getchell Carlin-type Gold Deposit, Nevada, USA	965
<i>J.S. Cline, F.M. Stuart, A.H. Hofstra, W. Premo, L. Riciputi, R.M. Tosdal & D.R. Tretbar</i>	

Geochemical prospecting for iron mineralisation (SW Turkey) and ore processing units during Roman-Byzantine times <i>P. Degryse, Ph. Muchez, J. Naud & M. Waelkens</i>	969
The age of formation of a marble in the Moldanubian Varied Group, Bohemian massif, Czech Republic using Re-Os dating of molybdenite <i>M. Drábek & H. Stein</i>	973
Horizontal calcite-sulphide veins in the dolomitic shale from the Polish copper deposit (Kupferschiefer) - an example of petrology-dependent vein formation <i>E. Gawęcka, R. Gorniak & Z. Sawłowicz</i>	977
Variations in pyrite chemistry as clues to gold deposition at the Goldstrike system, Carlin Trend, Nevada USA <i>Ch. Henkelman, J.D. Lubben & J.S. Cline</i>	981
Wernecke Breccia-associated iron oxide-Cu-Au mineralization, Yukon, Canada <i>J.A. Hunt, T. Baker & D.J. Thorkelson</i>	985
Au-oxysulphides and their role in gold mobility, Northern Greywacke Zone, Austria <i>H. Kucha, J. Raith & E.F. Stumpf</i>	989
Helium and argon isotope systematics in fluid inclusion of the gold deposits along the Daduhe River, Sichuan Province, West China <i>X. Li, J. Mao, D. Wang, F. Luo & T. Zhu</i>	993
Geodynamic settings of Mesozoic large-scale mineralization in the North China and adjacent areas: implication from the highly precise and accurate ages of metal deposits <i>J.W. Mao, Y.T. Wang, Z.H. Zhang, J.J. Yu & B.G. Niu</i>	997
Dating young molybdenites: a primer <i>R.J. Markey & H.J. Stein</i>	1001
The Fe-As-Cu-(Bi-Au) ores of Chinipí (Central Spanish Pyrenees) <i>E. Mateo, I. Fanlo, I. Subías & C. Recio</i>	1005
Petrographic and mineralogical investigations of the wall decoration of the “Terrace House II”, Ephesos <i>E. Maurer, W. Prochaska, J. Weber & N. Zimmermann</i>	1009
A non-destructive pulse neutron multiple detector tool for use in environmental, hydrocarbon and mineral exploration work <i>K. Rasilainen, G. Gaál, J. Baker, K. Buckup, R. de Meijer, M. Maučec, D. Marwick, M. Williamson, G. Sideris & P. Sotiropoulos</i>	1013
Mineral quantification by digital image analysis: II. Validity of the semi-automatic process <i>J. Rodero-Pérez, A. Yebra-Rodríguez, A. López-Galindo, M. Setti & A. Ortenzi</i>	1015
A case study of the metallogenic province and ore-forming chronology in the northern margin of the North China Platform and its north side <i>R. Pei, Y. Mei & J. Ye</i>	1019
Sulfur isotope pattern in the Bleiberg deposit (Eastern Alps) and its implication for genetically affiliated Pb-Zn deposits <i>E. Schroll & G. Rantitsch</i>	1023
Sulfide partial melting at Broken Hill, Australia <i>H.A. Sparks & J.A. Mavrogenes</i>	1027
An experimental investigation of the partial melting of the sulphide assemblage sphalerite + galena + pyrite + chalcopyrite between 750 and 1000 C at 2 Mpa <i>G. Stevens, S. Prinz & A. Rozendaal</i>	1031
Opaque mineralogy in the alteration zones of ore deposits <i>H. Ueno, T. Takeda & S. Kitazono</i>	1035

Mineralogy and chemistry of Cu-rich ores from the Kamariza carbonate-hosted deposit (Lavrion), Greece <i>P. Voudouris & M. Economou-Eliopoulos</i>	1039
Predictive numerical modelling of the Mt Isa copper deposits, Queensland, Australia <i>A.R. Wilde, M. Gregory, P. Jones, K. Gessner, P. Alt-Epping, F. Boschetti, G.W.H. German, P. Gow & D. Wilson</i>	1043
Mineral quantification by digital image analysis: I. A semi-automatic method <i>A. Yebra-Rodríguez, J. Rodero-Pérez, A. López-Galindo, M. Setti & A. Ortenzi</i>	1047
The composition of gold and silver artifacts from the southern Urals <i>V.V. Zaykov, A.M. Yuminov, G.B. Zdanovich & A.D. Tairov</i>	1051
 <i>Special session - FeOx-Cu-Au, VMS, and orogenic gold deposits in light of the tectonic evolution of the Fennoscandian shield</i>	
Palaeoproterozoic orogenic evolution of the Fennoscandian Shield at 1.92-1.77 Ga with notes on the metallogeny of FeOx-Cu-Au, VMS, and orogenic gold deposits <i>R. Lahtinen, M. Nironen & A. Korja</i>	1057
The new Lycksele-Storuman gold ore province, northern Sweden; with emphasis on the early Proterozoic Fäboliden orogenic gold deposit <i>G. Bark & P. Weihed</i>	1061
Geo-infrastructure through research and technical development (RTD) for improved exploration and mining investment climate <i>J. Bergström</i>	1065
The Tjärrojjäcka Fe-oxide Cu (-Au) occurrence, Kiruna area, northern Sweden <i>Å. Edfelt & O. Martinsson</i>	1069
The Levijärvi - Loukinen Au-Ni-Cu occurrence: A Palaeoproterozoic polymetallic orogenic gold mineralisation in the Sirkka Line tectonic structure, northern Finland <i>M.J. Holma, V.J. Keinänen, V.J. Ojala & P. Eilu</i>	1073
Preserved primary textures of the Pyhäsalmi Zn-Cu VMS deposit, Finland: Evidences of subsea-floor replacement and Svecofennian post-depositional sulfide mobilization <i>M. Imaña Osorio & T. Mäki</i>	1077
Vaikijaur, an intrusion hosted, porphyry style, Palaeoproterozoic Cu-Au mineralization at the Archaean-Proterozoic boundary in northern Sweden <i>C. Lundmark & P. Weihed</i>	1079
Contrasting composition of metasomatic and metamorphic scapolite in the Eastern Fold Belt, Northwest Queensland, Australia <i>G. Mark & P.J. Pollard</i>	1083
Characterisation of iron mineralisations of Kiruna type in the Kiruna area, northern Sweden <i>O. Martinsson</i>	1087
Iron oxide-copper-gold deposits in northern Finland <i>T. Niiranen & P. Eilu</i>	1091
The Paleoproterozoic Pyhäsalmi volcanic complex, central Finland - Bimodal volcanism and associated VMS deposits <i>K. Rasilainen, H. Puustjärvi, J. Kousa, J. Luukas & T. Mäki</i>	1095
Reconstructing the architecture of highly deformed and metamorphosed Zn-Cu massive sulphide deposits in the Vihanti-Pyhäsalmi district, central Finland <i>M.D. Roberts, N.H.S. Oliver & R. Lahtinen</i>	1099

Chemostratigraphy of metamorphosed and altered Paleoproterozoic volcanic rocks associated with massive sulfide deposits at Rävliiden and Kristineberg West, Skellefte district, Sweden <i>D.M. Schlatter, T.J. Barrett & S. Abrahamsson</i>	1103
Structural modelling and magnetic expression of hydrothermal alteration in the Paleoproterozoic Lapland greenstone belt, northern Fennoscandian Shield <i>P. Sorjonen-Ward, V.J. Ojala & M.-L. Airo</i>	1107
Molybdenite and metamorphism in northern (Norrbotten) Sweden: evaluation of economic potential using the Re-Os Chronometer <i>H. Stein, R. Markey & A. Zimmerman</i>	1111
Small-scale sulphur isotope study of metamorphic ore remobilisation in the Hällefors district, Bergslagen, Sweden <i>T. Wagner, E. Jonsson & A.J. Boyce</i>	1115
Evidence of remobilisation within the Palaeoproterozoic Aitik Cu-Au-Ag deposit, northern Sweden: A sulphur isotope study <i>C. Wanhainen & O. Martinsson</i>	1119
Gold, Fe oxide-Cu-Au and VMS metallogeny of the Fennoscandian Shield <i>P. Weihed & P. Eilu</i>	1123
The nature of iron oxide-copper-gold ore fluids: Fluid inclusion evidence from Norrbotten (Sweden) and the Cloncurry district (Australia) <i>P.J. Williams, D. Guoyi, P.J. Pollard, C. Broman, O. Martinsson, C. Wanhainen, G. Mark, C.G. Ryan & T.P. Mernagh</i>	1127
<i>SEG Symposium - Exploring for Tethyan ores! Development from historic roots</i>	
Late Cretaceous and Tertiary geodynamics and ore deposit evolution of the Alpine-Balkan-Carpathian-Dinaride orogen <i>F. Neubauer, C. Heinrich, C. Tomek, A. Lips, R. Nakov, A. von Quadt, I. Peytcheva, R. Handler, I. Bonev, P. Ivascanu, E. Rosu, Z. Ivanov & M. Kaiser-Rohrmeier</i>	1133
Base- and precious-metal deposits of Turkey in relation to the Tethyan Eurasian Metallogenic Belt (TEMB) <i>M. Soylu</i>	1137
Mineral deposits associated with the pre-, syn- and post-collisional granitoids of the Neo-Tethyan convergence system between the Eurasian and Anatolian plates in NE and Central Turkey <i>D. Boztuğ, İ. Kuşcu, A.İ. Erçin, N. Avcı & S.Y. Şahin</i>	1141
Tertiary porphyry systems of the Macedonian-Bulgarian border region: a spectrum of related peripheral metal deposits, high-sulfidation alteration, and supergene environments <i>V.M. "Mac" Canby, L. Naftali & M. Alexandrov</i>	1145
The Mehdiabad zinc deposit - A Tethyan Giant <i>K. Chapple</i>	1149
Gold enrichment in deposits of the Banatitic Magmatic and Metallogenic Belt, southeastern Europe <i>C.L. Ciobanu, N.J. Cook, K. Bogdanov, O. Kiss & B. Vučković</i>	1153
The mineralogy of two Neogene ore provinces in Romania: review and additional data <i>N.J. Cook, C.L. Ciobanu, G. Damian & F. Damian</i>	1157
Diagenesis, hydrocarbon migration and MVT mineralization in Cretaceous carbonates of west central Iran <i>F. Ghazban & E. Hajikazemi</i>	1161
Tectonic setting, metallogenesis and deposit types in Sanjiang Tethyan Domain, S.W. China <i>H. Zengqian, K. Zaw, P. Guitang, X. Qiang, L. Xingzhen, M. Xuanxue</i>	1165

Evaluating the metallogeny of Mashhad Paleo-Tethys Granitoids, NE Iran <i>M.H. Karimpour, A.R. Ashouri, L. Farmer & S. Saadat</i>	1169
The fluid chemical evolution of the Elatsite porphyry Cu-Au-PGE deposit, Bulgaria <i>R. Kehayov, K. Bogdanov, L. Fanger, A. von Quadt, T. Pettke & C. Heinrich</i>	1173
The chromite deposits of Turkey and their platinum group element potential: a review <i>O. Koptagel, A. Ucurum & A. Efe</i>	1177
Stable isotopic constrains on the origin of epithermal Cu-Au and related porphyry copper mineralisations in the southern Panagyurishte district, Srednogie zone, Bulgaria <i>K. Kouzmanov, C. Ramboz, C. Lerouge, E. Deloule, D. Beaufort & K. Bogdanov</i>	1181
Gold metallogeny in Iran: a preliminary review <i>J.L. Lescuyer, A. Hushmand Zadeh & F. Daliran</i>	1185
Position of the Au deposit Hodruša in the geologic and metallogenic evolution of the Štiavnica stratovolcano (Slovakia) <i>J. Lexa & P. Koděra</i>	1189
Characteristics and preliminary ⁴⁰ Ar/ ³⁹ Ar and ⁸⁷ Sr/ ⁸⁶ Sr data of the Upper Eocene sedimentary-hosted low-sulfidation gold deposits Ada Tepe and Rosino, SE Bulgaria: Possible relation with core complex formation <i>P. Marchev, B. Singer, C. Andrew, S. Hasson, R. Moritz & N. Bonev</i>	1193
Timing of mineralization and exhumation processes at the Sar Cheshmeh and Meiduk Porphyry Cu Deposits, Kerman Belt, Iran <i>I.A.B. McInnes, N.J. Evans, E. Belousova, W.T. Griffin & R.L. Andrew</i>	1197
Occurrence, mineralogy and chemical composition of primary gold from Tertiary ore mineralisations in the Rhodope massif (Greece-Bulgaria) <i>V. Melfos, M. Vavelidis & K. Bogdanov</i>	1201
Metallogeny of Paleogene and Neogene volcanic belts in Hungary <i>F. Molnár, T. Zelenka, Z. Pécskay, I. Gatter & B. Bernadett</i>	1205
Controls on ore formation at the high-sulphidation Au-Cu Chelopech deposit, Bulgaria: Evidence from infrared fluid inclusion microthermometry of enargite and isotope systematics of barite <i>R. Moritz, S. Jacquat, I. Chambefort, D. Fontignie, R. Petrunov, S. Georgieva & A. von Quadt</i>	1209
The geology and exploration of the Rosia Montana Gold Deposit, Rosia Montana, Transylvania, Romania <i>G.V. O'Connor, A. Minut & S.F. Leary</i>	1213
Volcanogenic massive sulfide deposits (VMSD) in the East Pontic metallotect, NE Turkey <i>N. Özgür</i>	1217
Vareš and Veovača, Triassic, Fe-Pb-Zn-Ba SEDEX deposits, related to the advanced Tethyan rifting, Cental Bosnia <i>L. Palinkaš, S. Strmić, J. Spangenberg & W. Prochaska</i>	1221
Siderite-hematite-barite-polysulfide mineral deposits, related to the Early intra-continental Tethyan rifting, Inner Dinarides <i>L. Palinkaš, A.L. Borojević, S.Strmić, W. Prochaska & J. Spangenberg</i>	1225
K/Ar dating, geochemistry and evolution of the Tertiary volcanic rocks (Thrace, northeastern Greece) <i>Z. Pecskey, G. Eleftheriadis, A. Koroneos, T. Soldatos & G. Christofides</i>	1229
Submarine primary Sr-rich Mn-oxide mineralization in the Jurassic Transdanubian Range (Hungary) <i>M. Polgári, M. Szabó-Drubina, M. Tóth, Z. Szabó & Zs. Abonyi-Tóth</i>	1233
Metallogeny of the Neo-Tethys arc in central Iran <i>J.P. Richards</i>	1237

Epithermal precious- and base-metal mineralization in the Eocene arc of Torud-Chah Shirin mountain range: Gandy and Abolhassani districts, Semnan, northern Iran <i>G. Hossein Shamanian, J.W. Hedenquist, K.H. Hattori & J. Hassanzadeh</i>	1241
The distribution of platinum-group elements (PGE) and stable isotope (O, H, S) geochemistry of Gunes-Sogucak Ni-Cu-sulfide mineralization, in Divrigi-Sivas, East-Central Turkey <i>A. Ucurum, P.J. Lechler & G.B. Arehart</i>	1245
Mineral deposits in metallogenic belt east of Zagros Thrust Fault <i>A. Yaghubpur</i>	1249
Re-Os ages for the Elatsite Cu-Au deposit, Srednogie zone, Bulgaria <i>A. Zimmerman, H. Stein, R. Markey, L. Fanger, C. Heinrich, A. von Quadt & I. Peytcheva</i>	1253
 <i>Indices</i>	
Keyword index	1259
Author index	1267