

Table of contents

INTRODUCTION	
Welcome	XLIII
Organising committees	XLV
Symposium schedule	XLVIII
KEYNOTE PAPERS	
Developments and challenges in high voltage engineering <i>Feser, K.</i>	3
Knowledge capture and management of high voltage expertise <i>Pryor, B.M. & McDonald, J.</i>	4
ELECTROMAGNETIC FIELDS; COMPUTATION, MEASUREMENT, ENVIRONMENTAL EFFECTS	
Invited lecture: General aspects of electromagnetic fields for high voltage systems <i>Connor, Th. & Koch, H.J.</i>	7
Application of the “perturbation” method in the theory of unipolar and bipolar corona <i>Tikhodeev, N.N.</i>	8
Influence of overhead transmission line on grounding impedance of substation <i>Zeng, R., He, J., Gao, Y. & Guan, Z.</i>	9
Simulation of single water droplets on high voltage insulators <i>Schreiber, U. & van Rienen, U.</i>	10
Calculation of the field strength enhancement at rough surfaces <i>Amft, D., Werner, D. & Schufft, W.</i>	11
Field calculations and tests of air/SF ₆ bushings <i>Axhausen, A., Grund, A. & Kynast, E.</i>	12
Characteristics of electromagnetic wave radiated from corona and spark <i>Chen, S., Shen, Y. & Wu, Y.</i>	13
Study of corona noise and its effects on the PLC system of long HVDC transmission lines <i>Moyo, N.M., Ijumba, N.M. & Britten, A.C.</i>	14
A study of high voltage Direct Current conductor corona in a purpose built laboratory corona cage <i>Sibilant, G.C., Ijumba, N.M. & Britten, A.C.</i>	15
3d finite element analysis of the winding support and the core clamping system of power transformers <i>Schmidt, E. & Hamberger, P.</i>	16
Electric field design for high-voltage vacuum tubes <i>Kurrat, M., Giere, S. & Schümann, U.</i>	17
Magnetic fields of gas-insulated transmission lines - calculations and measurements <i>Koch, H.J.</i>	18
Environmental impact assessment of the high voltage electric lines that belongs to C.N. Transelectrica S.A. in order to obtain the environmental permit <i>Pavel, A.M.</i>	19

Evaluation of human exposure to magnetic fields under live line maintenance conditions <i>Hamza, A.H., Mahmoud, S.A. & Ghania, S.M.</i>	20
Magnetic field-induced currents in human body in the proximity of power lines <i>Abd-Allah, M.A.</i>	21
Analysis of electromagnetic field influence on technical personnel around working high-voltage lines <i>Nowacki, T., Nadolny, Z. & Rakowska, A.</i>	22
Computation of electric field induced currents on biological bodies near High Voltage transmission lines <i>Yildirim, H. & Kalenderli, O.</i>	23
A new method for calculating of electric fields around any arbitrary shape electrodes <i>Farsadi, M. & Kalenderli, O.</i>	24
Computation of corona inception voltage by the charge simulation method <i>Yildirim, H. & Kalenderli, O.</i>	25
Improved solution to multi-dielectric field problems with a Hybrid Charge Method <i>Palaniswamy, K. & Udayakumar, K.</i>	26
Field analysis and calculation on lightning surge response of transmission tower <i>Zhan, H., Lin, F., Zhao, Y., Wang, X., Xu, Z. & He, L.</i>	27
Magnetic field distributions under crossing power lines <i>Mahmoud, S.A., Hamza, A.H., Abdel-Gawad, N.M.K. & Ahmed, K.G.</i>	28
Determination of surge voltage distribution in HT motor coils <i>Gupta, S.C., Sheriff, K.R.S. & Rama Krishna, G.</i>	29
Optimum electrode design of the power cable by multi-objective evaluation <i>Hara, T., Yonetsu, D., Shimada, S. & Kaji, M.</i>	30
Numerical electric field calculation around a bare stranded wire <i>Hamada, S. & Yamamoto, O.</i>	31
Analysis of electric field distribution around the high voltage overhead transmission lines with an ADSS fiber optic cable <i>Florkowska, B., Jackowicz-Korczynski, A., Timler, M. & Wlodek, R.</i>	32
Effect of conductor heating on magnetic field distribution near power lines <i>Abd-Allah, M.A.</i>	33
12-DOF element for electric field calculation by the boundary element method <i>Techaumnat, B.</i>	34
Study on field utilization factor, maximum electric field and sparkover voltage of the standard sphere gaps <i>Nishikori, Y., Kojima, S. & Kouno, T.</i>	35
Application of ANN to numerical field calculation methods for an accurate simulation as well as field optimization of electrode systems <i>Youssef, F.M.H., Abdlkader, S. & EL-Bahnsy, M.F.</i>	36
Modern method for monitoring the electromagnetic disturbances at high and low frequency generated by overhead transmission line upon the environment <i>Ungureanu, M., Roman, C., Citiriga, V. & Baran, I.</i>	37
Transient electromagnetic field analysis of transformer winding <i>Fujita, A., Kato, S., Hirai, T. & Okabe, S.</i>	38
A study on stress control in High Voltage insulators with floating electrodes through simulation of charges <i>Palaniswamy, K. & Udayakumar, K.</i>	39
Shape optimization of GIS insulators using Taguchi method <i>Hot, K.</i>	40
Modeling of transient eddy currents - A system identification approach <i>Dadic, M.</i>	41

Electrostatic induction effects on double-circuit 765kV vertical transmission line <i>Lee, D-I., Shin, K-Y. & Lee, S-D.</i>	42
Transient charge deposition and electric stress in HV GIS <i>Hot, K. & Kelemen, T.</i>	43
Signal amplifying technique by choosing optical device angles in electro-optic field measurement method <i>Sumiyoshitani, S.</i>	44
High-resolution measurement of surface charge for high voltage insulating supports <i>Tatematsu, A., Hamada, S. & Takuma, T.</i>	45
Improvement of spatial resolution on surface charge measurement by applying an artificial neural network to obtain instrument function <i>Takeo, H., Takashima, T., Nakamoto, S., Ohsawa, Y. & Arai, K.</i>	46
Characteristics of light emission from gas discharge generated by repetitive pulsed power generator <i>Imasaka, K., Ohshiro, Y., Suehiro, J. & Hara, M.</i>	47
Electric field induced voltages on metallic storage tanks near HV transmission lines <i>Radwan, R.M., Amer, R.Y. & Emam, A.M.</i>	48
Toxicity-dependent discharge effect on dioxin-contained fly ash by non-thermal nanosecond plasmas <i>Zhou, Y.X., Bu, D., Yan, P., Liang, X.D., Guan, Z.C. & Nifuku, M.</i>	49
750 kV transmission line design in high altitude area based on electromagnetic environment <i>He, J., Kang, P., Zeng, R., Chen, S. & Guan, Z.</i>	50
TRANSIENT AND EMC; LIGHTNING, SWITCHING, REPETITIVE TRANSIENTS	
Stresses on mobile phone stations in high voltage towers <i>Richter, B., Balzer, G. & Schmitt, O.</i>	53
Analysis of electric field in the area surrounding a man under a lightning struck tree <i>Kojima, S., Shida, N., Nishikori, Y., Kouno, T. & Takuma, T.</i>	54
A comparison between satellital and terrestrial lightning detection systems <i>Younes, C., Torres, H., Pérez, E., Montaña, J., Herrera, J., Gallego, L. & Vargas, M.</i>	55
Lightning return-stroke model for reproduction of electromagnetic field in close range <i>Miyazaki, S. & Ishii, M.</i>	56
A study of lightning surge propagating through a pole-mounted transformer on an actual-scale distribution line <i>Honda, H., Noda, T., Asakawa, A., Shindo, T., Yokoyama, S. & Abiko, K.</i>	57
Simultaneous observation of lightning stroke current and magnetic fields at five points due to lightning striking to a tall structure <i>Goshima, H., Motoyama, H., Asakawa, A., Wada, A., Shindo, T., Yokoyama, S. & Nakada, K.</i>	58
Invited lecture: High voltages and overvoltages in power systems as causes of electromagnetic compatibility disturbances <i>Agoris, D.P.</i>	59
Computation of transient electromagnetic fields generated in a GIS during a switching operation using FDTD technique <i>Mohana Rao, M., Joy Thomas, M. & Singh, B.P.</i>	60
On-line monitoring of transient overvoltages in a.c. transmission lines using several capacitive probes <i>Martínez M., J.C. & Ramírez L., M.</i>	61
Study of the interaction between distribution transformers and vacuum circuit breakers <i>Lopez-Roldan, J., de Herdt, H., Min, J., Van Velthoven, R., Declerq, J., Sels, T., Karas, J., Van Dommelen, D., Popov, M., Van der Sluis, L. & Aguado, M.</i>	62

Steep-fronted transients in inverter fed motors <i>Martínez, J.M., Amarís, H. & Sanz, J.</i>	63
Design and testing of MO-surge arresters with siliconinsulation <i>Richter, B.</i>	64
Investigation of accurate lightning protection design for transmission lines including characteristics of lightning strokes and location <i>Ueno, Y., Motoyama, H. & Sugimoto, M.</i>	65
Study on structure and performance of tube -arresters <i>Morooka, Y., Kinoshita, F., Sakae, M. & Watanabe, K.</i>	66
Test method for assessing the protection capability of metal-oxide surge arresters against fast transient sheath overvoltages in large cross-bonded cable systems <i>Ermel, M.</i>	67
Surge protection for nanosecond impulse disturbance voltages <i>Kondratov, O.I., Kuzhekin, I.P., Kudyakov, K.I. & Kozlov, D.A.</i>	68
Insulation coordination for a 23 kV medium voltage distribution <i>Martinez, M.L.B., de Salles, C., Figueira, A.D., Violin, A., Oliveira, H.P. & Oling, R.</i>	69
Lightning induced voltages on an overhead power distribution line for different ground parameters <i>Durai Kannu, P. & Joy Thomas, M.</i>	70
Equivalent circuit of pole-mounted distribution transformer for analysis of lightning overvoltages on medium-voltage line <i>Michishita, K. & Hongo, Y.</i>	71
Evaluation of near electromagnetic fields due the lightning considering losses in the lightning channel <i>Ribeiro, E.J., Miranda, G.C. & Sereno, C.V.</i>	72
Characteristics of the radiation field waveforms produced by stepped leaders just before lightning return strokes <i>Lee, B.H., Lee, D.M., Jeong, D.C., Lee, S.C., Chung, Y.K., Ahn, C.H., Woo, J.W. & Shim, E.B.</i>	73
Electrogeometric and generic modelling of downward lightning strikes <i>Petrov, N.I. & Waters, R.T.</i>	74
Computation of electromagnetic fields around transmission line due to lightning strokes <i>Porkar, B., Porkar, S. & Vahidi, B.</i>	75
Lightning performance of four-circuit 500 kV transmission lines <i>Kang, P., Zeng, R., Huang, Z., Chen, S. & He, J.</i>	76
An analysis of overvoltage hazard due to lightning discharges in medium voltage overhead lines with covered conductors <i>Gacek, Z. & Skomudek, W.</i>	77
Lightning performance evaluation of hellenic high voltage transmission lines <i>Ekonomou, L., Gonos, I.F., Stathopoulos, I.A. & Topalis, F.V.</i>	78
Evaluation of lightning parameters of lightning correlated with transmission lines faults <i>Kosmac, J., Djurica, V., Jevsenak, M. & Mandeljc, E.</i>	79
Determination of the most influential parameters on the calculation of induced voltages <i>Pérez, E., Herrera, J., Torres, H., Younes, C., Montaña, J., Gallego, L. & Vargas, M.</i>	80
Theoretical and experimental analysis of thunder disperser in presence of space charge <i>Vahidi, B. & Taghikhani, M.A.</i>	81
Analysis on electrostatic and lightning protection for petroleum tank <i>Zhang, G-J., Wang, X. & Yan, Z.</i>	82
Modeling of lightning return strokes at a complex tall structure <i>Shostak, V., Janischewskyj, W., Hussein, A.M., Chang, J.S., Rachidi, F. & Bermudez, J.L.</i>	83

Analysis of lightning breakthrough probabilities of three-phase design gas-insulated transmission lines	84
<i>Bulatnirov, M.V., Kadomskaya, K.P. & Lavrov, Yu.A.</i>	
A combined surge generator	85
<i>Wang, P., Liu, L., Zhang, G., Wang, X. & Luo, C.</i>	
Inefficacy of radioactive terminals and early streamer emission terminals	86
<i>Chrzan, K.L. & Hartono, Z.A.</i>	
Rocket triggered lightning test to lightning rod and semiconductor lightning extender	87
<i>Chen, C., Wang, J., Wen, X., Yu, J., & Zheng, Y.</i>	
Statistics of lightning occurrence and lightning current's parameters obtained through lightning location systems – comparison with classical data	88
<i>Baran, I., Cristescu, D., Gary, C., Voron, A. & Berger, G.</i>	
Investigation of over voltage phenomenon in 400kV substation of Neka Power Plant due to switching	89
<i>Nabavi-Niaki, S.A. & Rezaee, G.</i>	
Suppression of over-voltage switching transients of PWM motor drives using passive filtering technique	90
<i>Al-Zamil, A.M., Saied, M.M. & Al-Jalahmah, T.N.</i>	
Transformer modeling based on standard testing results	91
<i>Bachega, R.J., Pivatto, J.K.A. & Martinez, M.L.B.</i>	
Wavelet-based analysis of switching EMI to secondary electronic equipment	92
<i>Tao, J., He, J. & Jin, S.</i>	
Study on sparkover behavior of insulators under combined AC and lightning impulse voltage	93
<i>Shi, Z., Wang, L., Guan, Z. & Liang, X.</i>	
Surge analysis during making-operation of circuit breaker in 345kV network	94
<i>Chung, Y.H., Kim, J.B., Song, W.P., Kim, D.S. & Koh, H.S.</i>	
The effect of the secondary loads on the voltage surges transferred through distribution transformers	95
<i>Kanashiro, A.G. & Piantini, A.</i>	
Semiconductor (ZnO) surface flashover triggering of pseudospark switchers	96
<i>Xie, J., Qiu, Y. & Kuffel, E.</i>	
Switching performance of 420 kv transmission line between Macedonia and Bulgaria	97
<i>Jankov, V. & Minovski, R.</i>	
Impulse transients in the cable transformer	98
<i>Pogostine, V.M.</i>	
VFT phase voltage measurement in a three-phase enclosed GIS model	99
<i>Zou, J.H., Yang, L.J., Li, Y. & Fu, P.</i>	
Investigations concerning switching overvoltages in a powerplant unit auxiliary transformer	100
<i>Isworo, L.</i>	
Lightning transient characteristics of substation considering soil ionization around grounding conductors of grounding system	101
<i>He, J., Yu, G., Gao, Y., Zou, J. & Guan, Z.</i>	
Synthesis of the EMC tests to be performed on the MV equipment	102
<i>Dias, C.J.P.</i>	
Measurement error analysis of transmission line tower grounding resistance using clamp meter	103
<i>Wang, J., Zhou, W., Liu, Z. & Chen, C.</i>	
Structure parameter analysis of horizontal multi-layer soil for substation sites	104
<i>Zeng, R., Yu, S., He, J. & Guan, Z.</i>	
High frequency performance of an earthing system	105
<i>Abdallah, M.A.</i>	

Modelling of ESD with respect to different kinds of earth coupling <i>Glöser, K., Gutheil, B., Mann, M. & Weiß, P.</i>	106
Effective length of extended earthing electrode under lightning impulse <i>Lu, C., He, J., Gao, Y., Zeng, R. & Zou, J.</i>	107
Improving Safety of Substation by A Two-Layer Earthing System <i>Lu, J., Zeng, R., He, J. & Gao, Y.</i>	108
Speedy analysis of transient voltages in large grounding systems <i>Zou, J., Guo, J., He, J.L. & Zeng, R.</i>	109
Electromagnetic interference analysis in secondary system of substation with lightning striking the region of transmission line neighboring substation <i>Tu, Y., Ding, L. & Li, C.</i>	110
Transient behaviour of a horizontal electrode under impulse current <i>Gonos, I.F., Kontargyri, V.T., Topalis, F.V. & Stathopoulos, I.A.</i>	111
A novel method for measuring the impedance of grounding grids using a variable-frequency inverter <i>Lee, B.H. & Eom, J.H.</i>	112
Effect of soil ionisation on the lightning current distribution in earthing system <i>Abdallah, M.A.</i>	113
Measurement on current distribution of grounding grid <i>Xishan, W., Zhengguo, Z., Yi, W., Lei, L. & Jiangbo, C.</i>	114
Fundamental considerations on long ground electrodes design <i>Almeida, M.E. & Correia de Barros, M.T.</i>	115
Measurements of overvoltages in secondary circuits for EMC evaluation in transmission network substations <i>Sekso-Telento, A. & Bojić, S.</i>	116
Analysis of the behavior of counterpoises with lightning current impulses <i>Vergara, O.J., Herrera, F.A., & Amórtégui, F.J.</i>	117
Effects of two nearby grounding systems on each other during fault in substations <i>Vahidi, B. & Soltani, R.</i>	118
The impulse response of earth grids <i>van der Linde, F., Zedan, B., Griffiths, H. & Haddad, A.</i>	119
Television interference from ultra high voltage power lines <i>Wangping, Ruan, J. & Zhou, W.</i>	120
Effect of high resistive barrier on earthing system <i>Osman, M., Chen, G. & Pilling, N.</i>	121
The use of ferrite beads in transient high voltage applications: Experimental study and simulation <i>Pécastaing, L., Paillol, J., Reess, T. & Touya, G.</i>	122
Varistor response under subsequent stroke-like impulse current <i>Roman, F., Montaña, R. & Cooray, V.</i>	123
An electronic fault current limiter (EFCL) using integrated gate commutated thyristors (IGCT) <i>Klingbeil, L., Kalkner, W., Weise, B. & Kunde, K.</i>	124
Extinction mechanism of tube type creeping discharge lightning protection devices <i>Honda, C., Hayashi, Y., Sung, Y.M., Otsubo, M., Kinoshita, F. & Morooka, Y.</i>	125
Power quality improvement using external gapped line arresters on 132kv & 400kv overhead transmission lines <i>Yeung, K.S. & Tsuge, K.</i>	126

On lightning protection of overhead lines 35 kV and above by antenna-type long flashover arresters <i>Podporkin, G.V., Pilshikov, V.E., Sivaev, A.D. & Yarmarkin, M.K.</i>	127
On avoiding ferroresonance in networks with inductive voltage transformers <i>Prucker, U., Umlauf, A. & Niedung, L.</i>	128
Voltage distribution along metal oxide surge arresters <i>Chrzan, K.L. & Gielniak, J.</i>	129
Experimental study of conventional metal - Oxide distribution surge arresters with an intentionally connected series gap <i>Ortiz, H.E. & Román, F.</i>	130
Evaluation of lightning surge waveform for LIWV reduction of substation equipment <i>Okabe, S., Yuasa, S., Koto, M. & Zaima, E.</i>	131
A protection system of the facilities for information and communication from lightning surges <i>Lee, B.H. & Kang, S.M.</i>	132
Changes in varistors properties after radial field test <i>Jaroszewski, M., Korycki, P., Wieczorek, K. & Zakrzewski, J.</i>	133
A practical approach to the assessment of overvoltage stresses of MOA in medium-voltage power systems aiming to properly select their basic characteristics <i>Babuder, M. & Vižintin, S.</i>	134
Study on lightning protection of Qinghai-Tibet Railway <i>Zhang, L.L., Wu, G.N., Li, J., Wang, J.W. & Shen, H.</i>	135
Influence of the third harmonic component in power system voltage on arresters diagnostics <i>Kil, G.S., Han, J.S., Lee, J.H., Kim, J.B. & Cho, H.G.</i>	136
Evaluation of lightning protection of unshielded 132kV overhead lines using surge arresters <i>Rivier, J., Rouco, L., del Castillo, J.I., Vindel, D., Vargas, G. & Herranz, A.</i>	137
Response of low voltage protective devices under subsequent stroke-like impulse currents <i>Roman, F., Montaña, R. & Cooray, V.</i>	138
Lightning protection of sub-transmission power lines <i>Drabkin, M.M.</i>	139
The use of transient program and digital relay test on the evaluation of distance relay performances at Jawa Bali EHV protection system <i>Felienty, S., Kurnaen, J. & Roekman, M.</i>	140
EMERGING HV TECHNOLOGIES, ADVANCED MATERIALS AND INTERFACE PHENOMENA	
Invited lecture: Interfacial characteristics of accessory models for HV and EHV extruded cables <i>Tanaka, T., Henriksen, M., Densley, J., Gubanski, S., Holboll, J.T., Nagao, M. & Ross, R.</i>	143
Prototype-integration of Fiber-Bragg-Sensors into high-voltage transformers for Online-Temperature-Monitoring <i>Teunissen, J., Peier, D., Moritz, Krijgsman, B. & Verhoeven, R.</i>	144
Conversion of wind into electrical energy without the need for moving parts <i>Bodega, R., Sonneveld, P.J., Morshuis, P.H.F., van Rooij, R. & van Eldijk, L.G.M.</i>	145
Generation on dynamic pressure waves in water by pulsed high voltage discharges <i>Touya, G., Bac, J., Reess, T., Pécastaing, L. & Paillol, J.</i>	146
Microvaristor based field grading elements for HV terminations <i>Gramespacher, H., Svahn, J., Greuter, F. & Christen, T.</i>	147
Novel circuit topologies for repetitive pulsed power and plasma applications <i>Yan, K., Nair, S.A., van Heesch, E.J.M., Pemen, A.J.M. & van der Laan, P.C.T.</i>	148

Repetitive high-voltage pulse generation using a solid-state opening switch <i>Pemen, A.J.M., Grekhov, I.V., van Heesch, E.J.M., Yan, K. & Nair, S.A.</i>	149
A 25 kV, 100 ps pulse generator driven by a 500 Hz source <i>Bouttemant, G., Pécastaing, L., Bac, J., Reess, T., Paillol, J. & De Ferron, A.</i>	150
Methods to decelerate interfacial ageing problems in SiO ₂ filled epoxies for applications in high voltage insulators* <i>Gerdinand, F. & Kurrat, M.</i>	151
Interface development for high power semiconductors based on aluminium nitrate functional gradient materials <i>Bakija, B., Peier, D., Wildersohn, M. & Willert-Porada, M.</i>	152
Partial discharge induced bubbles generated in subcooled liquid nitrogen at atmospheric pressure <i>Suehiro, J., Matsumoto, Y., Imasaka, K. & Hara, M.</i>	153
Research on processing dyeing wastewater by the DC and pulse discharges <i>Tao, Y., Wang, L., Guan, Z. & Hu, Q.</i>	154
Corona driven air propulsion for cooling of electronics <i>Yang, F., Jewell-Larsen, N.E., Brown, D.L., Pendergrass, K., Parker, D.A., Krichtafovitch, I.A. & Mamishev, A.V.</i>	155
Temperature distribution in a continuous fluid flow heated by a Pulsed Electric Field <i>van den Bosch, H.F.M., Morshuis, P.H.F. & Smit, J.J.</i>	156
Long HVDC lines as bearers of combined MV and fibre based telecommunication services <i>Madolo, C.B., Mulaudzi, M.P., Ijumba, N.M. & Britten, A.C.</i>	157
Dielectric properties of liquid nitrogen <i>Sumereder, C., Muhr, M. & Woschitz, R.</i>	158
Foam based high voltage insulation concepts <i>Puffer, R., Schnettler, A., Tröger, A. & Negle, H.</i>	159
Quench propagation characteristics in YBCO films for resistive superconducting fault current limiters <i>Kang, J.S., Lee, B.W., Park, K.B., Oh, I.S. & Hyun, O.B.</i>	160
Simulation analysis on cement displacement properties in porcelain insulators for transmission line <i>Han, S.W., Cho, H.G., Lee, D.I., Choi, I.H. & Min, B.W.</i>	161
Dielectric properties of high pressure CO ₂ and N ₂ gases <i>Hoshina, Y., Hanai, M. & Nakamoto, T.</i>	162
The influence of sintering temperature on the TSC characteristics of Alumina ceramics with different additives <i>Lu, J., Li, C.R., Ding, L., Tu, Y. & Meng, T.</i>	163
Enhancement of PD onset voltage in gases around a triple-junction including a permittivity functionally graded material <i>Hayashi, N., Katsuki, K., Hara, M. & Tsuru, S-I.</i>	164
Charging and flashover characteristics of a thin glass insulator in vacuum <i>Yamamoto, O. & Fukuda, M.</i>	165
Unique characteristics on creeping discharge with highly nonuniform narrow gap in N ₂ /SF ₆ mixtures <i>Ueno, H., Kawano, T., Nishikawa, T. & Nakayama, H.</i>	166
Discharge characteristics between two plane electrodes on the dielectrics and their controllability <i>Nakayama, H., Ueno, H., Matsui, R. & Maeda, K.</i>	167
The effect of the surface charge on the discharge activity along the spacer surface under LI stress <i>Moukengué Imano, A.</i>	168

* This paper has been rescheduled in the symposium program to the section *Ageing, space charge, dielectric measurements and industrial applications.*

Effect of electric field on discharge phenomena in narrow gap between insulating materials <i>Nitta, K., Chiba, M., Matsuoka, S., Taplamacioglu, M.C. & Hidaka, K.</i>	169
Relation between the barrier effect and partial discharge activity in the three-layer dielectrics <i>Gefle, O.S., Lebedev, S.M., Pokholkov, Y.P., Agoris, D.P. & Vitellas, I.</i>	170
High-voltage pulsed-power supplies for automotive exhaust gas treatment with dielectric barrier reactor <i>de Haan, S.W.H., Roodenburg, B., Creyghton, Y.L.M., Fiala, A. & Huijser, T.</i>	171

OUTDOOR INSULATION AND COMPOSITE INSULATORS

Invited lecture: Modern outdoor insulation - Concerns and challenges <i>Gubanski, S.M.</i>	175
Performance of composite and porcelain insulators in a coastal environment <i>Gorur, R.S. & Moreno, J.</i>	176
Process of AC arc propagation on an ice surface at low air pressure <i>Farzaneh, M., Li, Y. & Zhang, J.</i>	177
Optical diagnostics of single water droplets on polymeric insulating surfaces in an electric field <i>Keim, S., König, D. & Hinrichsen, V.</i>	178
Application of Ice Progressive Stress method for selection of different insulation options <i>Gutman, I., Halsan, K. & Hübinette, D.</i>	179
Investigations of bird streamer flashovers at 400 kV overhead transmission line composite insulator sets <i>Seifert, J.M.</i>	180
Study on the mechanical properties of composite insulators under dynamic load <i>Sun, C., Liang, X., Zhou, Y., Dai, J., Wang, N. & Guan, Z.</i>	181
Study of the performance of composite insulator and insulator with RTV coating in high altitude area <i>Zhou, J., Guan, Z., Wang, L., Jia, Z. & Shi, W.</i>	182
On the reproducibility and the long term stability of the hydrophobicity transfer ability of silicones <i>Bärsch, R., Gustke, U., Lambrecht, J. & Wolf, H.P.</i>	183
A consideration on the sensitivity of high-frequency components in the measurement of discharge current for contaminated insulator string <i>Matsumoto, T.</i>	184
Field aging of RTV SIR coated insulators <i>Guan, Z., Gao, H., Jia, Z. & Wang, L.</i>	185
Laser-induced fluorescence spectroscopy for detection of biological contamination on composite insulators <i>Dernfalk, A.D., Bengtsson, M., Grönlund, R., Sjöholm, M., Weibring, P., Edner, H., Gubanski, S.M., Kröll, S. & Svanberg, S.</i>	186
Artificial intelligence technique for monitoring degradation of outdoor polymeric insulators <i>Crespo-Sandoval, J., Haddad, A., Rowlands, A.R., Griffiths, H. & Williams, D.L.</i>	187
Performance of polymeric insulators under accelerated ageing under AC & DC voltages <i>Vasudev, N., Ravi, K.N., Krishna Murthy, P. & Channakeshava</i>	188
Evaluation of the leakage current and observation of discharge emission in pollution test of polymer insulator <i>Otsubo, M., Anami, N., Honda, C., Takenouchi, O., Hashimoto, Y. & Sonoda, Y.</i>	189
Study of the pollution resistance and current distribution in front of the flashover discharge <i>Flazi, S., Hamouda, M., Hadi, H. & Boukhenoufa, N.</i>	190
Effects of semi-conducting glaze coating on the electrical performance of a H.V. station post insulator covered with ice <i>Jaiswal, V., Farzaneh, M. & Lowther, D.A.</i>	191

Study of the properties of RTV nanocomposite coatings <i>Lan, L., Wen, X., Cai, D. & Liu, H.</i>	192
Optimum use of the electrical properties of wood on HV Lines <i>Darveniza, M.</i>	193
A new mathematical model to estimate critical flashover current of polluted insulator under power frequency voltages <i>Hussain, I.S., Jaafar, S., Ghosh, P.S. & Aljunid, S.A.K.</i>	194
Typical cases of electric field and voltage distribution calculations along composite insulators under dry and wet conditions <i>Que, W. & Sebo, S.A.</i>	195
Study of the dielectric behaviour of non-uniformly polluted insulators <i>Suffis, S.A., Gonos, I.F., Topalis, F.V. & Stathopoulos, I.A.</i>	196
Effect of water droplet corona on silicone rubber insulators under HVDC potential <i>Ijumba, N.M., Britten, A.C. & Swartz, J.</i>	197
Accelerated aging test system for composite insulators <i>Ding, L., Li, C.R., Yang, J., Zha, K., Su, Z. & Li, Q.</i>	198
Evaluation methods of contamination flashover voltages of hydrophobic polymer insulators <i>Ikeda, K., Ito, M., Sanpei, T., Matsuoka, R., Kondo, K. & Ito, S.</i>	199
The Dry-Salt-Layer method, a laboratory pollution test-method for marine pollution: Its repeatability and a comparison of field and laboratory results <i>Engelbrecht, C.S., Hartings, R., Engström, B., Hübinette, D. & Halsan, K.</i>	200
Pollution flashover of long rod insulators with different profiles <i>Chrzan, K.L., Vokalek, J., Sklenicka, V., Petrusch, W. & Kindersberger, J.</i>	201
Pollution test station Glogow, twenty years of research <i>Chrzan, K.L.</i>	202
The influence of temperature and UV radiation on resistance of glass cap-and-pin insulators at direct voltage <i>Grabia, M., Gielniak, J. & Moscicka-Grzesiak, H.</i>	203
Steep-front impulse voltage tests of composite insulators <i>Flezyński, J., Sojda, E., Tyman, A. & Koruba, K.</i>	204
Measurement of salt deposit density and water deposit density in salt fog method for polymer insulating material test <i>Yamashita, T., Honda, K., Fujishima, T. & Matsuo, H.</i>	205
Manufacturing and application of cage design high voltage metal oxide surge arresters <i>Steinfeld, K., Kruska, B. & Welsch, W.</i>	206
Corona inception on cap-and-pin insulators in clean environments <i>Landy, R.C. & Reynders, J.P.</i>	207
Performance of SIR insulators in the eastern coastal industrial area of Saudi Arabia <i>Al-Hamoudi, I.Y. & Al-Hamouz, Z.M.</i>	208
PD between water drops influencing hydrophobic processes on SI and EP-resin systems <i>Braunsberger, T., Dziubek, A., Kodoll, W., Schümann, U. & Kurrat, M.</i>	209
Evaluation of cumulative charge of dry band arc by using the differential technique and the emission observation in salt fog test <i>Takenouchi, O., Otsubo, M., Anami, N., Honda, C. & Hashimoto, Y.</i>	210
An analysis of leakage current waveforms, measured on-site, with reference to insulator pollution flashover models <i>Holtzhausen, J.P. & Vosloo, W.L.</i>	211

The effect of ion migration on mechanical strength of composite insulator core <i>Su, Z. & Fan, J.</i>	212
The development of a new type measuring system of ion migration on insulators <i>Wang, P., Ding, L., Li, C. & Wang, J.</i>	213
A new ceramic body concept for high strength HV Insulators <i>Faßbinder, G.</i>	214
A high-voltage composite 220 kV line insulator-improving the design in terms of distribution of electric field intensity along the rod <i>Nadolny, Z. & Olszewski, M.</i>	215
Characteristics of RTV SIR coating at low air pressure <i>Jia, Z., Gao, H., Wang, L., Guan, Z. & Yang, J.</i>	216
Evaluation of compact distribution networks <i>de Mello, D.R., Garcia, R.W., Malheiros, C. & Dias, R.</i>	217
Controlling conductor galloping on overhead line by phase to phase spacer <i>Yan, D., Hou, L., Jia, Z., Wang, L., Guan, Z. & Liang, X.</i>	218
Physical property of porcelain insulator (400kN) according to Addition ZrO ₂ <i>Choi, I-H., Hong, D-S., Lee, D-I., Jung, G-J. & Choi, Y-G.</i>	219
Behavior of water droplet on silicone rubber sheet under AC voltage application <i>Mizuno, Y., Hilario, R. & Naito, K.</i>	220
Calculation of a voltage distribution in an electrolytic solution under a local discharge propagation <i>Fujishima, T., Tsuji, T., Yamashita, T. & Matsuo, H.</i>	221
Humidity-ion density relationships <i>Diaz, R.R., Fernandez, F.M. & Silva, J.N.</i>	222
Discussions of possible simplifications for the electric field and voltage distribution calculations along composite insulators <i>Que, W. & Sebo, S.A.</i>	223
Physical study of an electrical discharge in water <i>Touya, G., Reess, T., Pécastaing, L. & Paillol, J.</i>	224
Dynamic model for pollution flashover calculations under DC voltage <i>Teguar, M., Mekhaldi, A., Aberkane, M., Thaminy, Y. & Boubakour, A.</i>	225
Effects of contaminations on hydrophobicity transference of RTV-SIR coating <i>Jia, Z., Gao, H., Wang, L., Guan, Z. & Yang, J.</i>	226
Concentrated discharges and dry bands on polluted outdoor insulators <i>Chrzan, K.L.</i>	227
Distinctive properties of impulse creeping discharges along aerial insulated wire surface <i>Nishi, T., Hanaoka, R., Kameya, N., Takata, S. & Miyamoto, T.</i>	228
Location of internal faults in polymeric insulators <i>de Mello, D.R., Acioli, E. & Góis, N.</i>	229
The effect of ion migration on mechanical strength of composite insulator core <i>Su, Z. & Fan, J.</i>	230
Comparison of natural contaminants accumulated on suspension and post insulators surfaces with DC and AC stress in northern China's inland areas <i>Su, Z. & Liu, Y.</i>	231
AC pollution flashover performances of insulated conductors for 10 kV compact distribution lines with polymeric triangle spacers <i>He, J., Zeng, R., Fu, F., Wang, L. & Guan, Z.</i>	232

Effect of electrolyte resistivity and flow-rate on the leakage current for polymeric materials <i>Piah, M.A.M. & Darus, A.</i>	233
The pollution flashover and the external insulation of ± 500 kV Ge-Nan HVDC transmission line <i>Su, Z. & Li, Q.</i>	234
Hydrophobicity stabilization by formation of microstructures on silicone surfaces <i>Katzenberg, F., Khaddour, A. & Peier, D.</i>	235
A basic approach to the phenomena of pollution-induced flashover of cap and pin ceramic insulator strings <i>Nagabhushana, G.R. & Subba Reddy, B.</i>	236
Response of selected elastomer materials to partial discharges occurring on long-rod composite insulators <i>Jędrzejczak, P. & Mościcka-Grzesiak, H.</i>	237
Temperature and other factors influencing the brittle fracture of composite insulators <i>Wang, C., Liang, G., Zhou, Y., Wang, N. & Guan, Z.</i>	238
Research on the long-term mechanical characteristics of composite insulators <i>Wang, C., Liang, G., Zhou, Y., Dai, J., Fan, J. & Guan, Z.</i>	239
Research on characteristics of leakage current <i>Li, Z., Wang, L., Guan, Z., Mao, S. & Wang, Y.</i>	240
Effect of surface charge in hydrophobicity of insulating material and decay of surface voltage after corona charging <i>Huh, C-S., Youn, B-H., Seo, Y-J. & Lee, K.T.</i>	241
Effects of surface charge accumulation on the impulse flashover voltage on silicone rubber surface <i>Ehnberg, S.G.J. & Blennow, H.J.M.</i>	242
Surface temperature and ice accretion characteristics of semiconducting glaze suspension insulator under artificial icing conditions <i>Sugawara, N., Abe, M., Ito, S., Mori, S. & Fujii, O.</i>	243
The tracking wheel test of polymer insulator by housing material and shape <i>Cho, H-G., Lee, U-Y., Lim, K-J. & Kim, T-Y.</i>	244
Resistance of silicone high-voltage insulation to leakage current in modified inclined plane test <i>Wieczorek, K. & Jaroszewski, M.</i>	245
The outdoor exposure aging test of pole mount mold transformer by back-to-back method <i>Cho, H-G., Lee, U-Y., & Kim, S-S.</i>	246
Study on the various pollution performance of insulators for 750kV lines under high altitude area <i>Zhou, J., Guan, Z., Wang, L., Jia, Z. & Shi, W.</i>	247
Voltage-time curves and performance functions of composite insulators for MV overhead line stressed by short tail impulses <i>Baran, I., Costea, M., Burceanu, M. & Coatu, S.</i>	248
Composite insulator flashover caused by bird dropping and unknown reasons <i>Wang, X., Liang, X., Zhou, Y., Wang, S. & Guan, Z.</i>	249
Ageing test results of 275-kV full scale insulator strings <i>Satake, A., Ito, A., Marungsri, B., Shinokubo, H. & Matsuoka, R.</i>	250
Impulse flashover voltages in air at low pressure <i>Kalenderli, O., Onal, E., Merev, A. & Mardikyan, K.</i>	251
Insulator pollution and wetting processes at a severe coastal site <i>Vosloo, W.L. & Holtzhausen, J.P.</i>	252
Observation of discharge development and surface changes to evaluate the performance of different outdoor insulator materials at a severe coastal site <i>Vosloo, W.L. & Holtzhausen, J.P.</i>	253

Critical conditions of arc propagation on a long insulator covered with ice <i>Zhang, J., Farzaneh, M. & Aboutorabi, S.S.</i>	254
Sound-spectrograph analysis on the discharge noise of contaminated insulator strings in an anechoic room <i>Matsumoto, T. & Tanaka, Y.</i>	255
Research of external pollution influence to MOA leakage current <i>Zhou, W.J., Shao, T., Lu, Y., Liang, Y.M. & Rao, Z.Q.</i>	256
Experiences on ageing of epoxy overhead insulators <i>Subocz, L.</i>	257
Investigation on contamination performance of polymer insulators deposited with algae <i>Fujii, O., Kondo, K., Kondo, T., Utsumi, Y. & Nakano, T.</i>	258
Influence of the environment to the pollution performance of RTV Silicone Rubber coatings in Crete <i>Agoris, D.P., Siderakis, K.G. & Thalassinakis, E.J.</i>	259
Analysis of temperature change on surface of epoxy resin insulator affected by leakage current and heat from environment <i>Garniwa, I.</i>	260
 INTELLIGENT SYSTEMS IN HV ENGINEERING; DATA MINING AND KNOWLEDGE RULES	
Interactive diagnosis ES model for HV power equipment based internet and AI <i>Yan, Z., Zhao, W.B., Dong, M., Yan, C.J., Xu, D.K. & Muhr, M.</i>	263
Learning to detect critical changes in partial discharge patterns <i>Kulla, A., Mustafaraj, E., Wendel, C., Peters, M., Hoof, M. & Freisleben, B.</i>	264
Application of clustering fusion for multisensor on-line monitoring system of HV power equipments <i>Zhao, W.B., Dong, M., Yan, Z. & Muhr, M.</i>	265
Components of partial discharge analysis and scope for automation <i>Senthil Kumar, S., Narayanachar, M.N. & Nema, R.S.</i>	266
Mapping lightning processes using fuzzy inference system to improve system protection <i>Nunes de Souza, A., Nunes da Silva, I., Goretti Zago, M. & Andrade Flauzino, R.</i>	267
Datamining for decision support of CBM <i>Gulski, E., Wester, F.J., Quak, B., de Vries, F. & Mayoral, M.B.</i>	268
Automatic diagnosis of faults and their locations in power transformer impulse test by SOM <i>Kato, T., Inoue, K. & Ishii, S.</i>	269
Intelligent agents for diagnostic decision making <i>Mustafaraj, E., Kulla, A., Hoof, M., Peters, M. & Freisleben, B.</i>	270
Expert system for condition based maintenance of transformer bushings <i>Venkatesh, R. & Kannan, S.R.</i>	271
Virtual ASP-based impulse generator <i>Leister, N. & Schufft, W.</i>	272
Modeling and estimation of dielectric response parameters using Artificial Neural Networks <i>Hemalatha, B., Rau, V.G. & Singh, Y.P.</i>	273
 ASSET MANAGEMENT OF HV EQUIPMENT: STRATEGIES AND TOOLS	
Optimization of load with regard to thermal utilization for high voltage cables and extra-high voltage cables <i>Neges, E., Muhr, M., Woschütz, R. & Sumeder, Ch.</i>	277

Condition evaluation of network components	278
<i>Koerbler, B., Muhr, M., Sumereder, C. & Egger, H.</i>	
Developing strategies for managing large pools of assets	279
<i>Wnek, M., Burzynski, P., Spiller, J. & Karandikar, H.</i>	
Condition based risk management of power system asset	280
<i>Osztermayer, J. & Feser, K.</i>	
New aspects of asset management for a regional utility	281
<i>Draxler, R., Egger, H., Egger, H., Marketz, M., Muhr, M. & Polster, J.</i>	
On-line monitoring and diagnosis as basis for the asset management of power transformers	282
<i>Gockenbach, E.</i>	
Cable diagnostics to serve CBM on power cable systems	283
<i>van Schaik, N., Steennis, E.F., van Aartrijk, D.M., Rieksen, R.H. & Ross, R.</i>	
A method to evaluate operational experience with HV power transformers using a modular transformer model to apply sensor technologies and on-line monitoring systems	284
<i>Gernandt, M., Balzer, G. & Neumann, C.</i>	
Modern GIS applications under optimized asset management aspects	285
<i>Degen, W. & Laskowski, K.</i>	
New asset management tools for ageing HV insulation	286
<i>Allan, D.M.</i>	
Sharing asset condition data and performance knowledge	287
<i>Gulski, E., Wester, R., Wester, P. & Groot, E.</i>	
HV asset management maintenance strategy based on risk	288
<i>van der Meijden, M.A.M.M., de Ruiter, A., de Raaf, H.E. & Robberegt, M.</i>	
Fundamental aspects of information processing and the decision process to support Asset Management	289
<i>Quak, B., Gulski, E. & Wester, Ph.</i>	
Risk assessment of power transformer faults with a fuzzy synthetic evaluation model	290
<i>Liu, N., Gao, W., Tan, K., Liang, G., Wang, L. & Li, W.</i>	
Reliability statistics based on small data sets	291
<i>Ross, R.</i>	
A new method for qualitative and quantitative evaluation of ageing behaviour of electrical equipment	292
<i>Drescher, D. & Balzer, G.</i>	
Wavelet analysis of PD in power cables	293
<i>Quak, B., Gulski, E., Wester, F.J. & Seitz, P.N.</i>	
Reliability centered maintenance with CALPOS® main	294
<i>Mathis, M., Koch, V. & Lee, P.T.</i>	
Combined diagnostic and withstand voltage tests to upgrade the operating voltage of 10-kV-XLPE-cables	295
<i>Schreiter, F., Jilek, U. & Schufft, W.</i>	
Condition assessment of power equipment and applications	296
<i>Wetzer, J.M. & Cliteur, G.J.</i>	
Scanning the condition of power equipment while in service	297
<i>van den Aardweg, P., van Rijn, T.G.M., Rutgers, W.R. & Wetzer, J.M.</i>	
Preparing failure data to evaluate electrical equipment and results	298
<i>Drescher, D., Balzer, G. & Neumann, C.</i>	
Matching the design of high voltage substation and power plant	299
<i>Prayudianto, M.</i>	

Life-time extension of air-pressure insulated substations by replacement of the circuit breakers 300
Meijer, S. & Wesselink, H.

DIAGNOSTICS AND ON-LINE MONITORING FOR CBM

Invited lecture: Diagnostic testing of in-situ power cables - An overview 303
Orton, H.E.

PD Activity as a means to classify insulation degradation of large turbo generators 304
van Breen, H.J., Gulski, E. & Krieg-Wezelenburg, M.G.

Successful implemented condition based maintenance concept for switchgear 305
Groot, E.R.S., Gulski, E., van Dam, A. & Wester, F.J.

On-line condition assessment of transformers and switchgears 306
Lee, C.R., Choi, Y.C., Kim, N.H., Yoon, J.H. & Nam, K.C.

The transient oil pressure measurement as a diagnostic tool of the short circuit withstand capability of power transformers 307
Kraetge, A., Kalkner, W., Plath, R. & Plath, K-D.

On-site diagnostic of the decomposition of sulfurhexafluoride due to partial discharges 308
Wember, M. & Peier, D.

Mechanical condition monitoring for high voltage circuit breakers 309
Huang, Y., Guan, Y., Xu, G. & Qian, J.

Sensitive PD detection and location in gas insulated cable terminations and GIS 310
Heinrich, R., Rethmeier, K., Kalkner, W. & Gorablenkow, J.

Non-invasive condition monitoring of a high voltage circuit breaker 311
Suwanasri, T., Schmettler, A., Fricke, D. & Noack, A.

VHF/UHF PD detection on aged GIS 312
Pharmatrisanti, A. & Meijer, S.

Ageing and deterioration diagnosis of polymer cables: Major differences and interactions 313
Schmidt, G., Hoff, G. & Kranz, H-G.

PD Diagnosis and condition assessment of distribution power cables using damped AC voltages 314
Gulski, E., Wester, F.J., Schikarski, P. & Seitz, P.N.

Comparative PD measurements under damped and continuous AC energising voltages with respect to preventive on-site PD diagnosis tests of medium voltage power cables 315
Boltze, M., Lemke, E. & Strehl, T.

Multiple phase and multiple sample partial discharge measurement using a distributed system on local and wide area networks 316
Fawcett, T.J., Sowerby, M.J. & Connell, R.

Reliability centered maintenance for underground distribution networks using on-line distributed partial discharge measurements 317
Garcia-Colon, V.R. & Ramírez-Cruz, J.M.

Partial discharge pattern recognition as a diagnostic tool for stator bar defects 318
Farahani, M., Borsi, H., Gockenbach, E. & Kaufhold, M.

Characteristics of on-line partial discharge in stator winding on starting hydrogenerator using acoustic emission detection method 319
Kaneko, T., Takemura, A., Takenouchi, O., Sung, Y-M., Otsubo, M., Honda, C., Tsuruta, Y. & Tanaka, K.

Propagation characteristics of UHF signals in transformers for locating partial discharge sources 320
Yang, L. & Judd, M.D.

Measurement of propagation characteristics for UHF signals in transformer insulation materials <i>Convery, A.R. & Judd, M.D.</i>	321
Investigating the impacts of ageing and moisture on dielectric response of oil/paper insulation systems <i>Saha, T.K. & Purkait, P.</i>	322
Diagnosing a wider range of transformer faults using frequency response analysis <i>Ryder, S.A.</i>	323
Online acoustic PD-measurements of oil/paper-insulated transformers - Methods and results <i>Markalous, S.M., Grossmann, E. & Feser, K.</i>	324
On-line partial discharge monitoring system for generators and power transformers arranged in a power plant <i>Gao, S., Li, F., Gao, W., Tan, K. & Zhu, D.</i>	325
Statistical analysis of time parameters of PD pulses generated by defects in transformer insulation systems <i>Sztolcman, M., Walczak, K. & Moscicka-Grzesiak, H.</i>	326
The research of on-load current method in monitoring transformer core based on the vibration signal analysis method <i>Ji, S., Yuan, J., Liu, J., Li, Y. & Xu, D.</i>	327
An enhanced system for partial discharge diagnosis on power transformers <i>Werle, P., Akbari, A., Gockenbach, E. & Borsi, H.</i>	328
On-line ultrasonic detector for power transformer <i>Chin, S.B., Kweon, D.J., Kwak, H.R., Lee, D.Z. & Park, H.S.</i>	329
On the search of the key link of electric breakdown mechanism for prediction of transformer insulation <i>Torshin, Yu.V. & Sharkovsky, V.A.</i>	330
Dissolved gas analysis as a diagnostic tool for evaluating the condition of the transformer <i>Ward, S.A.</i>	331
Partial discharge characteristics by metallic particle on solid insulator in GIS <i>Okubo, H., Okamoto, Y., Hayakawa, N., Hoshino, T. & Matsumoto, S.</i>	332
Measurement of ultra-high frequency (UHF) partial discharge sensor sensitivity and partial discharge (PD) signal losses in the 800 kV gas-insulated substation (GIS) <i>Park, K., Goo, S-G., Yoon, J-Y., Hong, C-Y. & Kang, J-H.</i>	333
UHF partial discharge detection in GIS <i>Li, Z., Chen, J., Hu, D. & Feng, Y.</i>	334
An investigation on the characteristics of self designed external UHF coupler used for the detection of the partial discharges in Gas Insulated Switchgear <i>Koo, J., Yoon, J., Lim, Y., Chang, Y. & Kang, C.</i>	335
Continuous monitoring of Partial Discharges in power cables using capacitive couplers and trend analysis <i>Tian, Y., Lewin, P.L., Webb, M., Sutton, S.J. & Swingler, S.G.</i>	336
VHF/UHF partial discharge measurements on cable accessories <i>Meijer, S., Gulski, E., van Rossum, J. & Gamlin, M.</i>	337
Sensitivity of on-line PD detection for distribution power cables <i>Wester, F.J., Gulski, E., Groot, E.R.S. & Van Vliet, M.G.A.</i>	338
Experience in PD diagnosis tests of HV cable terminations in service using an ultra-wide band PD probing in the real-time mode <i>Lemke, E., Elze, H. & Weissenberg, W.</i>	339
Sensitive PD detection as a diagnostic tool for 110 kV external gas pressure cables <i>Kumm, T., Heinrich, R., Rethmeier, K., Jacobsen, P., Kalkner, W. & Zinburg, E.</i>	340

Experience-based evaluation of insulation condition for high voltage rotating machines <i>Ryu, S.S., Kim, D.H., Choi, Y.C., Kim, J.H., Park, T.W. & Kim, G.T.</i>	341
Motor winding quality assessment based on frequency response analysis <i>Florkowski, M., Furgal, J. & Saaranen, J.</i>	342
Synchronous three phase partial discharge detection on rotating machines <i>Heinrich, R., Schaper, S., Kalkner, W., Plath, R. & Bethge, A.</i>	343
The use of the PSA for characterisation of partial discharge types and sites in the insulation system of rotating machines <i>Berton, F. & Patsch, R.</i>	344
Performance analysis of different on-line PD measurement techniques for usage on Turbo Generators <i>van Breen, H.J., Gulski, E., Smit, J.J., Verhaart, H.F.A. & de Leeuw, W.</i>	345
Diagnostics and on-line monitoring HV capacitive-type equipment <i>Xu, D., Li, Y., & Yan, Z.</i>	346
On-line inspection of defective composite insulators by infrared temperature measurement <i>Wang, Z-l., Huang, T., Ji, L-b. & Liu, Y.</i>	347
Partial discharge pattern recognition of power capacitors based on acoustic signals <i>Yu, C., Gao, S., Wang, M., Li, F. & Tan, K.</i>	348
Optimal algorithms for Wavelet-based denoising in PD measurement <i>Zhou, C., Ma, X. & Kemp, I.J.</i>	349
Contribution to solution problems with partial discharge measurement in on-line mode <i>Zalis, K.</i>	350
The pattern of the radio wireless data transmission used in HV on-line monitoring equipments <i>Liu, G., Wu, G. & Tu, D.</i>	351
Development of a sensor for registration of hydrogen dissolved in transformer oil <i>Bodzenta, J., Gacek, Z., Jakubik, W., Kochowski, St. & Urbańczyk, M.</i>	352
New algorithm of sampled data preprocess in on-line insulation monitoring system <i>Chai, X., Wen, X. & Guan, G.</i>	353
A new method to obtain the degradation of surge arresters using an extra high impedance dc current source <i>Alarcón, A., Gamboa, L.C., Martínez, J.M. & Román, F.</i>	354
HVAC diagnostic tests of medium-voltage equipment by frequency-tuned resonant test systems <i>Coors, P., Hauschild, W. & Spiegelberg, J.</i>	355
Self-Organization neural networks in prediction of insulation thermal ageing <i>Mokhnache, L. & Boubakeur, A.</i>	356
Use of artificial neural networks in the thermal ageing prediction of the EPDM <i>Mekhaldi, A., Tegar, M., Benabbas, S. & Chair, H.</i>	357
About the monitoring and diagnostic of the circuit breakers <i>Adam, M., Baraboi, A. & Pancu, C.</i>	358
Influence of spectrum analyser settings on risk assessment of GIS containing free conducting particles <i>Zoetmulder, R.G.A., Meijer, S., Smit, J.J. & Girodet, A.</i>	359
Condition based maintenance based on on-line partial discharge measurements of HV switchgear systems <i>Zoetmulder, R.G.A., Meijer, S. & Smit, J.J.</i>	360

AGING, SPACE CHARGE, DIELECTRIC MEASUREMENTS AND INDUSTRIAL APPLICATIONS

Invited lecture: Space charge-induced damage in synthetic insulation <i>Laurent, C.</i>	363
--	-----

Investigation of the effects of Titanium Dioxide additive on space charge threshold field in polyethylene	364
<i>Khalil, M.S., Montanari, G.C., Fabiani, D. & Palmieri, F.</i>	
Influence of AC ageing on space charge dynamics in LDPE	365
<i>Chen, G., Fu, M. & Liu, X.Z.</i>	
Space charge and electric field distribution in current loaded polyethylene insulated HVDC cables	366
<i>Ildstad, E., Mauseth, F. & Balog, G.</i>	
Effect of space charge distribution on breakdown characteristics of polyimide film	367
<i>Muramoto, Y., Mitsumoto, S., Fukuma, M., Hozumi, N. & Nagao, M.</i>	
Partial discharges characterisation using wide-band measurement system	368
<i>Elborki, M.A., Crossley, P.A., Wang, Z.D., Jarman, P., Darwin, A. & Edwards, G.</i>	
A new mathematical model to estimate the percentage volume of water trees present in polymer insulated power cables	369
<i>Sulaiman, S. & Ghosh, P.S.</i>	
Dynamics of bridge creating in contaminated oil at AC voltage and analysis of accompanying partial discharges	370
<i>Moranda, H., Walczak, K. & Moscicka-Grzesiak, H.</i>	
Influence of impulse wavefront duration on the discharge development of SF ₆ gas in a point-plane gap	371
<i>Zhang, Q., Yang, L., Qiu, Y. & Hara, M.</i>	
Performance of internal mechanical stressed cast resins evaluated by partial discharge measurements	372
<i>Kotte, R., Gockenbach, E. & Borsi, H.</i>	
Inception and growth of trees in PMMA	373
<i>Gefle, O.S. & Pokholkov, Y.P.</i>	
The ageing of electrical insulation materials subjected to combined voltage waves at different frequencies	374
<i>Sels, T., Lopez-Roldan, J., Declercq, J., Van Dommelen, D. & Belmans, R.</i>	
Effect of electrical tree propagation on breakdown in mica insulations	375
<i>Vogelsang, R., Brüttsch, R. & Fröhlich, K.</i>	
Modeling of dielectric breakdown in epoxy based heterogeneous systems	376
<i>Flandin, L., Vouyovitch, L., Barraud, N., Bessède, J.L., Bérroual, A. & Albérola, N.D.</i>	
Definition of the minimal electric strength of long air gap on the basis of new model of development of the leader	377
<i>Syssoev, V.S.</i>	
Simulation of streamer propagation under positive impulse voltage	378
<i>Charalambakos, V.P., Agoris, D.P., Pyrgioti, E.C. & Kupershtokh, A.L.</i>	
Life time of ice-paper composite insulation in liquid nitrogen	379
<i>Nagao, M., Kataoka, Y., Tsuruta, S., Muramoto, Y., Hozumi, N. & Kosaki, M.</i>	
Diagnostics of MV XLPE power cable systems using polarisation and depolarisation current measurement method	380
<i>Oyegoke, B.S., Hyvönen, P.O. & Aro, M.M.</i>	
Experience with dielectric response measurements on oil-paper insulated cables	381
<i>Saha, T.K., Yew, J.H. & Purkait, P.</i>	
Insulation diagnosis by polarization and depolarization current measurements	382
<i>Breitenbauch, B., Kuechler, A., Leibfried, T. & Zaengl, W.S.</i>	
Dielectric spectroscopy and partial discharge characterisation of fiber-reinforced epoxy materials	383
<i>Krivda, A. & Page, S.A.</i>	

Sensitivity of RVM parameters in view of the changes of water content in the course of power transformers drying <i>Aschenbrenner, V., Učík, T. & Valenta, L.</i>	384
Relaxation time of oil and its effect on the streaming electrification in transformer <i>Shibuya, Y. & Ogura, T.</i>	385
Dielectric and electric parameters used for insulation characterization of multistress aged XLPE-cables <i>Reuter, M., Gockenbach, E. & Borsi, H.</i>	386
Results on ageing of Aramid paper under selective conditions <i>Fofana, I., Borsi, H., Gockenbach, E. & Farzaneh, M.</i>	387
The breakdown characteristics of the silicone oil for electric power apparatus <i>Yoshida, H. & Yanabu, S.</i>	388
Breakdown strength of nitrogen in a weakly non-uniform electric field: relation between LI and AC breakdown strength and the effect of pre-impulse AC-stress <i>Böhme, H. & Philippov, A.A.</i>	389
Chaotic behavior of a free moving metallic particle in the 362 kV Gas-insulated system <i>Park, K., Goo, S-g., Yoon, J-y., Kye, W-h., Kwon, T-y., Rim, S. & Kim, C-m.</i>	390
Study of dielectric strength of polycrystalline CVD diamond films for thermal management in power electronic <i>Schneider, H., Lebey, T., Achard, J. & Gicquel, A.</i>	391
The influence of mechanical, thermal and electrical stresses on the performance of carbon black filled electric stress control material <i>Krivda, A., Greuter, F., Stauch, G. & Fromm, U.</i>	392
Breakdown and pre-breakdown phenomena in water under impulse voltage: Propagation of positive streamers <i>Nieto-Salazar, J., Lesaint, O., Denat, A. & Robledo-Martínez, A.</i>	393
The influence of transformer loading to the ageing of the oil-paper insulation <i>Radakovic, Z., Cardillo, E. & Feser, K.</i>	394
Capacity influence on breakdown voltage of electrode arrangements in vacuum <i>Schümann, U., Budde, M. & Kurrat, M.</i>	395
Study of AC breakdown voltage of transformer insulation materials <i>Abu-Sada, M.Y.</i>	396
Experimental study of low vacuum breakdown under transverse electric fields <i>El-Zein, A., Nosseir, A. & Abu - Elabbas, K.</i>	397
Experimental study of compressed air breakdown under crossed electric fields <i>El-Zein, A., Nosseir, A. & Abu - Elabbas, K.</i>	398
Detecting degree of water treeing in XLPE power cable systems using polarisation and depolarisation current method <i>Oyegoke, B.S., Hyvönen, P.O. & Aro, M.M.</i>	399
Estimations and measurements of partial discharge characteristics near a triple junction in atmospheric air <i>Hara, M., Kurihara, T., Suehiro, J. & Hayashi, N.</i>	400
The influence of the ambient temperature on IRC-Analysis results of insulation material for epoxy insulated bushings <i>Hofmann, R. & Kranz, H.-G.</i>	401
Characterisation of electric stress control materials by DC conductivity and impulse measurements <i>Krivda, A., Greuter, F. & Palmqvist, L.</i>	402

Study of negative corona characteristics with needle to plane gap using Continuous Wavelet Transformation technique	403
<i>Ichikawa, N., Okumura, K., Kawamura, T., Murooka, Y., Ohkuma, Y. & Takahashi, Y.</i>	
Streamer corona structure in an air gap near the surface of a thin dielectric plate	405
<i>Timatkov, V.V., Pietsch, G.J., Saveliev, A.B., Sokolova, M.V., Temnikov, A.G. & Vereshchagin, I.P.</i>	
Study on atmospheric pressure glow discharge	406
<i>Wang, X.X., Li, C.R., Lu, M.Z. & Pu, Y.K.</i>	
Relationship between light emission and dynamical lengthening of partial discharge on electrolytic surfaces under the application of AC voltage	407
<i>Zegnini, B., Mahi, D. & Chaker, A.</i>	
Influence of spherulitic structure in LDPE on tree propagation from a simulated tree channel	408
<i>Imai, K.</i>	
Influences of morphology on the tree growth in polyethylene films	409
<i>Zhou, Y.X., Zhang, B.L., Yan, P., Wu, Y.Q., Liang, X.D., Guan, Z.C. & Yoshimura, N.</i>	
The affects analysis of corona type, spot density and electrode material on dust collector models	410
<i>Setiabudy, R., Garniwa, I. & Hidir, A.</i>	
An universal dynamic model of discharge propagation in air, liquids, solid/liquid interface and polluted insulator	411
<i>Beroual, A.</i>	
Streamers initiation and breakdown in liquid dielectrics: Influence of additives and hydrostatic pressure	412
<i>Aka-N'Gnui, T. & Beroual, A.</i>	
Adding negative corona currents produced by independent electrodes in a cylindrical coaxial configuration	413
<i>Arévalo, L.P., Díaz, O.J. & Román, F.</i>	
Calculation of corona onset voltages using a microscopic Monte Carlo simulation method	414
<i>Becerra, M. & Román, F.</i>	
Polyfilm insulation behaviour in quasi-uniform electric field	415
<i>Agoris, D.P., Vitellas, I., Gefle, O.S. & Lebedev, S.M.</i>	
Ageing studies on sheet samples of insulating samples employing CIGRE II electrode system	416
<i>Ghosh, S. & Kishore, N.K.</i>	
Statistics of barrier microdischarges	417
<i>Ficker, T.</i>	
Space charge accumulation and depletion in new and aged polycarbonate	418
<i>Alijagic - Jonuz, B., Morshuis, P.H.F. & Smit, J.J.</i>	
HIGH VOLTAGE INSULATION SYSTEMS FOR AC AND DC	
Invited lecture: High voltage AC and DC insulation systems – State of the art	421
<i>Fröhlich, K.</i>	
Investigations on a New Method for the Extension of the Lifetime of Free Breathing Transformers	422
<i>Wasserberg, V., Borsi, H. & Gockenbach, E.</i>	
Specific aspects of design and testing of a phase shifting transformer	423
<i>Spoorenberg, C.J.G., van Hulst, B.F. & Reijnders, H.F.</i>	
Impulse partial discharge and breakdown characteristics under non-uniform electric field in CO ₂ and N ₂ /CO ₂ gas mixtures	424
<i>Hayakawa, N., Deng, J. & Okubo, H.</i>	

Breakdown properties of thick dielectric-layered electrode at lightning impulse voltages in SF ₆ gas <i>Inami, K., Shimizu, Y., Yoshimura, M., Nagao, E., Ootsuka, T. & Hama, H.</i>	425
The formation of bipolar surface charge double layers on parallel-plane surfaces of insulating materials under DC-voltage <i>Winter, A. & Kindersberger, J.</i>	426
Particle trajectories in a 3-phase common enclosure GIB on coated electrodes <i>Amarnath, J., Kamakshaiha, S., Radhakrishna, C., Rajasekhar Goud, L., Singh, B.P. & Srivastava, K.D.</i>	427
Transient stress management in HVDC barrier-oil insulation systems <i>Kuechler, A., Siller, M., Hoffmann, H., Krause, C., Koch, N., Hoppe, J. & Heinzig, P.</i>	428
Impact of dielectric material responses on the performance of HVDC power transformer insulations <i>Kuechler, A., Huellmandel, F., Hoppe, J., Jahnel, D., Krause, C., Piovan, U. & Koch, N.</i>	429
Physical modeling of DC electric arc propagation on an ice surface <i>Fofana, I., Tavakoli, C., Farzaneh, M. & Bérroual, A.</i>	430
Partial discharge characteristics leading to breakdown in electronegative gases <i>Hayakawa, N., Hatta, K., Yuasa, S., Okabe, S. & Okubo, H.</i>	431
Behaviour of EPR high voltage cable models under switching impulse stress <i>Marzinotto, M., Mazzetti, C., Pompili, M. & Schiaffino, P.</i>	432
Development, manufacturing and installation of the world's most powerful 3-core HV submarine cable for the Horns Rev Wind Farm <i>Knutsen, B.E. & Mikkelsen, S.D.</i>	433
A method of testing the high-voltage bushing internal insulation of power transformers and testing the measuring current transformers internal insulation under operation conditions <i>Bondarenko, V.E. & Minchenko, A.A.</i>	434
Research on life management of power transformer <i>Zhang, W., Li, Y. & Li, J.</i>	435
Inrush current behaviour of a generator transformer <i>Rengarajan, S. & Ramesh, M.</i>	436
Investigation of electric strength and electromagnetic processes, experience of creation of transformer equipment for HV converter substations <i>Meleshko, I.Yu., Mashoshin, V.V., Solovyova, L.V., Sysunenko, O.I. & Topolyansky, Y.L.</i>	437
Steady state thermal performance of SF ₆ Compressed Gas-Insulated power transformer <i>Eteiba, M.B., Abdel Aziz, M.M. & Shazly, J.H.</i>	438
Explosion of HV current transformer in operation <i>Shkolnik, A. & Grisaru, M.</i>	439
Dielectric behaviour of SF ₆ at 100 kPa in a divergent field <i>Stangherlin, S., Salge, G. & Koenig, F.</i>	440
Vertical movement of free metallic particles in a 3-phase common enclosure gas insulated bus <i>Kumar, R., Gorayan, R.S. & Singh, B.P.</i>	441
Breakdown behaviour in SF ₆ influenced by space-charge-stabilization <i>Hinterholzer, Th. & Boeck, W.</i>	442
Lightning impulse breakdown characteristics of high-pressure CO ₂ compared with those of N ₂ as alternative insulation gases to SF ₆ <i>Goshima, H., Shinkai, H. & Fujinami, H.</i>	443

Study of the quantitative estimation method of lightning impulse region V-t characteristics under quasi-uniform field gap in high-pressure SF ₆ by steep-front square impulse <i>Shinkai, H., Goshima, H., Yashima, M. & Fujinami, H.</i>	444
Light emission properties of SF ₆ gas mixture in impulse breakdown process <i>Ohtsuka, S., Eguchi, K., Cho, M., Yuasa, S., Okabe, S. & Hikita, M.</i>	445
Thermal characteristics of underground SF ₆ Gas-Insulated Transmission Line in partially dried-out soil <i>Eteiba, M.B., Abu El-Zahab, E.M. & Omran, Y.S.</i>	446
On-site detection of OLTC mechanical performance <i>Wu, H., Liu, Q.S., Liu, W.D. & Qian, J.L.</i>	447
Effect of spacers on free-conducting particle motion behavior between non-parallel plane electrodes under AC voltage <i>Khan, Y., Oda, A., Kurihara, T., Zhang, Q., Okabe, S., Suehiro, J. & Hara, M.</i>	448
Mechanical requirements of high voltage insulation systems in synchronous generators <i>Grabner, C.</i>	449
Impulse conditioning mechanism based on different electrode materials under non-uniform electric field in vacuum <i>Miyazaki, F., Suzuki, K., Kato, K., Sakaki, M. & Okubo, H.</i>	450
Oil resistance at different phases of bridge mechanism development at direct voltage <i>Ossowski, M., Gielniak, J., Moranda, H. & Mościcka-Grzesiak, H.</i>	451
Laboratory investigations on optimization of air clearances for EHV and UHV transmission lines <i>Nirgude, P.M., Arunjothy, Shivakumar Aradhya, R.S., Mohan Rao, N.S. & Channakeshava</i>	452
Study of ion migration in insulator subjected to dc voltages <i>Muralidhara, V., Muruges Mudaliar, M., Vasudev, N., Ravi, K.N., Krishnamurthy, P. & Channakeshava</i>	453
Recovery of air insulation after abnormal disconnection of high-voltage transmission line <i>Aleksandrov, N.L., Bazelyan, E.M., Gaivoronsky, A.S., Klepikov, A.V. & Vasilyev, V.A.</i>	454
Reactive power compensation equipment based on DSP in high voltage system <i>Wang, L. & Zhou, W.</i>	455
The humidity influence on insulating paper DC conductivity <i>Bitam-Megherbi, F. & Megherbi, M.</i>	456
The influence of bubble dynamics in liquid nitrogen with applied electric fields on superconducting power apparatus <i>Swaffield, D.J., Lewin, P.L., Chen, G. & Swingler, S.G.</i>	457
Charge distribution measurement on a truncated cone spacer under dc voltage <i>Kumada, A., Okabe, S., Chiba, M. & Hidaka, K.</i>	458
25 kV and civil assets <i>Paulussen, R.M. & Morshuis, P.H.F.</i>	459
Transmission power cables PD detection at damped AC voltages <i>Gulski, E., Wester, F.J., Groot, E.R.S., Wester, Ph. & Seitz, P.N.</i>	460
HIGH VOLTAGE MEASUREMENTS, TESTING TECHNIQUES AND QUALITY ASSURANCE	
Partial discharge detection and localisation for application in transformers <i>Schwarz, R., Muhr, M. & Pack, S.</i>	463
Remote radiometric measurements of PD's occurring in power transformers <i>Babnik, T., Aggarwal, R.K., Moore, P.J. & Jarman, P.</i>	464

A UHF system for characterising individual PD sources within a multi-source environment <i>Bennoch, C.J. & Judd, M.D.</i>	465
Reliable partial discharge defect identification in GIS with automated phase shift detection <i>Aschenbrenner, D., Kranz, H.-G. & Schichler, U.</i>	466
PD-testing of service aged joints in XLPE-insulated medium voltage cables at test voltages with variable shape and frequency <i>Pepper, D., Rethmeier, K. & Kalkner, W.</i>	467
Localisation of power cable discontinuities using high frequency couplers for time domain reflectometry <i>Edin, H., Papazyan, R., Dubickas, V. & Ramanauskas, T.</i>	468
Partial discharge location in transformer windings <i>Phung, B.T., Blackburn, T.R. & Lay, W.W.</i>	469
On-line PD measuring system for MV cables: Some practical aspects and implications <i>Wouters, P.A.A.F., van der Wielen, P.C.J.M., Veen, J. & Steennis, E.F.</i>	470
Impulse partial discharge propagation mechanism under non-uniform electric field in N ₂ /SF ₆ gas mixtures <i>Yoshitake, Y., Hayakawa, N., Ueda, T. & Okubo, H.</i>	471
PD measurement and commissioning test for cables <i>Pultrum, E. & Verhoeven, S.A.M.</i>	472
Evolution in automatic phase resolved partial discharge pattern recognition for rotating machine diagnosis <i>Hudon, C., Contin, A., Bélec, M., Cavallini, A., Nguyen D.N., Montanari, G.C. & Conti, M.</i>	473
Accurate current measuring system based on Rogowski coil <i>Suomalainen, E-P. & Aro, M.</i>	474
Nanosecond high voltage impulse generators <i>Kondratov, O.I., Kuzhikin, I.P. & Kudyakov, K.I.</i>	475
Technique and evaluation of FRA-measurements on large power transformers <i>Hässig, M. & Bräunlich, R.</i>	476
Insulation recovery characteristics after current interruption for vacuum circuit breakers <i>Matsuo, T., Hara, D., Ishibasi, K., Yanabu, S., Ichikawa, H. & Sakaki, M.</i>	477
Optimised cable end termination system with water conditioning unit <i>Pietsch, R., Kubat, M., Schierig, S., Spreer, R. & Leye, W.</i>	478
New proposal for manual and automatic evaluation of lightning impulse test voltages with oscillations <i>Hackemack, K., Gockenbach, E. & Borsi, H.</i>	479
Making frequency response analysis measurements: A comparison of the swept frequency and low voltage impulse methods <i>Tenbohlen, S. & Ryder, S.A.</i>	480
Performance progress and calibration of digital recorder for impulse voltage tests <i>Strauss, W.</i>	481
An improvement of the evaluation of lightning impulse test voltages using the k-factor <i>Berlijn, S., Garnacho, F. & Gockenbach, E.</i>	482
Frequency-domain analysis contribution to HV measurement quality <i>Matyas, Z., Aro, M. & Damstra, G.C.</i>	483
Comparison of the new k-factor evaluation for lightning impulses with the present IEC 60060-1 standard for different waveforms and its impact on LI impulse testing <i>Gamlin, M. & Wolf, J.</i>	484

Unit-step calibrators for high voltage and high current applications <i>Damstra, G.C. & Matyas, Z.</i>	485
Invited lecture: Diagnostic measurements of power transformers on-site <i>Malewski, R.</i>	486
Real-time PD identification in diagnosis of GIS using symmetric and asymmetric UHF sensors <i>Hoshino, T., Hoshina, Y., Nojima, K. & Hanai, M.</i>	487
Characteristics of partial discharge pulses in compressed SF ₆ -N ₂ mixtures <i>Preetha, P., Joy Thomas, M., Senthil Kumar, S. & Narayanachar, M.N.</i>	488
Influence of GIS tank size on discrimination of discharge type based on PD-induced electromagnetic wave with UHF method <i>Ohtsuka, S., Kunitake, Y., Onomoto, M., Nishimura, T., Yuasa, S., Okabe, S. & Hikita, M.</i>	489
Influence of the power frequency on partial discharge phenomena <i>Meijer, S. & Girodet, A.</i>	490
Experimental study on UHF measurement for partial discharge in oil-impregnated insulation <i>Chen, Q., Gong, X., Gao, W., Tan, K. & Raghuvver, M.R.</i>	491
Characterisation of typical defects in GIS under different gas pressures using computerised discharge analysis <i>Mukherji, S., Adikeshavulu, A.K. & Jain, H.S.</i>	492
Discharge inception under impulse voltage: Influence of lab air ion density and resulting charge-voltage relation <i>Rühling, F., Heilbronner, F. & Ortéga, P.</i>	493
The influence of ions on the sphere-gaps discharge <i>Diaz, R.R., Fernandez, F.M., Rühling, F. & Heilbronner, F.</i>	494
The study on selective frequency balance measurement system for PD <i>Liu, G., Wu, G., Tu, D. & Liu, P.</i>	495
Partial discharge analysis in chosen insulating systems under impulse voltage <i>Siodla, K. & Walczak, K.</i>	496
Study on quantification method of partial discharge in winding of power transformer <i>Gao, W., Tan, K. & Qian, Z.</i>	497
Acoustic waveform analysis method of partial discharge <i>Lee, Y-H., Shin, Y-S., Seo, J-M. & Lim, K-J.</i>	498
On-site detecting, locating and diagnosing of partial discharges in GIS based on external UHF sensing <i>Liu, W.D., Huang, Y.L. & Qian, J.L.</i>	499
Influence of testing voltage frequency on partial discharge phase-resolved images <i>Florkowska, B., Florkowski, M. & Zydron, P.</i>	500
De-noising of partial discharge signals detected at a 400kV power transformer <i>Hettiwatte, S.N., Wang, Z.D., Crossley, P.A., Jarman, P., Edwards, G. & Darwin, A.</i>	501
In search of acoustic emission descriptors correlated with apparent electric charge <i>Witos, F. & Gacek, Z.</i>	502
Intelligent suppression of corona discharges interfering with partial discharge tests <i>Krause, W. & Kranz, H.-G.</i>	503
Combined RIV and PD measurements to satisfy the various needs of transformer testing <i>Russwurm, D. & Boltze, M.</i>	504
PD-Behaviour of electrical treeing in XLPE at different kinds of AC test voltages <i>Pepper, D. & Kalkner, W.</i>	505

DC corona detection on surfaces of insulators using ultrasound detectors <i>Vahidi, B., Alborzi, M.J., Aghaeinia, H. & Abedi, M.</i>	506
Sensitive on-site PD measurements on long cable system <i>Plath, R., Heinrich, R., Rethmeier, K. & Kalkner, W.</i>	507
Synchronous multi terminal partial discharge detection on power transformers <i>Schaper, S., Kalkner, W., Plath, R. & Emanuel, H.</i>	508
Novel window coupler for the detection of partial discharge activity in GIS <i>Nielsen, S.D. & Reynders, J.P.</i>	509
A development of the hybrid sensor for detecting high frequency partial discharge <i>Kim, J.-H., Koo, J.-Y. & Kim, J.-T.</i>	510
Partial discharge propagation in belted paper power cables <i>Christofides, N. & Cotton, I.</i>	511
PD localisation in mixed insulated power cable circuits <i>Wester, F.J., Gulski, E. & Groot, E.R.S.</i>	512
The experience of planning a new extra high voltage laboratory <i>Fan, C.-L. & Zeng, Y.-l.</i>	513
Evaluation of parameters of lightning impulses with overshoot <i>Li, Y. & Rungis, J.</i>	514
Temperature behaviour of air break disconnector contacts <i>Jaufer, S., Körbler, B. & Pack, S.</i>	515
Performance and structure analysis of Rogowski coil for current measurement <i>Shen, Z. & Luo, C.</i>	516
Development of intelligent gas insulated switchgear using electronic technology <i>Kim, J.B., Kim, T.W., Kim, M.S., Jung, Y.H., Song, W.P. & Kim, D.S.</i>	517
Transformation of transformer winding detailed model to its terminal model <i>Nazemi, M.H., Gharehpetian, G.B., Shafiee, M. & Allami, A.R.</i>	518
Study on current sensing system for very small deterioration signal in CV cables <i>Takahashi, T. & Okamoto, T.</i>	519
Issues associated with GSM installations on power line towers <i>Harid, N., Griffiths, H., Haddad, A. & Walker, K.</i>	520
A comparative presentation of the behaviour of sphere and sphere - Rod gaps under standard lightning impulses <i>Gourgoulis, D.E., Stassinopoulos, C.A., Tonožlis, G., Yakinthos, C.G. & Chondrogiannis, S.</i>	521
Temperature effect on air breakdown under switching impulse voltages <i>Kong, J.C.P. & Allen, N.L.</i>	522
The spectrum analysis of UHF PD signals from artificial defects in GIS using UHF PD measuring system <i>Lee, C., Kang, W., Lee, H. & Park, J.</i>	523
High voltage statistical analysis software <i>Vahidi, B. & Ghanbari, R.A.</i>	524
Selecting resistors for a high voltage divider <i>Merev, A., Yilmaz, O. & Kalenderli, O.</i>	525
Progress of a worldwide comparison of LI measuring systems - round 2 <i>Hällström, J., Aro, M., Pykälä, M.-L., Diaz, R., Munoz Rojas, P., Chagas, F., Kuffel, J., Gururaj, B.I., Satish, L., Rungis, J., Kim, I.S., Lian Hong, Z. & Wang, J.</i>	526
Development of an opto-electrical system for application to high voltage measurement <i>Fang, Z., Qiu, Y., Li, S., Kuffel, E. & Qiu, X.X.</i>	527

Study and development of an insulation monitoring system for HV utility motors in Korea <i>Cho, K.B., Kim, H.D., Ju, Y.H., Lim, K.J. & Park, D.H.</i>	528
Calibration scheme for electronic voltage and current transformers with analogue voltage output <i>Latzel, H.G., Roeissle, G., Moser, H. & Ramm, G.</i>	529
Determination of tuning circuit parameters for reducing the overshoot during impulse test of power transformer <i>Vijaya Lakshmi, P., Siva Sarma, D.V.S.S., Singh, B.P. & Tiwari, R.K.</i>	530
Change of breakdown probability of compressed nitrogen gas <i>Sakurai, K., Murakami, N. & Yumoto, M.</i>	531
Reproducibility of Transfer Function results <i>Wimmer, R., Feser, K. & Christian, J.</i>	532
Performance analysis of combined optical current/voltage sensors applied in new GIS <i>Qian, Z., Yang, L., Shen, Z. & Luo, C.M.</i>	533
Wavelet transform application during impulse tests of power transformers <i>Lenz, M. & Feser, K.</i>	534
A modified algorithm for the pre-determination of impulse voltage generator parameters under different loading conditions: Theory and experimental verification <i>Youssef, F.M.H., Eish, T.D. & EL-Adawy Khalil, M.</i>	535
International comparative test results in NIT <i>Harada, T., Wakimoto, T. & Sato, S.</i>	536
A high precision low current sensor based on electronic compensating Zero-flux principle <i>Shan, P., Yuan, J., Yuan, P. & Li, Y.</i>	537
Ultrasonic for non-destructive diagnostics of cable systems <i>Cornelissen, C. & Schnettler, A.</i>	538
Turn fault characteristics of transformer using transfer function method <i>Nirgude, P.M., Gunasekaran, B., Channakeshava, Rajkumar, A.D. & Singh, B.P.</i>	539
Evaluation of lightning impulse tests on reactors <i>Totev, J.</i>	540
Comparison of two ultra-precision DC high voltage dividers developed at PTB and NML <i>Marx, R., Li, Y. & Rungis, J.</i>	541
Development of optical acoustic sensor for monitoring of electric power apparatuses <i>Sakoda, T. & Sonoda, Y.</i>	542
Disruptive Effect method for small airgaps under oscillating impulse voltages <i>Venkatesan, S., Usa, S., Udayakumar, K. & Chelladurai, D.</i>	543
Capacitive divider as a field sensor for voltage linearity measurement of AC dividers <i>Suomalainen, E-P., Hällström, J. & Piironen, J.</i>	544
High accuracy comparison measurement of impulse parameters at low voltage levels <i>Hällström, J., Li, Y. & Lucas, W.</i>	545
Measurement errors in metering systems due to Voltage Transformer Secondary Cabling <i>Mannikoff, A.</i>	546
Motion analysis and size estimation of a free moving metallic particle in GIS based on propagation properties of acoustic wave <i>Hikita, M., Onomoto, M., Kunitake, Y., Kozako, M., Yuasa, S., Okabe, S. & Ohtsuka, S.</i>	547
Impulse test results independence analysis using runs <i>Becerra, M. & Mejia, A.</i>	548

Calibration of Voltage Transformers under non-sinusoidal conditions <i>Juvik, J.I.</i>	549
Development of the optoelectric voltage isolation device <i>Bin, Z.Y., Ming, Y.Y., Gang, Z.M. & Dong, C.</i>	550
Modelling impulse voltage test waveforms using time-domain fitting based on Prony's method <i>Boaventura, W.C.</i>	551
Impulse dividers for dummies <i>Bergman, A. & Hällström, J.</i>	552
Monitoring of earthing system performance at transmission line tower bases <i>Harid, N., Griffiths, H., Haddad, A. & Walker, K.</i>	553
Soil resistivity mapping of non-homogeneous soils <i>Harid, N., Griffiths, H., Haddad, A. & Walker, K.</i>	554
A new pulse-based EMC test for railway vehicles <i>Schwarz, H., Löhning, G., Lange, T. & Kleinod, L.</i>	555
Optical measurements of high voltages and currents in energy distribution networks <i>Schwarz, H., Honscha, M., Voss, H.-J. & Jenau, F.</i>	556
Lightning impulse parameters evaluation using three measuring systems <i>Harada, T., Sato, S. & Wakimoto, T.</i>	557
Complex impulse current test system for testing surge arrester up to 200 kA <i>Pietsch, R., Baronick, M., Kubat, M., Schmidt, V. & Schrader, W.</i>	558
The integration of the controls of HV test systems into local and wide area information networks <i>Baronick, M., Schmidt, V., Kübler, B. & Hauschild, W.</i>	559
Numerical electromagnetic analysis of unit step responses of impulse voltage measuring systems by the FDTD method <i>Baba, Y. & Ishii, M.</i>	560
Research on system of real-time condition monitoring of HV breaker <i>Wang, L.</i>	561
Measurement and modeling of DC residual voltages in Oil Filled high voltage AC cables <i>Tatizawa, H., Citron, E.W., Castro, A.F. & Obase, P.F.</i>	562
Transfer standard for on-site calibration of HV measuring systems <i>Marinescu, A., Dumbrava, I., Popa, D., Ungureanu, A. & Vascan, T.</i>	563
Lightning impulse parameter determination by means of moving average method <i>Sato, S. & Harada, T.</i>	564
Numerical convolution for impulse voltage measuring system <i>Sato, S., Harada, T., Wakimoto, T. & Saeki, M.</i>	565
Influence of humidity on the breakdown voltage of a sphere-sphere gap, at the 2600 m O.S.L. <i>Bejarano, L.M., Román, F. & Romero, A.A.</i>	566
Two methods of linearity tests of approved measuring systems for LI < 3 MV and SI < 2 MV <i>Breilmann, W. & Hinrichsen, V.</i>	567
Influence of the gas tight samplers of insulating oil on the accuracy of GC analysis <i>Darian, L.A. & Sung, J.S.</i>	568
Improvements on a new method to correct the humidity effect on Lightning Impulse Testing <i>de Salles, C. & Martinez, M.L.B.</i>	569
Correlation between the new developed method to correct the humidity effect on lightning impulse testing <i>de Salles, C., Pennacchi, J.P. & Martinez, M.L.B.</i>	570

Imitator of lightning currents with amplitudes of 200 kA <i>Kuzhikin, I.P. & Hribar, Ž.</i>	571
A new modular design for a new generation of impulse voltage generators <i>Wolf, J. & Gamlin, M.</i>	572
A comparison between the Ultra High Frequency and Acoustic Emission techniques for partial discharge detection in power transformers <i>Reynders, J.P., Marangoni, F. & de Klerk, P.J.</i>	573
Boundaries determination of the errors of high-voltage instrumental transformers of current <i>Hankevych, A. & Yevtukh, P.</i>	574
Results of transient magnetic flux density measurements on a mock airplane fuselage test setup <i>Sebo, S.A., Caldecott, R., Altay, Ö., Schweickart, D.L., Walko, L.C. & Horwath, J.C.</i>	575
State estimation of mineral filled epoxy insulators with loss factor measurement <i>Gerdinand, F., Budde, M. & Kurrat, M.</i>	576
TRANSFORMER DIAGNOSTICS	
Invited lecture: Partial discharges in power transformers <i>Guinic, P. & Lundgaard, L.E.</i>	579
PD on-line measurement of oil-filled power transformers <i>Han, B., Lewin, P.L., Tian, Y., Jarman, P. & Swinger, S.G.</i>	580
Up-to-date experience on furans for transformer diagnostics <i>Mulej, M., Varl, A. & Končan-Gradnik, M.</i>	581
Acoustic location of discharges in power transformers <i>Lundgaard, L.E., Berg, G., Brede, A.P. & Kyrkjeide, S.L.</i>	582
Partial discharge activity at high temperature <i>Khawaja, R.H., Blackburn, T.R. & Phung, B.T.</i>	583
Partial discharge measurement and evaluation techniques for transformers <i>Borsi, H. & Gockenbach, E.</i>	584
Condition based health maintenance of large power transformers using on-line and remote diagnostics <i>Shertukde, H.M. & Shertukde, R.H.</i>	585
Testing UHF partial discharge detection on a laboratory based power transformer <i>Judd, M.D., Cleary, G.P. & Meijer, S.</i>	586
A new objective technique to detect winding displacements in power transformers using frequency response analysis, without the need for historical data <i>Coffeen, L.T., Britton, J.A., Rickmann, J. & Gockenbach, E.</i>	587
Non-standard PD-measurement-tool for successful PD-source identification in the laboratory <i>Fuhr, J.</i>	588
Practical application of on-line partial discharge monitoring techniques on 500kV shunt reactors <i>Fu, M., Chen, G. & Wang, S.</i>	589
New on-line measurements and diagnosis concepts on power transformers <i>Rutgers, W.R., van den Aardweg, P., Aschenbrenner, D. & Kranz, H.G.</i>	590
Discharge signatures from a wedge geometry in transformer insulation of paper <i>Berg, G., Lundgaard, L.E. & Machazek, L.</i>	591
INDEX	
Author index	595